A n

Amateur Radio

Showing Amateur Radio to the Community

> Gil Sones VK3AUI Technical Abstracts:

Abstract

Frequency Shifter for Fox Hunting Diode Matching Crystal Sets

Silent tuning

plus

WIA, Divisional &

A Wire Log Periodic Dipole Array

Club News
ALARA
& regular columns

*Making Air Wound Transmitting Coils Richard Cortis
VK2XRC goes
Up the Lazy River

*Tracing the History of the WIA in WA



Callbook Listings Frequency Listings Rand Plans Repeater Lists Beacon Lists Satellite Lists Licence Conditions Examiner Lists Special Interest Groups Public Relations Notes Radio and TV Fregs. and much, much more!



2000 is a great year to have an up-to-date call book. This YEARBOOK edition contains all of the content you have come to expect of the WIA callbook as well as some new items

It is more than a callbook, it's a Yearbook, the WIA Yearbook!

The "WIA Yearbook 2000" is now available from Divisional Bookshops and selected outlets



nateur

Volume 68 Number 6 June 2000

din The Journal of the Wireless Institute of Australia ISSN 0002-6859

Editorial Editor

Colwyn Low VKSUE edarmag@charlot.net.au

VK3AUI

Technical Editor: Peter Gibson* VK3AZE

Publications Committee Members Ron Fisher VK30M Don Jackson VK3DBB Evan Jarman VK3ANI Bill Rice VK3ARP Gil Sones

Advertising

Mrs June Fox Tel: (03) 9528 5962

Hamads

"Hamaris" Newsletters Unlimited 29 Tanner Street, Richmond VIC 3121 Foy: (03) 9428 4242 e-mail: newsl@webtime.com.au

Office

10/229 Baladaya Boad Cauffield, Victoria Telephone (03) 9528 5962 Facsimile (03) 9523 8191 Business Hours 9:30em to 3:00em weekdays

Postal

P.O. Box 2175 CAULFIELD JUNCTION VICTORIA 3161 **AUSTRALIA** e-mail: armag@ hotkey.net.au

Production

Newsletters Unlimited (03) 9428 3458 Printer

Streamline Press, Melbourne (03) 9417 2756

Postal Service IMS (03) 9291 5888

Production Deadlines Advertising booking and articles for publication 10th of proceeding month.

Hamads and advertising material deadline 18th day of proceeding month The contents of Ameteur Radio are Copyright Wireless institute of Australia C 2000

Our cover this month

MDRC at the St Kilda Hobby Show. Tony VK3JED and Tony VK3CAT (centre) adjusting rigs just before satellite pass. Terry VK3KBD looks on

			a	

WICEN (Vic) wears a proud feather	
Many a Slip on the way to the true story. The initial years of the Wireless Insiliute of Australia (WA)	
Forever YL. Ladies in Amateur Radio (Western Australian style)	•
Up The Lazy River	•
Australia's first IARU conference: A time for decision making	
Technical	
Making "Air Wound" Transmitting Colis	

Drew Diamond VK3XU	
A Wire Log Periodic Dipole Array	16
Frequency Shifter for Fox Hunting (Technical Abstracts)	20
Diode Matching (Technical Abstracts)	
Crystal Sets (Technical Abstracts)	21
Silent Tune (Technical Abetracta)	21

Columns

An AM/CW Transmitter for 1.8, 3.5 and 7 MHz (Concluded)

Advertisers' Index	Education
ALARA	Hemsds 56
AMSAT Australia 45	HF Predictions
Awards	New Members 2
Club News 18	Novice Notes 42
Contests 38	Repeater Link
DX Notes 26	Silent Key
WIA Division News	Spotlight on SWLing
VK1 Notes	Technical Abstracts
VK2 Notes	VHF/UHF - An Expanding World
VK3 Notes 32	WIA Comment
VK4 Notes 33	WIA Hews
VK7 Notes34	WIA Division Directory
5/3 Wave	WIA Federal Directory

Contributions to Amateur Radio

Draw Diamond VK3XU

Amateur Radio is a forum for WIA members' amateur radio experiments, experiences opinions and news. Manuscripts with drawings and or photos are always welcome and will be considered for publication. Articles on disc or omail are especially welcome. The WIA cannot be responsible for loss or damage to any material. A pamphiet, How to write for Ameteur Radio is available from the Federal Office on receipt of a stamped self-addressed envelope.

Editor's Comment

Back issues are available directly from the WIA Federal Office (until stocks are exhausted, at \$4.00 each (including postage within Australia) to members. Photostat copies

When back issues are no longer available, photocopies of articles are available to members at \$2,50 each (plus an additional \$2 for each additional issue in which the article appears).

Disclaimer The coinions expressed in this publication do not recessarily reflect the official view of the WIA and the WIA cannot be held responsible for incorrect information published.

Amateur Radio, June 2000

Amateur Radio Service

A rediccommunication service for the number of salf. training intercommunication and technical investigation carried out by amateurs: that is, by duly authorised nersons interested in radio technique solely with a nertonal aim and without necuniary interest

Wireless Institute of Australia

The world's first and oldest National Radio Society Founded 1910

Representing The Australian Amateur Radio Service

Mambar of the International Amateur Radio Linion

Benjatared Sederal Office of the WIA 10/200 Salasiana Dond Caudield North Vic 3161 Fex (03) 9523 8101 Tel: (03) 9528 5982

http://www.wis.com.su All meil to PO Roy 2175 Caulifield Junction VIC 3181

Business houses & Marry Sorry washington

Acting Federal Secretary ARVEDIA Bases Maleis

Federal Office staff June Fox

Pira Trabilos VKNF Council Peter Naish VICTORIN VK1 Federal Councillor Glenn Dunstan INCANA VVS Eadard Councillor Michael Corbin VXXXXX

VKS Federal Councilion Branda Edmonds MACRIT VK4 Federal Councilior David Jones WHATE VKS Federal Councillor David Rox MACH VKA Federal Councillor Will McGhia VICALILI VK77AX

VK7 Federal Councillor Phil Corby Executive Peter Neish VK2BPN John Leitus

Federal Coordinators AMRAT Craham Catalill WALCE Jack Bramban NOCOSSAGA Awarda SPORTE John Kallahar VICTOR Contests fon Cortell Education Broods Edmonds MONET VICIKWA FTAC John Martin UMPACI John Edmonds IARID Grant Willis VKSZWI Intruder Wetch Gordon Loveday VXAKAI

ITU Conference and WILDE Gilbert Hughes study group vice Neil Penfold VIXANE VK2 Division Birhard Murnane VX2SKY

ACA Liaison Team

Peter Naish Glenn Dursten VKORPN VKIXX NEWS Michael Corbin Wally House VKIKZ Canberra Lisison Officer

VKIRI

FIDITIORS COMMITTENT

Column VKSHE

AR lives on

Well I am still here I am receiving input so Amateur Radio will live on

I was told that the May editorial in OST was well worth reading. I found it most interesting It was saving (to me) that real Hams were those who loved radio and all that came with it A licence was not a necessity. Why some people get licences has changed and other forms of public communication have provided solutions to some peoples needs.

However real hams are still out there building equipment. operating equipment, developing new concepts, listening for DX operating on Field Days providing communications in emergencies. Then there is training to he able to respond to calls for communications, help in sporting events of all kinds, beloing make JOTA or JOTI a success, teaching the courses to enable people to get licences at all ages. Helping fellow amateurs when

they have a job to do which is beyond their capabilities, and more (I suppose there is more) is all part of being a real

Now that Morse testing for access to HF hands is no longer flavour of the month (though I know the discussion will continue), what should we be doing as Amateurs to improve one hobby? Please let me know

In OTH I have had to edit some letters but I hope I am letting people know your concern. However there will be at most two pages for OTLI so I hope to have so much material that I have to summarise some topics

This month's ending: if you have a problem in Amateur Radio first talk to friends then your local club, then your State Division, then if necessary test the wider waters with a letter to the Editor

New Members

The WIA bids a warm welcome to the following new members who were entered into the WIA Membership Register during the month of MARCH 2000

L10176 MRSPONEILI 131551 MR G REALICHAMP 1.31552 MRTTRAVERS MRLLAWLOR WAGI VICTAAT MR J HAZLEWOOD VK2BDB MR D S RITCHINGS VK2CT MR S REFVES VK2ZDD MR CJONES VK3ADA MP P ADAMS

VKSEDT VICALIC VICSHEW VK3LSB VK4IK VK5GH VKSNTT VK7ZPG

MR D R TOMPKIN MR Y HASHIMOTO MR P RICHTER MR S REMBRICK MR H A WOODWARD MR W R G HOLMAN MR A D RECKMAN MR G P FRITH

Silent Keys

The WIA regrets to announce the recent passing of:-

I J BRYAN L20327 LJ BAILY L70134 F N NAPPER VK2FIN C (Athol) Pritchard VK3CP J L (JIM) TOBIAS VK3MMD G (Ronald) Clayton VK4BGC LE HAUBER VK5E7

Richard Jenkins



Peter Naish, VK2BPN WIA Federal President.

WIA policy prepared for IARU

The Annual Convention of the WIA Federal Council was held in Melbourne at the end of April. Most of the time was spent on the formulation of WIA Policy in preparation for the IARU Region 3 Meeting in Darwin later this year. It was an intensive but highly productive event and some important strategies were established. The Papers for presentation at the Darwin meeting have now been prepared in accordance with these policies. A special WIA web site has been set up to provide information on the IARU Region 3 meeting and it is proposed that access to the WIA papers will be made available soon through this site.

Improved communication between WIA and Amateurs

Also at the Convention, time was set aside to review the possible reasons why many radio amateurs are not members of the WIA. Some useful thoughts were tabled and discussed. It was clear to the Council that the WIA needed to be more reactive to its members requirements and to provide a better understanding to all amateurs of what the WIA had achieved on their behalf. It also needed to inform them about how it was dealing with the many issues that concern the amateur radio service. Each of the Federal Councillors took back to their respective Divisions a determination to improve on the present situation and thereby encourage more amateurs to join and participate actively in the WIA.

ACA reviews "news bulletins" regulations

The ACA recently reviewed the long-standing facility that allows regular news bulletins to be transmitted by WIA stations. It appears that there is no provision for them in the current Radio Communications Act. To resolve this anomaly the ACA propose to modify the amateur radio service Licence Condition Determination (LCD) to incorporate an appropriate additional statement. Details are expected shortly.

One matter that was brought to light by the ACA during their review was the practice by some Divisions of transmitting on behalf of members "sales and wanted advertisements". The transmission of advertisements radio amateurs is strictly forbidden under the Radiocommunications Act. The ACA have therefore now requested that no such advertisements be carried in these news bulletins even though this may have been tolerated in the past.

It is unfortunate that this service has had to be curtailed but discussions with the ACA by the WIA have confirmed that the ACA are not able or willing to let the advertisements to be continued.

to be continued.

The regular transmission of news bulletins by authorized stations is a vital service to all radio enthusiasts and it is important that the ACA has now recognised them as such by their proposed LCD change.



Prepared, researched and compiled by Richard Murnane VK2SKY. Federal News Coordinator

Sydney Games Take Another Bite of 70cm

444 MHz ATV operations cease in Sydney basin

The Australian Communications Authority is to allow some Olympic Games radio services to access the 440-450 MHz segment of the 70m Amazure hand. This in addition to the 421-422 MHz and 424-432 MHz segments set aside last year. This new allocation is effective immediately and will continue until the conclusion of the Paralympics on 30 October 2000.

The ACA says. "Existing amateur services will be afforded the usual consideration in regard to interference protection at the time of licensing." with the exception of Amateur Television operations (ATV channel 2), which must cease operation immediately

Games services will be operating on a primary basis in the band and, hence, receive interference protection from Amateur services.

WIA Federal President Peter Naish comments:
This is not a withdrawal of this part of the band (apart from its use by TV operators) but notice that there will be authorised use by non-amateur stations that will be afforded primary status. Amateur

licensees will be expected to cooperate to prevent interference to these Olympic operators. The full text of the statement from the ACA can be found at http:// www.wia.org.au/BandPlans/OlympicsUHF.html#440-450 MHz.

AMATEUR RAPIO MOVIE TO OPEN IN AUGUST

...a Golden
Opportunity to
Promote Amateur
Radio

We mentioned recently that one of Hollywood's latest offerings.

Peter Ellis VK1KEP tells us that Village Roadshow will release Frequency in Australia on 3rd August. Ok, so we get to see our hobby on the big screen, but will we sit by passively and let a golden opportunity slip by?

Amateur Radio operators across the United States have scized the opportunity to promote the hobby, approaching local cinemas to place advertisements for their clubs, and operating Amateur stations in the cinema lobbies. They are providing live demonstrations of HF and VHF voice operations, satellite operations, Amateur television and more.

The cinema managements have enthusiastically supported the Amateurs running the stations - it gamers extra interest for the movie, of course - and the Amateurs stand to gain new members for their clubs and secure a better future for their hobby.

What will you be doing when Frequency arrives?

a

continued from previous page

"...And That's the News"

The Australian Communications Authority (ACA) is to modify the Amateur Station LCD to permit the transmission of bulletins of news and information services.

To avoid any conflict with the Broadcasting Services Act 1992, the proposed additional wording to be inserted into the LCD will be:

"The licensee may use an amateur station for the purposes of transmitting news and information services about amateur radio as a means of initiating intercommunication"

While there may be no actual intercommunication' as a result of the WIA's news and information services, as long as there is an intention that intercommunication could take place (and that we encourage it), that is enough.

To omit the 'intercommunication'

phrase runs the risk that your news services could be construed as open narrowcasting services as described in the Broadcasting Services Act.

WIA Federal President, Peter Naish VKZBPN comments, "Please note that the transmission would better be described as a 'Bulletin of News and Information Services' rather than a "News Broadcast" to avoid confusion with the Broadcastil Act.

More importantly, the ACA has asked for confirmation that all "for sale announcements" have now ceased. (via ONEWS)

The International Telecommunications Union WRC 2000

The ITU is holding a World Radiocommunications Conference in Istanbul in May-June 2000. Over 2000 delegates from 140 countries are expected to attend.

The object of this conference is to amend the International Radio Regulations, which have the status of a treaty between nations.

The International Radio Regulations cover Frequency Allocations, Technical Standards and Operational Regulations Amateurs will be affected by decisions

in the following areas:

1. The revision of the already set sourious emissions limits. This will affect the design and use of amateur transmitters, as any increase in the stringency will make it more difficult for amateurs to comply using their current equipment. It is also hoped to align the spurious requirements for amateurs using satellites with the general level for amateur stations which is less stringent than earth stations in satellite services. This is particularly important for amateurs using satellites who use the same transmitters for non-satellite work 2. A move to introduce Synthetic

Aperture Radars belonging to Earth Exploration Satellite Service in 430-440 MHz band. We know this will cause interference to amateurs. The object of this radar is to study tropical forests.

- Proposals looking at additional frequencies for a further GPS system called Galileo. Some are looking at the 23cm band and this could add an undesirable sharing companion that could make things difficult for amateur microwave enthusiasts.
- 71 GHz and up. Although amateurs use these bands very infrequently at present, the wrong decisions could impair their future usefulness to the amateur services.
- Additional frequencies for the mobile satellite service. A number of countries are looking hard at frequencies between 100 and 1000 MHz. Unsubstantiated claims are made as to their sharing ability.
- Additional bands for IMT2000. This
 is the next generation of mobile
 services and does not confine itself to
 voice. Some countries have amongst

GPS Accuracy Improves

Automatic Position Reporting System (APRS) enthusiasts and users of Global Positioning Satellites (GPS) not only in Australia but globally will welcome a recent statement by the President of the United States to stop deerading GPS accuracy.

This decision became effective at midnight on 1st May, and means civilian users of GPS will be able to pinpoint locations up to ten times more accurately than they could before.

President Clinton said "We have demonstrated the capability to selectively deny GPS signals on a regional basis when national security is threatened.

Civilian users will realize a dramatic improvement in GPs accuracy. For example, emergency teams responding to a cry for help can now determine what side of the highway how must respond to, thereby saving precious minutes. This increase in accuracy will allow new GPs applications to emerge and continue to enhance the lives of people around the world.

From http://www.whitehouse.gov/ library/PressReleases.cgi and http:// www.igeb.gov/ via QNEWS

their target bands 2300-2450 MHz.

- 7. Discussion of the spectrum around 7MHz where at the moment the matter of harmonization between the HF broadcasters and amateurs is on the agenda for the next conference. The IARU policy is to seek a world
- wide 300 kHz allocation 8. The amateur article in the Radio Regulations \$25 will be discussed in relation to its maintenance on the agenda for the next conference. It is of course this article that contains the reference to the Morse Code qualification requirement. There are a number of other amendments to this article that are contained in the LARU.

FASC report which have been adopted by the regional organizations

The WIA ITU Conference and Study Group Coordinator, David Wardlaw VK3ADW, has worked on the ACA committee perpennin for WRC 2006 in order to make sure the amateur position on all these issues is recognized and receives the support that it should. The WIA work was greatly helped by the vast amount of work done internationally by the IARU.

WICEN (Vic) wears a proud feather



Minister for Police and Emergency Services

2 7

55 St Andrews Placo Melbourne, Victoria 3002 GPO BOX 4356QQ Melbourne, Victoria 3001 DX 210077 Telephone: (03) 9651 6900 Facsimile: (03) 9651 6910

Mr G Cornell State President Wireless Institute Civil Emergency Network P O Box 106 MITCHAM VIC 3132

Dear Mr Cornell

VICTORIAN UNIT MERITORIOUS SERVICE AWARD

It is with pleasure that I write to inform you that I have decided to confer the Victorian Unit Meritorious Service Award upon the Wireless Institute Civil Emergency Network (WICEN) for its involvement in designing, installing and operating a communications network to provide contingency communications for emergency response co-ordination leading up to the year 2000.

The award also recognises the significant ongoing contribution of WICEN to emergency management in Victoria.

I am proud to confer this Award, on the basis of the recommendations put before me.

It will be my pleasure to present this Award to WICEN and would be pleased if you could contact Ms Diane Sainato of my office to make arrangements for a suitable date.

Yours sincerely

ANDRÉ HAERMEYER
Minister for Police and Emergency Services



WICEN (Vic) Inc Executive receives the presentation from the Minister

Making "Air-Wound" Transmitting Coils

Drew Diamond, VK3XU 45 Gatters Rd., Wonga Park, 3115

In applications such as antenna couplers and power amplifiers, where substantial amounts of power are involved, the most popular coil type would probably be "air-wound". That name seems to be applied to any skeletal coil whose turns are supported by insulated ribs, or a single sheet of (say) perspex, rather than a tubular former. Quality (Q) is significantly improved by having a minimum of supporting material in actual contact with the coil wire. And the air-wound style permits easier tap connections to be made to individual turns.

Unfortunately, sources of "Air-Dux" (TM) and "B&W" (TM) coils of appropriate size have just about dried up, which is frustrating, because amateurs like to make their own linear amplifiers and antenna couplers. For larger coils of perhaps 10 turns of 12 gauge wire, such as used for the popular "Z-match" couplers, a perspex rectangle may be drilled with a series of holes to accommodate the helix. The coil is

wound onto a slightly undersized mandrel, then removed, and threaded or "screwed" onto the former as described in Ref. 1. However, when a larger inductance involving tens of turns is required, this technique is rather awkward, and the results can be below expectation.

A method of making air-wound coils was described by the writer some 6 years ago (Ref. 2). Having given talks and demonstrations at local radio clubs, it was found that coil winding is rather a hot topic, and so a revision is perhaps timely.

accepted, and reasonably accurate method of calculating the inductance obtained for a given number of turns, and conversely, the number of turns required to yield a specific inductance. The formulas hold for solenoids of reasonable dimensions, wire size and winding pitch. The very excellent Ref. 3 gives some useful tips for HF radio colls:

Figure 1

l = length of coil (in inches)

N = number of lurns

- (a) Q at any frequency within a band, and the frequency for maximum Q both increase with an increase in wire size for a given coil diameter.
- (b) Q increases, and the frequency for maximum Q decreases with an increase in coil diameter for a given wire size, number of turns and number of turns per unit length.
- (c) Maximum Q is obtained with a spacing between adjacent turns which is slightly greater than the bare wire diameter, and, perhaps surprisingly-
- (d) No variation in Q is detectable between coils wound with bare wire, enamelled wire or silverplated wire. Therefore, ordinary enamelled copper wire (e.c.w.), or plain or tinned wire is fine for air-wound coils. Unless it is done properly, silver-plating adds little benefit.

For the following approach, rather than have the turns running through holes, they are fixed upon a rack or comb cut into each edge of a rectangular former of perspex (polycarbonate, or other low-loss material, about 1/8" thickness). In this example we see the construction of two coils of 27 turns of #18 B&S (1.3 mm) e.c.w. 2.5 inches diameter and 3.5 inches winding length for a "swinging-link" antenna coupler project (I'm using inches here because the inductance calculation is simpler, and there is less chance of error when marking out the rack on the former).

PREPARE a rectangle of perspex which is about 11-4-inch wider than the mandred described in the next paragraph. The winding pitch is to be 8 tp.i., so a slot every 18-2 is required. Using a role with 118-inch gaduations, carefully mark with a ashap scriber where each slot is to be . Remember to off-set the opposite rack by exactly half this amount. 1116-inch. With the rack marked out, fix the perspex between soft jaws in your bench



Photo 1: "Perspex" former

vice. Using a rod-saw (Abrafile [TM] or similar), or two ordinary hack-saw blades fitted into a hack-saw frame, cut your rack to about 1/8" depth for each slot. A finished former is shown in Photo 1. If you plan to turn out a number of identical coils, consider making a template of brass or steel sheet, which is clamped with the perspex in the vice and the rack cut accordingly.



Photo 2:: Mandrel Assembly

THE COIL is wound onto the former with the help of a wood mandrel, whose components are shown in Photo 2. The flat piece is a removable "stip-stuck" which allows collapse of the mandred after winding. Obtain some suitably sized "quad" timber. That shown is described as "30 mm Tasoak quad", which, when made into a cylinder together with former and slip-sticks produces a coil of about 2.5 inches diameter. The quads should be just a bit longer than your former. The slip-stick is made from ply or similar material, about 1/8" thickness and about 1 inch longer than the quads.

Plane a slight bevel onto each edge of the four quads, then rub some linseed oil into the mandrel components to ease their removal after the coil is wound on.

ASSEMBLE the former and mandrel with slip-sticks protruding as shown in Photo 3. Wrap some masking tape around the circumference to keep the assembly intact and permit the winding to begin. Calculate or estimate the





Photo 3: Ready to wind

length of wire required for the winding (3.14 x diameter x number of turns) then run out your wire and anchor one end. Give the wire a firm pull to remove any small wrinkles. Fix the wire start into the first slot with a bit to spare, and nut a bend in the wire right there to hold it in place. Take care not to snap off the first tooth. Whilst keeping the wire taut, carefully rotate the assembly as you walk towards the anchor. Each turn must lie down evenly into each slot, as depicted in Photo 4. The first half-dozen turns will have sufficient holding power to allow the masking tape to be removed and winding completed.

With the winding done, put a bend in the wire similar to the start, then snip with some spare. Leave the mandrel in place. Mix up some two-part epoxy cement and carefully apply a bead along each rack where the turns



Photo 4: Winding the coil

lie, taking care not to get any on the quads (hence the bevel). Position the assembly vertically so that excess cement runs down the racks and drips off the end. When the epoxy has set, grip each slip-stick with bull-nose pliers and withdraw them, which allows the quads to collapse, leaving the coil intact. The 25 microHenry coils so made for the coupler project are shown in Photo 5.



Photo 5: Completed coils

References and Further Reading:

- (1). Radio Communication Handbook (RSGB), 4th edition, P13.36.
- (2), "Making Air-Wound Coils for HF" Diamond AR Feb '94
- (3). Radiotron Designer's Handbook: F. Langford-Smith (AWA), 6th edition.
- (4), "Low-Loss Low-Cost Transmitting Coils: Muldoon. W1FRQ, QST Dec. '34.
- (5), "Constructing Air-Wound Coils": Johnson, W7KBE, HR
- Aug. '84.

FREE CATALOGUE AVAILABLE FROM 🕰 ATN ANTENNAS 🏗

We manufacture a comprehensive range of HF, VHF and UHF antennas, baluns, power dividers, etc. to suit your application. Some of our log periodics provide continuous coverage from 13-30 MHz including WARC frequencies and replace outdated tribanders. Now in use in 48 overseas countries.

- · Create rotators, coax cables & nonconducting guy & halyard materials · Hard-drawn copper antenna wire
- · Insulators for DIY projects Inverted vee kits 160-30m
- High gain VHF & UHF amateur, scanning & TV Antennas
- · High Sierra HF mobile antennas
- Butt section triangular aluminium towers for fixed or tilt-over applications
- Selection of power chips & TX tubes Diamond VSWR/PWR meters to 1300 MHz & accessories

37 Morrison Street PO Box 80, Birchip Vic, 3483

Ph: (03) 5492 2224 Fax: (03) 5492 2666

Many a slip on the way to the true story

The Initial Years of the Wireless Institute of Australia (WA)

Follow not blindly the path indicated by others, for verily thou might find thyself in the garden of Historical inaccuracy

> D. Handscomb, VK6ATE, P.O. Box 39, Quinns Rocks, W.A, 6030, Ph: (09) 9305 7297

The Editor, Amateur Radio Dear Sir.

Greetings from VK6

I note with interest the photograph on Page 39 of October 1999 Amateur Radlo. The photo in question was sent by Will McGhie, and purported to be of the 1927 Annual Dinner of the WIA WA Division. (The WIA [WA] minutes do not mention a Dinner in 1927!). So, as they say in the song: "If t just aint so".

The WA Division of the Institute had about 100 members, although the minutes do not record the fact. I have another copy of the same photo. On the reverse of 'mine' is pencilled:

"Annual Convention Dinner Of The Wireless Institute Of Australia

"Keogh's Hall, Newcastle Street.

"2nd Convention, but 10th Dinner."

An added note indicates that this was held on Monday August 10th 1925 and refers the searcher to The Western Wireless of August 5th 1925!

The photograph was given me by Ross Greenaway VK6DA (SK) who in turn was given it (and others) by Jack Park, at the time of this photo 6BB-later to become A6BB/OA6BB and finally, from 1929, VK6BB.

According to the Minutes of the WIA (WA Division), Mrs. Keogh was asked to provide a cold meat meat for the price of 4/-

You may be aware that, for some time, I have been researching the History of the WA Division of the Institute. The time taken has been necessarily SLOW (painfully so at times) because of little help, and little time, the necessary research being done in my limited spare time. I have included for your consideration to publish in hope that others may be able to help my endeavors

While the minutes of the Institute (WA) are of help. I find that many events, which today we would consider of importance, were either mentioned briefly in passing (either before or after the event) or not mentioned at all. Information has to be discovered in magazines or other sources of the times, of which there were several of WA origin, for example The Western Weekly (October 1923 - 1927 (99 issues)) - for a time "The Official Organ of the Wireless Institute of Australia WA Division - sloo

The history of the development of the WIA

In 1985, members of The Wireless Institute of Australia celebrated the 75th Anniversary of the organisation, both within the

Commonwealth and around the world, because it was thought that the Wireless Institute of Australia began in 1910. But did it?

True, we should have celebrated the 75th Anniversary of the oldest Wireless Organisation in the British Empire, and second in the world But not the anniversary of the WIA what we should have been celebrating was the 75th Anniversary of "The Wireless Institute of New South Wales." Pror to the 194 — 18 war, it is true that there were Wireless Clubs in each State, for example, "The WA Radto Club" had its first meeting on September 15th 1913. About 6 months later it was decaded to extend its soope, and its name was changed to: "The WA Institute of Radio and Scientific Experimenters" and there were similar "institutes" in other States. However, they were all individual organisations, separated from each other geographically, what one might call "little fish each in their own little ponds". Communication by wireless would have been infrequent, and as for East-West communication, it was unheard of.

I had often wondered how members of the vanous Institutes got together - Did they meet during Military Service? The answer was provided among reading material sent me by a fellow "searcher of the truth"

At the first post-war meeting of The Wireless Institute of NSW on January 7th 1919 (as recorded in Sea. Land and Air of February 1919) some 50 Members of the Wireless Institute of New South Wales assembled in one of the classrooms of the Marconi School of Wireless, Sydney.

continued on page 10



New caption:

Monday, August 10th, 1925, at Keogh's Hall, Newcastle Street 2nd Convention, BUT 10th Dinner

"Amid laughter, Mr Fisk, who had been invited to take the chair, asked that the minutes of the previous meeting be read (it had been held 4 years, 7 months previously) MrFisk then outlined his thoughts on the issue of Post-War experimental licences, and added, 'Another point which I might venture to suggest as advantageous to all concerned would be the amalgamation of every Wireless Institute in the Commonwealth To form one united body of the whole, and to get together every man & woman interested in radio work. By this means, you would, in a few years, have a very powerful body representing the combined Wireless Institutes in Australia."

According to MrPerry (the Convenor of the meeting) the main business was to form a small committee to interview the authorities with a view to getting back "our interned apparatus." Having acknowledged that there were some influential people present, he suggested for the committee Messrs. Fisk, C.P.Bartholemew and C.Maclurcan The resolution was proposed, seconded & carried. MrMaclurcan then moved that "It be an instruction to the Committee to approach interstate Institutes and obtain their views on the subject of combining action, and to send them comes of the Chairman's address "

A meeting of the WA Institute of Radio & Scientific Experimenters was called by Professor A.D.Ross for October 28th 1919 at The Perth University: (Did it take the Wireless Institute so long to write to "The West": was it only then that there were sufficient returned from Military Service: or was there some other reason?) That meeting was cancelled, but at the

First Post-War meeting (also held at the

University) on November 3rd 1919, Mr R

Thomson Snr. moved that the name be changed to "The Wireless Institute Of Australia (WA Section)" -in conformity with similar institutions in the Eastern States The motion was seconded by Mr-H.McKail, and carned 1

They were still a little fish, but in a much larger pond

Although The WIA Book Vol 1 records that two days later (November 5) New South Wales also changed its name, it was some time before ALL States did so A series of short lists obtained from Commonwealth Archives (August/ September 1920) indicates issue of Experimental Licences (as opposed to Permits as had previously been the case) and some were allowed to both Transmit AND Receive

Although there was no mention of Western Australians or indeed New



Part of the programme provided for Delegates and other participants at the Dinner of The 2nd Annual Convention of the Wireless Institute of Australia Above: Signatures of visiting Delegates.



South Welshmen the following are of interest:

No.214 University of Melbourne. (Transmit & Receive) Callsign V214

No.240 Wireless Institute Of Victoria (Transmit & Receive) Callsign V240

No.250 Wireless Institute of Australia (Transmit & Receive) Callsign Q250-

(Queensland Section)
So, presumably, The Wireless Institute
of Victoria had not yet (August1990)

of Victoria had not yet (August1920) changed its name "in conformity with similar institutions". Indeed, "The WIA Book Vol. 1. records (page 28) that in June 1923, The Tasmanian Division of the WIA was formed. (The Launceston Branch to be formed in August 1923)

This would have been the last division of the Institute to be formed, although a number of sub-divisions would be formed later, for example the Albany subdivision of the Western Australia Division.

Any opinions expressed during this article are solely those of the author

> See next page for history of Ladles in the WIA

Andrews

Communications Systems (EST.1976 - ACN 001 988 752)

₽ *ALINCO*

AUSTRALIA'S FIRST AUTHORISED FACTORY DIRECT IMPORTER MASSIVE SHIPMENTS EVERY MONTH FULL 3-YEAR WARRANTY ON

ALINCO and ICOM WE SELL MOST BRANDS BALUNS, VERTICALS YAGIS P'S

ICOM-KENWOOD-JRC-AOR-EMOTATOR-MFJ-DIAMOND-TIMEWAVE-KANTRONICS THP GARMIN - TERLIN UNIDEN-ETC DX-1600 HF LINEARS FROM \$ 3,799 HUGE RANGE OF ELECTRONICS

ICOM and ALINCO Radios. Over 22 Years of Professional Sales and Service.

Instant Repairs Fridays
HF Transceivers & Linears Wanted

(02) 9636 9060 or (02) SHOP 8, 41 BATHURST ST, GREYSTANES, N.S.W. 2145. FAX (02) 9688 1995

Amateur Radio, June 2000

Station of the section of the

Ladies In Amateur Radio (Western Australian Style)

Although Experimental Wireless/Amateur Radio has always been a male-dominated hobby, there has occasionally been invasions from "the fair sex", however successful or lasting.

Soon after the WA Radio Club was founded, (September 1913) it was decided to advertise for

"Correspondence" members who were merested in the "new and & seience" of wireless, but were unable to attend meetings because of distance. In April 1914, an application was received from a "Mrs Pym" on Rotinest Island. Was she WA's first "YL" (Lady Operator)? Designated a "Country Member" her usbscription few was 2/6 per annum (25c.) as compared with 5/- for attending members.

During the years of World War 1 membership fees were suspended, so it is not known if she maintained her membership; her name was not recorded. By October 1923, "L. Pym" of Rottnest had a Receiving Licence, with the Callsign 6AW. Also in the list of October 1923 appears, with a "Receive only" licence. Callsign 6BF, Miss C. Stevens of The District High School, Bunbury, A patient, in my care, told me that he went to school in Bunbury at that time. Miss Stevens, known as "Ghosty" Stevens because of the way she used to flit around the corndors, was the Science Teacher. She kept her receiver in the Laboratory. and would "keen back" achievers to allow them to listen to the only Broadcast Station in WA at that time, 6WF, which was owned by Westralian Farmers. (If they were allowed to receive only, why did they.need callsigns?) Miss Stevens obviously had an Experimenters' Permit, but did she carry out experiments with wireless circuits, or was she what today we would call "a Listener"?

But what was there to listen to before June 4th 1924° There would have been only Shipping, Coastal Radio Station VIP and perhaps a few experimental Transmitters and near Perth There was no broadcasting in WA. 6WF came on the arr as the first broadcast station in 1924. It was one of the first 4 stations. later to become "A" Class Stations, which meant, for the first few months, a "sealed Set" station, transmitting on 1250 metres.

During the 1920s, various Radio Clobs and Societies sprung up throughout the Perth Metropolitan area and the "near" country districts. Several times it is recorded that "the company was graced by members of the fair sex" or words to that effect, but it was obviously not considered necessary to record their

The advent of the AOPC (Amateur Operator's Proficiency Certificate) in 1925, shows that, even if still interested, YLs had opted for a "Listener's Lucence". By now broadcasting had arrived, more interesting than experimental work, except for the most dedicated.

In July or August 1931, Miss A. (Gypsy) Jones wrote asking how to join the Wireless Institute. It was agreed that the information be supplied to her, and also that Miss Faraday be advised that "we have an application from another lady member". Who was Mass Faraday? There is no mention of her or her application for membership in either previous or later minutes.

At the General Meeting of 19th November 1931, the following were appointed Operators and Program Managers for (VK)6WI:. December 6° VK6RX & Miss lones

Regrettably, nothing further is recorded of either

In April 1936, Ruth Victoria Longley was accepted as a Student Member of the Institute, and at the Annual General Meeting (June 11th) of 1936, was appointed Butletin Editor. This didn't last long. Four months later "it was decided with regret to accept her resignation as Bulletin Editoress. and an approciation of her service be recorded in the Minutes". But her interest in Radio was to remain, as did her membership of the

Institute. At the General Meeting of April 12th 1938 with the Callsign VK6YL. Miss Longley volunteered as a Morse Instructor for the institute. She was the first "YL" to attend an Annual Dinner of the Institute (1938 and 130).

It was not until 1939, just before the outbreak of World War 2, that the first "YLs" in W.A. appeared in a list of Callsigns - they were:

VK6JC - Chinnery, Miss, Charlie's Creek, via Donnybrook

VK6MH - Hill, Mrs, 33 Trenton Street. Wiluna

VK6Y1 - Longley, Miss, 7 Cuthbert Street, Shenton Park.

Jess Chinnery (prevously of John St. Welshpool) would have gained her AOPC some time before July 1937 Orginally working on the 7MC band, she later graduated to 14MC CW. In 1939, Harry Atkinson VK6WZ, then VK6 correspondent to Amateur Radio reported that "She had found the Creek, but of that "She had found the Creek, but of

Charlie there was no sign"

These then were the pioneer Ladies of

Radio in Western Australia.

Like all other Amateurs, the "YL's"

radio activities were to be halted during WW2, and when at last licences were re-issued. Ruth Longley's name appeared in the Post-War Callbook, but only once She gave up her licence. The Callsign VK6YL was later taken by Mrs. A Cowles of Subjaco, later by Gill Weaver

Of Jess Chinnery, nothing more was recorded. (Did she ever find Charlie?)

The Callsign has since been allocated several times by 1957 to B.J Coles of Perth and later to J.McCluskey, to name but two Bobbie Hill VK6MH (with OM VK6AH) moved to Busselton, where she became SK in 1988.

Many more Ladies were to follow, especially with the introduction of the "Novice" Licence in 1976. But that's part of another story...



Christine Taylor VK5CTY, ALARA Publicity Offier
16 Farmont Avenue, Black Forest SA 5003
Packet: VK5CTY@VK5TTY email:geensee@picknowl.com.au

Net-working for winter nights

Congratulations

Bev VK4NBC was very surprised to have several poople insisting that she attend the AGM of the VK4 Division, recently. She seekeral poople idiscovered why when she was presented with an Award of Merit for her outstanding effort, in particular in arranging the ALARAMEET in Brisbanea last September. She had made all the thing that the seeker she had made all the thing the seeker she had made the she had the of her OM Graham was a constant worry.

The Award was very well earned. In daddition to the ALARAMEET she has addition to the ALARAMEET she has laso participated in many contests (with some success) including the ALARA Contest in which she won the Florence Contest in which she won the Florence clubs associated with the RAAF group in clubs associated with the RAAF group in which Graham served during the war. You will carn certificates to hang one you wall all will carn certificates to hang one was at 1.4 You earn those certificates in a way will never know the contests but don't bother with contests will never know the contests but only if you work the way those of us who don't bother with contests will never know.

Congratulations, Bev. from us all.

The Monday Net on

Now that we are into winter and have left Daylight Saving Time behind us the regular Monday night Net is accessible to all the Australian states. As soon as Daylight Savings ended Popy VK6YF was there. It is still early in the evening for late in the afternoon) for her, so propagation is not marvellous, but we can hear her in all the eastern states quite well. After the contact drought of the summer we look forward to hearing of her activities.

The regular VK4 girls can now hear us most times During the summer they faithfully call in, but often there are few stations they can hear properly, even though they often have readable signals down South. Unfortunately there are some commercial stations north of them that cause interference when propagation is better, but they can often hear us through the noise. We do appreciate having Bev VK4NBE in Brisbane and Sally VK4SHE from Townsville, calling almost every week but we were surprised not to hear June VK4SI recently.

June and OM Doug had a very humied trip to G land for family reasons but they did have a couple of days visiting Margaret GOBMQ whom June sponsors and with whom they caught up on their previous trip across the world. June has been back on the Net again with news from the Sunshine Coast.

Another not-so-common participator who has been heard more often recently is Dot VK2DB. Dot often listens while she is downloading and transferring the VK2 broadcast (which she puts out on packet each week) but does not always join in. With improved propagation it is good to hear her voice.

YL and OM operators who are interested in working towards an ALARA Award will find it much easier during the winter. This award requires that you make at least 10 contacts with YLs and that the contacts include at least five Australian call areas. Why not have a go? The award is an attractive one to hang on your wall.

The 222 Net

This international Net is run each Monday by Dave ZLI JAMN on 14.22 PME; with the net starting at 0600 Zulu and call in at 0503 Dalu. Now that we are at the height of the sunspot cycle there will never be a better opportunity to make contact with YLs all round the world. Although it is primarily a YL net it not restricted to them. OMs are welcome to participate and there are a number who do this regularly.

The VK girls most often heard include Dot VK2DB, June VK4SJ, Bev VK6DE, Maria VK5BMT with frequent visits by Robyn VK3WX, Poppy VK6YF and more, plus as many ZL call stations Why not listen in one Monday afternoon and bear for yourself?

On one afternoon recently the following overseas stations were heard, as reported by June. Elizabeth VEYPL. Margaret GOBMQ, Uni LGSLG, using a special call from the border of Norway and Sweden, Olga DIOMCL and DIGGS "Wally" from Germany, Lucia CTIYN from Portugal and an OM from Romania. Nely YO3BBM were heard clearly, while DLTBBW was mobile in NA land.


Other YL Nets Available

There is a YL-DX Net run by Christine GM4YMM each Thursday on 14.243 MHz at 0500 UTC. A YL Activity Day is held on the 6th of each month using the frequencies 14.288. 21.288 and 28.588, just listen throughout the day for the call "CL" you can be sure to have some interesting contacts.

Within Australia VK6 has two regular, weekly, nets. On Mondays, after the national net (because of the time difference, thus is more convenient for the VK6 stations), on 3.585 MHz at 1200 UTC, and on 21.188 on a Friday at 0400 UTC which is run by Bev VK6DE in Geraldton.

On the first Thursday of the month the District Radio Club in Queensland runs a net on 146.900 MHz at 1000 UTC and on 3.565 MHz at 1030 UTC

OM's are welcome to you any of these nest shough we ask that you want rill we have called everyone in and we have had no our first round or so of contacts if you want contacts for the ALARA Award we will be willing to give those to you, either on another frequency during the net time or immediately after the net finishes which is usually approximately an hour after it starts.



New Year houseboat holiday on the Murray River around Renmark, S.A. and we decided that we would drive over and back. It was a holiday for both of us, so I was allowed to take some radios and associated gear. This was no DX expedition but it was amazing just how much gear was needed to cover expected eventualities. My recent attendance in WICEN exercises meant that there was a certain amount of experience, which

suggested that a fair bit of

junk was necessary.

houseboat was another matter, as I had no clear idea of dimensions and details for erecting antennas. I knew there would be a substantial twelve-volt house lighting battery separate from the engine starting battery. All I need for power was a long I heavy power cable of indeterminate

Top: Paddleboat Liba Liba 3 on the Murray River.

Above: from left, Bill VK3SWD, Richard VK2XRC, Tony VK5ZAI

length with alligator clips on one end for connection to the battery; easy. As my aim was to operate ten metres FM, I made up a simple wire dipole with a balun and some RG213 coaxial cable.

The car was OK as it already had 70cm.

2m and 6m FM installed. The gear for the

Hopefully, the cable would be long senough. As a precaution I loaded some enough. As a precaution I loaded some connectors and some more coax, I also packed an SWR meter and an old but unsty EAT3001uner For six metres I took my Diamond irb-hand vertexal, a quarter wavelength whip and associated wavelength whip and associated register of the senough of the senough of the senough the senou

the boot was much heavier, and took up much more space, than the rest of our luggage including the dozen bottles of wine

For antenna support, I loaded an old fibreglass sailboard mast and an alumnum tube, which was also intended to support the Diamond tri-band antenna. For attachment to the boat I had a roll of cheap plastic rope and the nevertable roll of duct tape. The quarter wave whip for six metrics was to be supported on one of those steel brackets used to hang antennae of thull-bars on those. Thorsets, Tenerors.

The sailboard mast was tied to the handrai along the starboard side and the aluminium tube was tied and duct taped to the post for the forward sun awning. The six-metre whip was attached to the other end of the sun awning using U-bolts. With a little bit of help from the tuner we were up and going on four bands. 70cm FM. 2m FM, 6m FM, 6m SSB, and 10m FM. Not DX expedition stuff but up and going for a bit of fun on holiday.

with my wife was sunning herself on the deck, I was motoring sedately along the Murray River at about five kilometres per hour (according to the GPS), murcophone in one hand, beer in the other, steering with my toe and admiring the Landscape, I even had a pretty gris sunning herself on the deck in front of me! Who more could anyone ask of a holiday.

As I said earlier, this was a holiday, not a DX expedition so radios were turned off for conversations with my wife, for meals, for the afternoon siesta and in the evening. However, I did manage quite a few interesting contacts around Australia and overseas.

Motoring down the Murray River from Reminar to wards Bern. I spoke to Andy. VKSLA on ten metres and later on the local two-metre repeater. When we arrived in Bern on New Years Eve. Andy came down to the boat for a visit and the usual look around and detailed assessment of the station set-up. It was too early in the morning so we restricted the celebrations to a couple of cans of femonade. It helps to avoid dehydration.

We moved off when my wrfe returned from her walk in town and headed back upstream, a couple of kilometres above the village of Lyrup where we tied up to the bank in the best mooring site of the whole trip Ignoring amateur radio, we started the petrol (noisy) generator, opened a bottle of genuine French champagne and watched the fireworks on TV. As we were not far from Berri as the crow flies, we also had a good view of the Berri fireworks display.

We did not move the boat on New Years Day as it was such a nice spot. However, there were ten metre contacts in abundance. Only lunch, a walk by the nver and the obligatory siesta mterrupted

my games. Moving upstream, we spoke to Tony, VKSZAI on two metres and met up with Tony and Bill VK3SWD on Tony's houseboat "Nooralie" which he built himself. It is like a four-bedroot wowthouse with ground floor terraces and rooftop sundeck. It even had a separate room for the shack and was complete with 70cm and 2m Yagis for playing satellites from the boat. Tony is a satellite enthusiast, possibly even a fanatic. He provided the local ground station facilities so Andy Thomas could speak to his father in Adelaude from the Mrs socs station.

Tony was an interesting guy to meet so we did it again. A few days later, we had dinner at the Renmark Hotel with our wives. Lucky the boat was tied up to the riverbank just across the road from the pub I also had the privilege to visit Tony's

home and be treated to a guided tour o his station. The home built be a professional quality antenna rotator system and the console installation in the shack were amazing. Nothing like the tangled mess of wires and cables in my shack?

When it was time to come home I dismantled the antennas and masts etc and taped them up ready for the roof rack. It is furnly that the gear that just fitted into the recycling bin on the way down seemed not to fit at all for the trip home.

not to fir at all for the trip home.

About an hour or so south east of Mildura on the way home, I looked up and noticed that the antenna masts etc were not there. There was that immediate sinking feeling as I realised that they were still lying neatly tapod together on the side dock of the houseboat Liba Laba 3 about 300 kilometres back at Jane-Eliza. Landing in Renmark. A quick mobile phone call to Tony VKSZAI, I imagine he will make good use of his prace.

Apart from a few contacts on six metres FM from the car and the usual repeater contacts, the trip home was uneventful All I have to do now is scrounge some more portable antenna mast gear Does anyone know of anyone who wants to get nd of an old sailboard mast or two?



10m (left) and 6m (right) Antennae, Liba Liba 3

A Wire Log Periodic Dipole Array

Robert Hancock 30 Tottenham Court Road Port Elliot 5212

If you are looking for a HF antenna which has multi-band coverage with high gain, requires no returning when switching bands nor any complicated feedline matching adjustments or ground radial systems. Then it would be hard to beat the log penodic system.

Military and commercial HF installations make extensive use of this type of antenna, and commercial models are available[1] which provide around 8-13dB gain over the range 2-30MHz at SWR of less than 2.5:1.

As in all things, nothing this good comes without some disadvantages. The main ones are lack of rotational capability and the requirement for a large extent of real estate with two elevated supports. But depending on what is available a useful already had a vacant 35m by 16m block with a 10m mast behind my house, the LPDA was an attractive proposition. By running the antenna from one corner of the block to the mast I could aim the antenna along a bearing of 255-s., which

would good coverage of the Middle East, North Africa, Europe and the Caribbean (long path).

The next step was to design an array which would fir into the space available. The first consideration was the minimum the frequency to be covered. Some roughpt of that the maximum length half element it could use would be around 12 metres, so a rough could be the practical lower frequency limit. The upper frequency limit was chosen to be 29MHz, this being the end of the 10m band for SSB operation.

Consulting the trusty ARRL Antenna Book [7], the section on log periodic design was thoroughly digested and transformed into an Excel spreadsheet so that the range of design parameters could be quickly examined the basic design process for a log periodic is to start with optimum values for the design constant (1 (au) and spacing constant s (sigma), and calculate the resulting element lengths and spacing. The total length of the system is dependent on the design constants and the bandwidth, this is constrained by the maximum distance between the two support points Some Intal and error is therefore required in order to obtain the maximum gain within the physical space available. The final design I arrived at is shown in Table.

LUG PE	MIGDIC AN	RAY DESIGN					
			ZT	5.357			
Fmax.	29	*MHZ	BOOM	34.806	metr	88	HALF
F min.	7	*MHZ	No. ELEM	13.690		SPACING	ELEMENT
tau	0.857828	*INPUT	L1	21.429	S1	metres	10,714
algma	0.134706		L2	18.382	\$2	5.773	9.191
alpha	14.78	degrees	L3	15.769	\$3	4.952	7.884
APEX <	29.56	degrees	L4	13.527	84	4.248	6.763
BW ar	1.6898638		L5	11.604	85	3.644	5.802
Bs	7.0008642		L8	9.954	\$6	3,126	4.977
EL. DIAM	0.67	mm	L7	8.539	S7	2.682	4.269
Ro	208	Ohms	L8	7.325	S8	2,300	3.662
Zav	698.72	Ohms	L9	6.283	\$9	1.973	3.142
sigma1	0.15		L10	5.390	\$10	1.693	2.695
Žo	267.92	Ohms	L11	4.824	\$11	1.452	2.312
FEEDER	1	"mm	L12	3.966	\$12	1.246	1.983
SPACING	4.67	mm	L13	3.402	\$13	1.069	1.701
			L14	2.919	\$14	0.917	1.459
			L15	2.504	\$15	0.786	1.252
			L16	2.2148	S16	0.675	1.074
			TOTAL	133.112		35.076	




Table 1

Figure 1




Figure 2

A further development in squeezing the maximum amount of antenna into the space available is to arrange the elements into a V shape rather than the straight line configuration [See figure 1]. the angle of the V is not critical but should probably not be less than about 85∞ for good performance and SWR. (The final angle in my installation was about 9000)

Construction of the antenna basically follows the procedures given in the ARRL Antenna Book [2]. The elements were made with insulated 007mm single strand copper wire. Since there is little strain on the wire on the element wires, relatively thin wire can be used. When it came to making the feedline, I simply used black 300W TV ribbon rather than constructing a twin-lead line at the calculated spacing of 407mm. The effect on the SWR of the system was not expected to be significant.

Insulator blocks at the feed point of each element were cut from 7mm thick polypropylene cutting boards, and the element wires were sealed to the blocks with hot melt glue. Alternative

LPDA SWR LOG PERIODIC DIFOLE ARRAY 7 - 30 MIN





Figure 3

elements must be connected to the feedline in reverse phase as shown in figure 2. At the forward (small) end of the antenna, a 4:1 balun was used to connect to the 50W coax from the transmitter. The entire feedline and insulator blocks were taped to a 36m length of UV resistant synthetic rope to support the weight of the antenna without straining the feedline.

At the outer ends of the elements, small blocks of propylene cutting board were used to attach the elements to the side spreader ropes. The ropes were supported at each end by 4 metre lengths of light wall galvanised tube secured to convenient fence posts. The blocks had hols drilled to allow them to slide along the rope after the ropes were tightened.

The fully assembled antenna was laid out on the ground and the central supporting rope was raised at each end. The side spreader ropes were tightened and the ends of the elements adjusted to remove slack and align each element in parallel with the others. The end blocks were then secured to the ropes with a small the wire to prevent slippage in the wind.

LPDA IMPEDANCE



PROPERTY. WHE Figure 4

The SWR and impedance characteristics of the completed antenna as measured with an Autek RF-1 analyser as shown in figures 3 & 4. No adjustments were required at the antenna to obtain these results. As mentioned at the beginning, this antenna has a high gain (theoretical 5dB over a dipole), covers all frequencies from 7 to 29MHz, requires no tricky matching or tuning adjustments and no adjustments when changing bands. It does need a relatively large area in which to erect it and is not easily rotatable. Although if sufficient ground space is available even rotation would be possible! I will leave that to your imagination if you have the spare real estate

References:-

- [1] Radio Frequency Systems WLP 230, WLP 330, WLP 400
- [2] ARRL Antenna Book 18th edition section 10-1 to 10-9

CLUB NEWS

Moorabbin & District Radio Club

Amateur Radio PR in action —

Photos by Keith VK3JNB.

Peter Parker VK3YE, Publicity Officer Moorabbin & District Radio Club parkerp@alphalinx.com au (03) 9569 6751

In February 2000 the MDRC ran a stall promoting amateur radio at the St Kilda Hobby Show. As reported in April, the stall was successful, with many people seeing amateur radio for the first time. A highlight was the large number of satellite contacts made from the show. The pictorial spread shows the MDRC station at the show. We hope the pictures provide ideas for other clubs contemplating similar exhibitions.



Terry VK3KBD (foreground) looks at satellite position on the computer while Tony VK3JED tunes the 70cm ng.

CLUB NEWS

MDRC at the St Kilda Hobby Show



Ken VK3CEA and Mai (SWL) adjusting the 2 metre and 70cm satellite antennas. Note that great height is not required for successful satellite operation.



Mal (SWL) and Ken VK3CEA adjusting the antennas during a satellite pass. In the foreground is Tony VK3CAT's 'CatMobile' movable antenna support. The thick pole above the left door is an 8-metre telescopic squid pole used to support the HF wire antenna.

Adelaide Hills Amateur Radio Club

AHARS reflects on its beginnings

The Club Historian, Lloyd VK5BR recently reprinted in the club magazine some highlights of the early activities of what became AHARS which could be of interest to the readers of AR. mornings and after 10pm in the evening.

"Whilst the AHARS commenced in that name in 1983, it seems that the members at that time felt they were creating a historic link with the Blackwood Radio Club which was established as the first radio club in S.A. The Blackwood club was formed by Owen Griffiths, Gorden Ragless VK5GR and Robert Ragless at the Griffiths' home in Young Street. Blackwood in 1923

The club affiliated with the WIA in November 1924. It was granted a transmitting licence and first went on the air in August 1926. The transmissions were on 200 metres and the original call sign was A5BR. This became OA5BR in 1927 and VK5BR in 1929.

Transmissions on 200 metres were restricted to times when broadcast stations were off the air, Sunday

They included recorded music played from a phonograph acoustically coupled into a microphone although the club also had its own studio orchestra made up of its own members.

The club station later went on HF and operated on 32 metres around the period of 1928 to 1932 and on 80 metres around 1934 to 1935. It was first located at the Griffiths residences in Blackwood, first at Young Street and later Waite Street, then in 1934 to the home of Jack Ferry in Clapham and finally in 1934 to the home of the Hume family in Parkside, the original location of Broadcast Station SDN.

Similar to the activities of our present clubs, the Blackwood Club ran interesting technical lectures, outside visits, picnics and field days including one via the SS Karatta to Kangaroo Island. It also published its own technical organ that it called "KEY-CLIX" and ran a monthly dance at the Eden Hills Parish Hall. It also held an annual radio concert at the Boys Club Hall in Blackwood

The club ceased to be active around 1937, a little before the start of World War II "

I wonder if any of the other club now active also had such interesting beginning? There were certainly many more activities allowed in these early days that are not permitted now and others that are still just as actively pursued.



30 Meore Street Box Hill South Vic 3128

Frequency Shifter for Fox Hunting


Fox Hunting requires a receiver which can handle a very wide range of signal strengths to allow the hunter to peak the beam under all conditions. The signal may initially be weak but as the hunt progresses the signal may become of such a strength that obtaining a peak is difficult. Attenuators are used but the signal may well bypass the attenuator and enter the receiver directly when the hunter is close. There are many ways of overcoming this. One involves frequency shifting the signals so that the receiver is not listening to the direct signal but to a frequency shifted signal which can be controlled with less problems from direct breakthrough.

A frequency shifter for use with

handheld equipment appeared in JA CQ for December 1999. The author was JIGRK. The design was not specific to a band due to the use of a packaged balanced mixer for the mixing device. The oscillator was a 1 MHz crystal. With care in construction the design could be used on both the 144 MHz and the 432 MHz bands. The frequency shift is one

megahertz with lower level outputs spaced at the 1 MHz harmonics. The use of a balanced mixer reduces the fed through fundamental which should ease receiver overload.

The circuit of the device is shown in Fig 1. The transistor types are not critical. The input and output attenuators are used to provide a reasonable match to the DBM. Wiring of the input and output, the attenuators, and the DBM shoud be appropriate to the upper frequency operation. The oscillator wiring is less critical. Dead bug style wiring using a piece of circuit board laminate would be OK.




Diode Matching

A simple diode matching unit was described in the Technical Topics column of Pat Hawker G3VA in Rad Corn April 2000. The circuit came from J A Ewen G3HGM. Matched diodes are required in many circuits such as balanced mixers.

The circuit shown in Fig 2 is a simple bridge circuit which allows diodes to be matched over a range. The 3.9K resistors must be matched closely. This can be done with a digital multimeter. The meter should be a centre zero type for ease of

Adjustment of the SK potentometer varies the voltage applied to the bridge and the current flowing in the diodes. Any mismatch between the diodes will show up on the meter. A mismatch of only 1 microamp over the full range of the potentiometer should be achievable for a pair of diodes selected by this means. This is better than the matched diodes which can be purchased.

Well matched diodes should give improved balanced mixer performance.



Amateur Radio, June 2000

Crystal Sets

An interesting idea for a crystal set appeared in the Technical Topics column of Pat Hawker G3VA in Rad Com April 2000. The idea comes from Tony Harwood G4HHZ. The idea is to use a P in network to match the duced detector to the autenna.

The circuit of the pinetwork crystal set shown in Fig. 3. The coils used were wound on 4 cm long ferrite rods. The winding is as required to time the frequency of interest. The 1000 pF vanable is two gangs of an old broadcast to the transparency of the provides a tapped MW coil. Good with the control of t

Also discussed was the use of ex disposals low impedance headphones for crystal sets. These had been found to give good results and may be more plentiful than the high impedance headphones. High Impedance headphones were typically 2000 to 4000 Ohms unnedance The impedance phones were usually of 300 to 600 Ohms impedance. Even modern 16 Ohm headphones had been tried with promising results.




Fig 3. Pi Network Match Crystal Sets.

Silent Tune

Silent tuning is a technique which allows tuning of an ATU without radiating full power. A durmy load is used to load the transceiver and a small fraction of the power is used with a resistive bridge to give an swr indication as the ATU is adjusted. The bridge is adjusted for a null and the rf used and radiated is 20 dB or more down on the full output.

A suitable circuit appeared in the Eurotek column of Erwin David G4LQl in Rad Com April 2000. The circuit is the work of Benny Aumala OH9NB and originally appeared in CQ-QSO December 1999

The circuit is shown in Fig 5. The dummy load resistor is a thick film resistor which is bolted to a heatsink in order to dissipate the 100 watts of its

rating. The resistor coupling to the bridge is a similar resistor. The Farnell part numbers are 776-524 for the 68 Ohm 100 watt and 551-612 for the 330 Ohm 20 Watt The RS number for the 68 Ohm 100 Watt is 225-1216. Other resistors can be used if they will do the job.

The bridge uses 0.6 watt 1% 51 Ohm carbon resistors which are readily available. Another way if you want a 50 match is to use paralled 100 Ohm resistors to give 50 Ohn bridge arms.

OH9NB used a diseast box to house the device and used the box as the load resistor heat sink. This is OK for short duration tuning but a heat sink would be advisable if tuning was extended. The case should not be allowed to become too hot to touch. For a 50 microamp meter with a high swr giving full scale the meter willread 6 microamps for an swr of 1.2:1 and 10 microamps for an swr of 1.5:1.




Fig 5. Silent Tune. (a) with DPDT toggle switch and (b) with 3 position switch to add a calibrate position.

Erratum In the stem in April Technical Abstracts

on the replacement of the finals in an FT200 an error crept into the wiring diagram. The corrected diagram appeared in April 2000 Rad Com. The correction came from Tony Hall GOMQG

The corrected diagram is shown in Fig.

4. The correction is a wire link between the two valve sockets joining the pins 1,4 and 6 of each valve together.




Fig 4. Corrected wiring diagram for 6146 replacement finals in an FT200.

An AM/CW Transmitter for 1.8, 3.5, and 7 MHz

(Concluded)

Drew Diamond VK3XU

The first part of this article appeared in Amateur Radio December 1999 on page 30. Due to ? the article was missing the final paragraphs. We apologise to the Author and those readers who have been waiting for the completion. I thank Drew for providing a copy of the text so that the final paragraphs could be printed. Editor

Picking up at bottom of AR December 1999, page 32...

Transformer T1 is an Amidon FT50-43(A) core wound with 12 turns of #22 B&S (0.64 mm) enameled copper wire for the primary and 2 turns of hook-up wire for the secondary. T2 is wound with 11 bifilar loops of #24 (0.5 mm) wire thus: take two 300 mm lengths of #24 wire. Twist them together at one and, and fix that end in your vice. Clamp the free ends togucher in the chuck of a hand-drill. Whilst maintaining a firm tension on the pair, crank the drill until you have about 3 twists per 10 mm. Give the drill a firm tug to set the twist, then remove the pair. Wind the pair onto the toroidal core. Cut the leads to about 15 mm lead length. Remove the enamel from about 8 mm of each wire, then tin with solder. With your multimeter on ohms, identify the windings. Connect the end of one winding the start of the other. Winding starts are shown on the schematic with a dot. Transformer T3 is made in a similar manner to T2, using a pair of 350 mm lengths of #22 wire. If you cannot obtain an FT50-43(B) core for T3, use a stack of two FT50-43(A) cores

The IRFS10 must have an effective heastink. A12 x20 mm rectangular hole in the PA board allows the device to be arached directly, using suitable insulating hardware, to the back panel, which serves as heatsink Further heat dissipating capacity is provided by attaching a 72 x 110 mm heatsink (Jaycar HH-8566 or smillar) to the rear panel. A hole must be provided in the heatsink to access the IRFS10 mounting screw.

If just CW mode is required, delete the '386 and 2.2 microfarad capacitor. Connect a 3 3 k ohm 1/4 W resistor between the "hot" end of the 2 k bias pot, and +12T rail.

The signal from the driver to PA is carried via a leight of shelded wire. All connections between the IRF510, low-pass filters, relay and output coat socket must be as short as reasonably practicable, as shown in Photo 4. The 2-pole/3-position output filter wafer switch is mounted on a right-angle bracket adjacent to the filters, with an extension shaft to a knob on the front panel. Photo? 2 and 4 show the switch witchfawn from the mounting bracket. The change-over relay is placed close to, and between the Ant and RX connectors should not be of the same type.

Adjustment and Operation

An oscilloscope, of sufficient bandwidth (at least 10 MHz, with X10 probe) would be very handy (but is not essential) in commissioning the transmitter. If it has been built in stages, as suggested, your power supply should be delivering 12 and 24 volt DC, and VXO/driver should be working satisfactorily. Check that the drive can be varied with the level control. Maximum output from the 2N3053 driver should be about 4 volt peak to peak (P-P) across 56 ohms. If this level is not obtained- find out why. Some typical P-P and DC voltages are shown at salient points in the circuit. Don't worry if the waveforms look a bit "fruity", that's why there is a low pass filter for each band at the output.

The PA is the stage where we have to be particularly careful. Check all wiring,

component placement and polarities again- perhaps after a break for a cuppa. Set the 2 k bias pot to minimum gate voltage. Connect a 50 ohm dummy load/ power meter to the Ant output connector via 50 ohm coax. Select CW mode Remove any crystal from the VXO (we don't want a drive signal at present).

Close the transmit switch. Carefully adjust the bias pot until drain current flows, as indicated on the 0-3 A meter. Set the pot so that just a small amount flowsperhaps 100mA. Plug a suitable crystal (say 3580 kHz) into the VXO; set the LPF to the band corresponding to your crystal. then close the TX switch again. When the key line is grounded via a Morse key, the drain current should rise to about 1.5 A. and RF power should be indicated on the power meter. Adjust the level control, and check that CW power may be varied between about 12 and 20 W, with a corresponding variation in drain current from about 1.5 to 2 A. Listen to the CW signal on your station receiver. It should be clean, without clicks, chirps or ripple.

Plug in your radio microphone- a occling armature, or similar dynamic type is recommended. Set the mike gain poi mear maximum. Whilst speaking, adjust the drive level until the drain current meter flicks upwards- just a whisker. If you have an oscilloscope, check the modulated output waveform. Adjust both the mike gain and drive level so that you observe nicely rounded peaks, and the troughs just touch zero (that is; you have 100 % modulation).

No oscilloscope? Don headphones and listen to the signal (on AM mode) on your receiver. Adjust mike gain and drive for what you feel is best fidelity. Set drive level initially so that about half the maximum CW power in generated for each band, or about 1.5 A drain current. Switch the receiver to SSB mode, then tune around the signal whilst speaking, and check that the sudebands are not spreading excessively. Back-off the mike count there are too many "whinksteer."

For best modulation characteristics onair, the load presented to the transmitter's output (which, on CW is very tolerant of miss-match) must have a low SWR of less than about 1.5, even lower if you can manage it.

Some method of muting the receiver on

transmit may be necessary (for my own set-up, I simply um the receiver's RF gain down so that the CW or AM can be directly monitored on headphones). If you want something better, perhaps a spare contact on the relay would serve to actuate the mute on your receiver.

When operating CW, set the drive to any level desired. A power output adjustment range of about 2 to 1 is typical.

A 3.58 MHz ceramic resonator may be fitted inside a defunct style "D" crystal case; using a gast flame, unsolder the top of the case to expose the crystal. Snip the fine wires attached to the pins, solder a new fine tinned wire to each pin, then attach the resonator. It was found that the

stability of the resonator is significantly improved by filling the case with petroleum jelly (thus increasing the thermal mass) before re-soldering

Parts

Most components are available from the familiar suppliers such as Altrones. Dick Smith and Jaycar The BFR84 was a Dick Smith part. If unavalable, try for a near equivalent, such as MFE131, N.201, 40673 or NTE 222- that have the same pin-outs. Power transformer may be DS M-1991 or Jaycar type 2165, or equivalent.





Brenda M Edmonds V3KT PO Box 445 BLACKBURN VIC 3130.

Exam papers must reflect Regulations changes

Readers will be aware of the negotiations taking place between the WIA and the ACA with regard to the status of Morse code as a requirement for an amateur licence. As an interim measure, until the matter is discussed and decided at the International level, the ACA has agreed to allow full access to the HF bands for those amateurs who have passed the AOCP Theory and Morse code at 5 words per minute. It has also been agreed to continue examinations at 10 words per minute for those candidates who prefer it or who need the higher speed to gain reciprocal qualifications.

I do not intend to argue either for or against Morse code at any speed. My concern is that any change to the Regulations relating to the Amateur Service must be reflected in the questions appearing on the Regulations examination papers, and in the material available to candidates for their study.

Even such a simple change as this to the conditions of operation means that an amendment to the Licence Conditions Determination must be produced and agazetted. This inevitably takes time, so there is a time lag between the ACA agreeing, in principle, to a change and the change being molemented. This may be

a few weeks or much longer. All changes must be checked by the Legal Department of the ACA before the gazetting.

The upshot of all this is that candidates who are considering sitting for their Regulations examinations must be aware of the changes, and the Regulations examination question bank and papers must be amended to reflect the changed conditions. This also will take time. I cannot at this stage say how long, but whe time you read this the Examination Committee will be working on the revision of the Question Bank. It is hoped that the revised papers will be in place within a couple of months, but due notice

will be given when they are proposed to be released and used in examinations.

We can assume that changes to the LCDs will be reflected immediately in the LCD released on the ACA Web site Please keep checking that site to see when the changes are gazetted. Be assured that these changes will not make the Regulations exammation any harder. In fact, it may become easier as there will be much less distinction in privileges between Unrestricted and Intermediate licences.

All I can say at this time is:- Watch This Space!

Australia's first IARU conference

A time for DECISION MAKING

By Jim Linton VK3PC

The 11th International Amateur Radio Union (IARU) Region III Conference being held in Darwin from August 28 to September 1, 2000, will be hosted by the Wireless Institute of Australia (WIA).

The IARU, now in its 75th year, is the unifying body for national radio societies, such as the WIA. It is structured in three regions, along the lines of the regions used by the International

Telecommunications Union (ITU) and defined in the International Radio Regulations (ITU-RR).

Region I is Europe, Africa and generally the area of the former Soviet Union, Region II is North and South America, and Region III is the rest of the world,

covering the Asia and Pacific regions. The IARU has an Administrative Council, made up of two directors from each IARU region, and they meet for two days annually, at the venue of an IARU regional conference - this year in Darwin.

Each member society contributes to the funding of the IARU, firstly to its region, and through it to the IARU International Secretariat.

IARU Region III President, Fred Johnson ZL2AMJ, speaking at this year's WIA Federal Convention explained how the American Radio Relay League (ARRL) had always provided the International Secretariat, an operation that costs around \$US200,000 a year.

That enormous contribution includes the right of the ARRL to select the IARU President, and Vice-President.

All WIA members contribute to the LARU through

...the sharing of information, and

experiences, between radio societies

at the IARU RIII conference will be of

enormous benefit.

WIA their membership subscription. Additionally they have paid a \$2 levy this year to help

fund the IARU Region III conference in Darwin

The IARU Region III was founded in Sydney in April, 1968, with a meeting of representatives from the WIA, Japan Amateur Radio League (JARL), New Association Zealand. of Transmitters (NZART), Philippines Amateur Radio Association (PARA), and the IARU.

First time in Australia

This year is the first time that IARU Region III conference has been held in Australia, and its deliberations will have an ampact on Amateur Radio, not only throughout the region, but worldwide.

The WIA will be welcoming some 100 delegates from IARU member countries throughout Region III that includes much of Asia and the Pacific basin, plus observers from IARU Region I and

> Region Invited guests include Australian and Northern Territory government

officials

Not only will conference debate important issues facing the Amateur Service and make strategic policy decisions, but the event also affords an excellent opportunity to expose our hobby to government dignitaries

The Darwin Amateur Radio Club (DARC) is providing "on-ground" help to ensure this conference is a success. A lot of preparatory work has already beencarned out by the club.

A special event station is planned to operate from the LARU RIII conference venue. It will be activated by DARC members, is to be available for accredated delegates, and demonstrate our hobby in action to visiting officials.

The last IARU Region III conference was held in Beijing in September 1997 and it considered more than 100 papers. This resulted in 47 resolutions, and each of those will be reported on at the Darwin conference.

Each IARU Region conference builds on the work of the previous conferences in each region, and is reviewed by the IARU Administrative Council.

The WIA Federal Convention in April decided on the make-up of the WIA delegation attend to the conference to be led by the Federal President, Peter Naish VK2BPN. Each WIA delegate has individual and collective team roles to ensure that the conference is a success.

WIA papers proposed The Federal Council also considered the available WIA papers, although some were still in draft stage, to be presented to the conference. They are expected to

include:

 Report on the WIA's activities over the past three years . Harmonised 7MHz band - the WIA position Progress report on VK 80 metre DX window allocation . ADSL (a digital landline system) and its potential

- impact on the Amateur Service
 The Internet and Amateur Radio beyond 2000
- A proposal for a LF band for Region III
- Realignment of international
- microwave weak signal segments

 EMR (electromagnetic radiation)
 limits and its impact on the Amateur
 Service
- Decline of Amateur Radio (a follow-up report)
- Further input to the direction IARU is recommending for ITU-RR s.25.
 LIPD impact on 70 cm operation

These are just the proposed WIA papers, a further 90 papers are expected from other IARU RIII member societies.

IARU vital to Amateurs

Fred Johnson ZL.2AMJ said, "The work of the IARU is vital. Without frequencies the Amateur Service can't exist."

He said although the IARU operates on a voluntary basis, it has been effective in ensuring the interests of the Amateur Service are protected, at international conferences where big business seek spectrum.

"The IARU also enables radio amateurs worldwide (through their radio societies) to review their policies, and to formulate direction for the future development of Amateur Radio," said Fred Z12AMI

"It is only by banding together, forming associations or societies such as the Wireless Institute of Australia, that we can collectively work together to retain what we have (frequencies), and work out policies to obtain what we would like to have."

He explained that the IARU has a unique position, and the Amateur Service view it puts forward at international conferences is highly respected.

Although the IARU does not have voting rights at World Radio-communication Conference (WRC) and other international meetings, it is regarded as a responsible body which thoroughly investigates problems and

comes up with concerns and solutions. WRC used to be held every 20 years. But with the rapid development of technology and its associated demands on spectrum. WRC are being held every three years.

There are also other conferences that related to radio, plus national preparatory conferences for each WRC.

Fred ZL2AMJ said. "This puts much more pressure on the IARU as it strives to establish policies and responses to WRC agenda items that may have an impact on the Amateur Service.

"Finding radio amateurs with the right skills and time to volunteer for the IARU is becoming more difficult."

But he said the work of the IARU is very important, and must continue. "Membership of the WIA is the way of individual radio amateurs to contribute to the well-being of their hobby, and ensure it continues for future

generations."
Fred ZL2AMJ said the sharing of information, and experiences, between radio societies at the IARU RIII

conference will be of enormous benefit
"I believe that the WIA is well down
the track in working out an EMR
(electromagnetic radiation) policy with
its radio administration, the Australian
Communications Authority

"I am not aware of other societies in the region having got as far as that. We are looking forward to seeing a strong, firm and positive contribution on this issue by the WIA to the conference, providing a model on which they can deal with their radio administrations on the issue," said Fred ZLZAMJ.

Among the other contributions being eagerly anticipated from the WIA include a paper on the class licensed Low Interference Potential Device (LIPD) experience in Australia on the shared 70 cm band, he said





Western Australia 6055

Telephone: (08) 9274 1118

Facsimile: (08) 9250 3734

E-mail tower@eon net au

www: http://www.tower.visionimage.com.au



Ross Christie, VK3WAC

19 Browns Road, Montrose 3765, Vic.

Ernali Vk3waC 4 sokovni

What price DXCC?

How much money do you think it costs to achieve DXCC?

I was astounded after reading a very interesting article in 'DX Magazine' written by Don Boudreau, W5FKX, and John Barem, W6SL, who attempt to put a figure to it. The article has tables that show a breakdown of the cost into such things as equipment, antennae, QSL cards, IRC's, Green samps, envelopes, samps en 20 give just two examples,

- (1) the cost of the DXCC certificate (hasic 100 cards) is USS2189.14 (approx. A\$3648.57), assuming it takes 2 years to achieve, with a successful QSL response rate of 70%, 20% of the cards sent via the bureau and 80% via direct or QSL managers. The real eye-opener is example
- (2) the cost of the DXCC Mixed Mode Honour Role (DXCC 222+ cards). The breakdown for this achievement is a trifling US\$10690.33 (A\$17817.22)!

My own progress towards DXCC is plodding along nicely. I have sent QSL cards for CW QSO's to 122 countries so far and have received replies from 63. Most of my QSL's have gone out via the WIA QSL bureau, only about half a dozen have been sent direct. Being a keen CW operator I have set my sights on achieving DXCC on CW before I attempt it on SSB. In fact, checking my logbook, only 47out of a total of 451 contacts have been on SSB. It has taken me around 5 years to get this far, but then there is no hurry, is there?

A new DXCC entity recently appeared on Australia's northern doorstep. East Timor has been allocated the prefix block 4WA - 4WZ by the ITU for use by radio stations operating in the areas administered by UNTAET (UN Temporary Administration of East Timor). Official radio stations have been issued with the prefix 4U, while UN amateur operations have been assigned the prefix 4U1. Private amateur stations will use 4W6. A number of amateurs have already been active from East Timor lately, notably Thor 4W6MM (TF1MM). Ross 4W6UN (VK8UN) and Antonio 4W6GH. Ross is a UN political affairs officer who has been in East Timor since last year, he will also act as custodian for the UN amateur station 4U1ET which will be established at the UNTAET headquarters in Dilli. Ross has a PO Box in Darwin (see below for details) and will OSL only if stations send sufficient postage and a self addressed envelope. IRC's are out and OSLs received without enough to cover postage costs will definitely go via the bureau.

The DX

. 4W. Fast Timor. There are now six active stations in East Timor; Jose 4W6EB/CT3EEB (OSL via homecall: Jose de Sa. PO Box 79. 3860, Estarreja, Portugal); Antonio, 4W6GH/CT1EGH (OSL via homecall); Thor, 4W6MM/TF1MM, Ross, 4W6UN/VK8UN (QSL via VK3OT, Steve R. Gregory, PO Box 622, Hamilton, Victoria 3300, Australia): Nev. 4W6/VK2OF (OSL via homecall. Nev Mattick. Hargraves, NSW 2850, Australia): Bernie, 4W/W3UR (OSL via OH2BN: Jarmo J. Jaakola, Kiilletie 5-c-30, 00710 Helsinki, Finland, Bernie is signing as 4W/W3UR and not as 4W6DX as previously announced "due to a misunderstanding at the licencing authority".

- . 51, Yambie Island, Tanzania (New IOTA). Nasser, A41KG is part of a twelve member team of the Royal Omani Amateur Radio Society (ROARS) who will be traveling to the Tanga Province, Tanzania on June 27th, to activate Yambie Island. The ROARS team have obtained permission to activate Yambe Island from the Tanzania Communication Commission. They will use the callsigns 5I3A and 5I3B. They plan to be on the air simultaneously from July 1-10th, operating SSB/CW and digital (PSK31) on all bands. OSL via A47RS, P.O. Box 981, Muscat, Code: 113 Sultanate of Oman
- [Thanks to OPDX]

 FRAT. Tromelin Island. A
 Dxpedition by The Lyon DX Gang
 all-band all-mode Dxpedition to
 Tromelin (AF-031) is now
 scheduled to take place between 1st and 16f August (the first station
 might be active on 31 July in the
 evening). The operators will be
 FSPXT. FSPYI, FOJIX and FSNOD.
 Further information will be released
 later. The web site at is http://
 perso.easynet.fr/~f6jix/[Thanks to
 425DXN)
- GM, Summer Isles, Scotland Jim, MMDBQI will be active on 80-10 metres, no WARC, mostly on SSB (with some CW) as MMDBQI/by from the Summer Isles (BL-092) between 12:00 UTC on 16⁴ June and 16:00 UTC on the 18⁸ June, OSL via MMDBQI either direct (Jim Martin, 3 Lismore Avenue, Edinburgh, EH8 7DW Scotland) or through the bureau. (TNX MMDBQI and RSGB)
- V3, Belize. Baldur, DJ6SI is active as V31OM. QSL via DJ6SI

QRV in Antarctica

Antarctica is a continent that interests many people for many reasons. It is a remote and harsh place and the personnel who winter over at the various bases are to be thanked for activating this vast continent of rock and ice. Here is an extensive list of operators currently ORV there I was lucky to work Vic. RIAND on 15m CW on April 25th I heard him call CO while checking the band for activity and gave him a call. As soon as we finished and I sent 73 the dog-pile began. His signal sounded 'fluttery' due, no doubt, to the effects of the magnetic pole.

- UA1BJ/R1ANZ conducts a daily net called the 'Russian Antarctic Polar Net' on 14160kHz at 16:00z. . The 'South Pole Polar Net' is another daily net conducted by
- K1IED on 14243kHz at 00:00z. Dave, K1 IED, operates KC4AAA (K-08), the USN Mars station at Amundsen-Scott base, Antarctica, He will be active from now until 20 November 2000 Look for him on 14243kHz at approx. 05:00z. OSL to
- Street, South Windsor, CT-06074. USA). LU1ZA (LU-14), NAVY ORCADAS - Lauric Island, South Orkney Islands. This station is active now, OSL via S.A.R.A (Servicio Auxiliar de Radioaficionados de la

K1IED (Larry F. Skilton, 72 Brook

- Armada) via bureau Argentino. LZ0A (LZ-02), ST. KLIMENT OHRIDSKI - Livington Island. Danny, LZ2UU, is active now. He will be ORV every Wednesday and Saturday at 09:00z on 14325kHz. OSL to LZ1KDP (Radio Club. PO Box 812, 1000 Sofia, Bulgaria).
- HF0POL (\$P-01), HENRYK ARCTOWSKI - King George Island Marek, SP3GVX is active now OSL to SP3WVL (Tomasz Lipinski, Ul 1 Paderewskiego 24m 1, 69-100 Slubice, Poland)
- R1ANF (UA-04), SAAM BELLINGHSHAUSEN King George Island, Operator is Oleg. UA1PBA, and is on the air now. OSL to RK1PWA (Nick Shapkin,
- PO Box 73, 164744 Amderma RIANZ (UA-07), SAAM MIRNY

Arkhangelskaja, Russia)

OSL Routes and Managers

Call 4W6UN Thorvaldur Stefansson, PO Box 3699, Darwin, NT 0801, Australia

400A (CQ WPX SSB 2000) via bureau to YU1SRS 5R8FA (IOTA AF 057) via JE8BKW. NOT via I1PIN

7OOUY This station is a PIRATE, Vladimir Drogan, UYOUY, is neither operator nor manager of this

ED1VHF via bureau to EA1BSK or via Apartado 6128, E-36200 Vigo, Spain

HC4NGF Francel Garcia, Box 08-01-224, Esmeraldas, Equador JY5HX Since the Jordanian QSL bureau is not working

reliably Munzer asks for direct QSLs to his call book address, be sure to include return postage. PS8DX Box 096, 64001-970 Teresina PI, Brasil

RN2FS Sava, Box 733, Kalınıngrad City, 236010, Russia TG0AA Direct to CRAG/TG0AA, Box 115, Guatamala 01001, Guatamala, NOT via TG9AJR. ZC4AKR via bureau or Western Sovereign Base Area

57, GPO, Great Britain

- Guillaume II Coast. Operator Valentin is currently on air. OSL to RUIZC (Valentin Mykitenko, Akademgorodok 2 1, 184340 Loparskaya, Russia).
- R1AND (UA-08), SAAM NOVOLAZAREVKAYA - Princess Astrid Coast. Operator is Victor Karrassev (ex RIANE RIANT. 4K1A, 4K0D) is active now. OSL to DL5EBE (Dominik Weiel, Farhrstr D-27568 Bremerhaven. Germany).
- . EMIU and EMIKY (UR-01). Akademic Vernadsky Base -Galındez Island. Pavlo (Pavel) UT1KY, is active now, using both of these callsigns. OSL to UT7UA (Roman Bratchyk, PO Box 19, Kyıv 01001, Ukraine)
- 8J1RL (JA-02), NIPR SYOWA --Ongul Island. Taku, JG3PLH, 1s active from the Japanese Antarctic base. Taku prefers CW and will be unable to confirm contacts until he returns home in March 2001 OSL via bureau to JG3PLH (Takumi Kondoh, 1-23 Shinke-cho, Sakai City, Osaka 599-8232, Japan).

IOTA Activity Looking through the various DX news sheets I see quite a lot of IOTA activity planned for the summer in the Northern Hemisphere. I wonder if there are many IOTA chasers in VK? Drop me a note or email me and let me know.

ARC c/o Air Training Corps, RAF Akrotin, BFPO

 (EU-068) A group of Belgian operators will be active from Sein Island in July They have applied for the calls TM4CK and TM4ON (the latter to be used during the IOTA Contest) They now plan to start operations on 27-28 July and to leave the island on 1 August, More information will be made available later. The expedition site is at http:// www.gsl.net/on6ck ITNX

ON9CGB1 For those new to the IOTA program or would like to give it a go, the IOTA frequencies are CW 28040, 24920, 21040, 18098, 14040.

10114, 7030, 3530 kHz SSB 28560, 28460, 24950, 21260, 18128,

14260, 7055, 3765 kHz

Late News

Hans, DK9KX, has released a press release announcing the end of the current operation of the special activity station 7O1YGF in the Republic of Yemen A team of German operators (DJ7MG, DK1II. DK3KX and DL5EBE) who have been active since their arrival on April 17th, have been requested by the authorities to cease operation. Apparently continued on page 37

27

DON'T MISS THE ACTION!

VX-IR 2m/70cm Micro Handheld

One of the worlds smallest dualband handhelds, just 47 x 81 x 25mm (W.H.D.) including a high capacity 700mA/H Lithium-ion battery! The VX-IR covers both 2m and 70cm amazeur bands, plus offers AMFM and TV sound reception, 2 hour fast charging as standard, simple settings and a large LCD screen.

Features

- Tx: 144-148, 430-450MHz Rx: 0.5-1 7MHz, 76-300MHz, 300-580MHz,
- 580-999MHz (cellular locked out)
- Output, 2m/70cm 0.5VV (at 3.6V). LOW with external DC
- . 29. memories, most with alpha naming
- . AM, FM(n), and FM (w) reception modes
- CTCSS encode/decode 31 smart search memories
- Tone search for CTCSS and DCS.
- Includes FNB-52LI 3.6V 700mA/H Lithiumion battery, regulated AC adaptor/charger. antenna and belt-clip.
- D 3645

D 3470

YAESU 2 YEAR WARRANTS



VX-5R 6m/2m/70cm Deluxe Hand-Held

Tiny yet incredibly rusged, the VX-SR provides 6m, 2m and 70cm amateur band operation with SW output as standard (4.5W on 70cm) made possible by a unique PA design and a super high capacity 7 2v 1100mA/H Lithium-ion battery. Plus ultra-wide coverage VHF and UHF as well as AM medium-wave and shortwave reception facilities are provided, along with a large back/s dot-matrix LCD screen. All this in a diseast aluminium enclosure just 58 x 87 x 28mm WHD (without knobs or antenna

Features

- Tx 50-54, 144-148, 430-450MHz
- Rx: 0.5-1.8MHz, 1.8-16MHz, 47-729MHz, 800-999MHz (cellular blocked)
- · Full feature keypad, CTCSS encode/decode, digital code squeich
- · Comprehensive menu system Over 200 memories
- · 8 digit alpha-numeric memory tabelling
- · 5 battery saving systems, plus
- Tx/Rx usage monitor

 Spectra-Scope* for monitoring adiacent channel activity Comes with FN8-58LI Lithium-ion battery. flexible ancenna and AC adaptor/charger

2 YEAR WARRANTY

BONUS BONUS BONUS Purchase a VX-SR during April, May or June 2000 and receive a CD-IS Desk Rapid Charger (D 3672 valued at \$49.95) at no charge!

2 YEAR WARRANTY



Yaesu FT-90R 2m/70cm micro mobile

Another engineering breakthrough from Yaesu - a tiny dual-band mobile rig with high power output, a remoteable front panel, and a rugged receiver front-end. The FT-90R provides 50W RF output on the 2m band as well as 35W output on the 70cm band, a solid diseast casing with microprocessor controlled cooling fan for reliable operation, and a large back-it LCD screen, all in a package measuring just 100mm x 30mm x 138mm. YAESU

Aire includer

- · Wide dynamic range receiver for greatly reduced pager breakthrough
- Huge receiver coverage 100-230, 300-530, 810-999.975MHz (Cellular blocked) 180 memories and a variety of scanning functions
- · Built-in CTCSS encode/decode, battery voltage metering
- · Designed for 1200 and 9600 baud packet operation
- Tiny remoteable front panel (requires optional YSK-90 separation lot) Includes MH-42 hand mic, DC power lead, and easy to follow instructions. D 3317

Separation Kit OBD



FOR ALL YOUR **COMMUNICATION NEEDS**

High Performance 2m Base Station Antennas

Diamond base station antennas offer ourstanding mality and exceptional value. This stacked connear type provides high gain, wide bandwidth and a low radiation angle for extended range. The Abreslass reinforced polyester outer radome and gasket seals provide excerent all-weather operation and compact ground-plane radials are supplied Stainless-steel mounting hardware ensures a long, trouble-free life. Supplied with instruct on sheets for easy set-up.

2m Antenna F-23A

Frequency: 144-149MHz 7.8dP Gain Max. Power 200W Length

Type:

D 4850

4 53m may wind #Om/s 3 x 5/80. Connector SQ-239 socket

CLEARANCE

FT-2500M 2m Heavy-Duty Transceiver

Built tours to take the rough stuff, the Yans, FT-2500M meets US MIL-STD 810C for shock and vibration so it'il provide years of reliable mobile operation. Its easy to operate front panel design. rubber coated knobs, and large Omni-Glow display are teamed up with a one-piece discast chassis to set the FT-2500M apart from other 2m mobiles. For improved front-end performance, Yaesu's exclusive 3-stage Advanced Track Turning feature and dual-FET mixer reduce overloads from strong signals while providing excellent sensitivity and wide-band receive operation D 1637

Also includes

• 31 tuneable memories • In-built CTCSS encoder

• 7 selectable tuning steps • MH-26 hand mic, mobile mounting Various scanning modes bracker and DC power lead

Specifications

Frequency range: Tx 144-148MHz, Rx 140-174MHz Output power 50W 75W 5W Sensitivity Image rejection.

betser than 0.2uV for (2dB SINA) better than 70dB Max audio output: 2.0W into 8 ohms (10% THD) Dimensions 160 x 50 x 180 (W.H.D)

2 YEAR WARRANTY

VAESU

CLEARANCE

ELOW COST!

PowerHouse stores A shopping experience like no other!

Dick Smith PowerHouse stores not only offer an expanded range of those original electronics products that have made our stores famous, but now you can experience the fun of using a wide range of communication equipment in our hands-on demonstration area. Called the "Ham Shack", each PowerHouse store has a dedicated area where licensed staff can show you the latest Yaesu, Uniden, or Magellan communications and GPS products, as well as an expanded range of accessory lines that may not be available in other stores.

Not involved in Ham Radio? Staff can also advise on the installation of a CB radio for your four-wheel drive vehicle, how to get involved in listening to Shortwave radio stations from around the world, or assist you in the selection of a suitable accessory for an existing piece of equipment. For bushwalking or boating users, you can also find out about the latest in inexpensive satellite based navigation receivers or emergency beacons, or just browse through an extensive selection of communications related books. The PowerHouse is also the place to go if you simply need

a component to finish that weekend project, to buy tools, or just to while away a few hours while checking out our

in-store technical books, library CD-ROMS, or our dedicated customer use Internet terminals

With over 20,000 product ines in the electrical, computer, and communications areas, our new PowerHouse stores get the wavelength right!



PHONE FAX AND MAIL ORDERS PHONE: WITHIN AUSTRALIA: 1300 366 644 (Local call charge)

FAX:

(02) 9395 1155 within Australia and sit our web site at (+612) 9395 1155 from outside Australia http://www.dse.com.au

DICK SMITH ELECTRONICS, Durect Link, Reply Paul 160. PO Box 321, North Ryde HSW 1670 (No stamp required)

Excludes packaging and postage. All major credit cards accepted. 14 Day Money Back Guaranteed if NOT completely satisfied. (Software excluded) LECTRONICS

That's where you go!

Yaesu transceivers and accessories stocked in selected stores only Other stores can place orders on a deposit-paid basis Offers expire 30/6/2000



VK1 Division Australian Capital Territory

Gilbert Hughes

Peter Kloppenburg

WIGH

VK1CPK

MATHEM

VK2YC

UK24AR

VK2.IPs

VK4ACG

VK77AX

VK7RT

VK7RT

GPO Box 600, Canberra ACT 2601

President

Secretary

Division Directory

The Amateur Barlio Service exists for the rumose of self-training, intercommunication and technical investination. It is carried out by amateurs who are thin authorised people interested in radio technique solely with a personal aim and without necuriani interest

The Wireless Institute of Australia represents the interests of all radio amateurs throughout Australia National representation is handled by the executive office under council direction. One councillor for each of the seven Divisions. This directory lists all the Divisional offices, broadcasts schedules and subscription rates. All enquiries should be directed to your local Division.

Broadcast schedules All trequencies MHz. All times are local.

VK1WI: 3.590 LSB, 146.950 FM each Sunday evening from 8.00pm local time. The broadcast text is available on cacket, on internet aus,radio,amateur,misc news group, and on the VK1 Home Page http://www.vk1 wie.ampr.org

Annual Membership Fees, Full \$72.00 Pensioner or student \$58.00. Without Amateur Radio \$44.00

From VKZWI 1.845, 3.595, 7.146*, 10.125, 14.160, 24.950, 28.320, 29.120, 52.120, 52.525, 144.150, 147.000, 438.525, 1281.750 (* morning only) with relays to some of 18.120, 21.170, 584 750 ATV sound. Many country regions relay on 2 m or 70 cm repeaters. Sunday at 1000 and 1930. Highlights included in VK2AWX Newcastle news. Monday 1930 on 3 593 plus 10 m. 2 m. 70 cm. 23 cm. The broadcast text is available on the Internet newsgroup aus.radio.amateur.misc, and on packet radio.

Annual Membershin Fees, Full \$59.00. Pensioner or sturient \$55.00. Without Ameteur Radio \$41.00.

Treasura Edwin Alnott VK2 Division News South Wales 109 Wigram St. Parrametta NSW (PO Boy 1068 Parramatis 2124)

(Office hours Mon-Frt 1100-1400) Phone 02 9689 2417 Web: http://www.nzamail.com.au/-vk2wi Freecall 1800 Rt 7 644

e-mail: vk2wi@ozemail.com.au Fax 02 9833 1525 Michael Corbin Provident

Barry White Secretary Trassure Pat Leaper

VK3 Division Victoria 40G Victory Boulevard Ashburton VIC 3147 (Office hours Tue & Thur 0930-1500)

Phone 03 9885 9261 Web: http://www.tbse.com.eu/-wievic/ Fig. O. C. wood I Guille e-mail: wievic @aighelink.com.au

VK3PC President Jim Linton Barry Wilton CED VIK3XV WESTER Secretary Pater Mill

VK4 Division Queeneland GPO Box 638 Brisbane QLD 4001 Phone 07 3221 8377 e-mail: office@wisq.powerup.com.au Fax 07 3266 4929 Web: http://www.wia.org.au/vk4

Colin Gladatone President Secretary David Jones Treasurer Bill McDermott

VK4OF VW44754 Office Mgr John Stevens VK4AFS VK5 Division South Australia and Northern Territory

(GPO Box 1234 Adelaide SA 5001) Phone 08 8294 2992 web:http://www.asl.net/wiasant

President Jim McLachlan VKSNB David Minchin VKSKK Secretary Treasurer John Butler VKSNX

VK6 Division Western Australia PO Box 10 West Parth WA 6872 Phone DR 9351 8873 Web: http://www.omen.net.au./~vk6wia/ e-mall: vix6ws@omen.net.au President Neil Penfold VIKENE Secretary Christian Bastin VK671.Z Treasurer Bruce Hedland-Thomas VK6OO

VK7 Division Tasmania PO Box 371 Hobart TAS 7001 Phone 03 6233 3709 (BH) Web: http://www.wia.tasnet.net email: batesiw@netspace.net.au Fax 03 6223 7816 Phil Corby President Secretary John Rates

John Bates

VYCSBWI broadcasts on the 1st and 3rd Sunday of the month at 8.00pm. Primary frequencies, 3.615 LSB, 7.085 LSB, and FM(R)s VK3RML 146.700, VK3RMM 147.250, VK3RWG 147.225, and 70 cm FM(R)s VK3ROU 438.225, and VK3RMU 438.075. Major news under call VK3WI on Victorian packet BBS and WIA VIC Web Site.

Annual Membership Fees, Full \$75.00. Pensioner or student \$61.00. Without Ameleur Radio \$47.00.

VK4WIA broadcasts on 1,825 MHz SSB, 3,805 MHz SSB, 7,118 MHz SSB, 10,135 MHz SSB, 14.342 MHz SSB, 21.175 MHz SSB, 28.400 MHz SSB, 29.680 MHz FM ment 2-56, 18-3-54 wind 2-56, 17-36 wind 2-56, 25-566 wind 2-56, 25-566 wind region, and on regional VHF/ (ptp), 147-000 MHz, and 438.525 MHz (in the Britsbane region, and on regional VHF/ UHF repeaters) at 9900 hrs K every Sunday morning, QNEWS is repeated Monday evenings, at 19.30 hrs K (on 3.505 MHz SSB and 147.000 MHz FM On Sunday evenings, at 18.45 hrs K on 3.605SSB and 147.000 FM, a repeat of the previous week's edition of QNEWS is broadcast. Broadcast news in text form on packet is evallable under WIAQ@VKNET. QNEWS Text and real audio Illes available from the wab site

Annual Membership Fees, Full \$85.00 Pensioner or student \$72.00. Without Amateur Radio \$56.00 VKSWI: 1827 kHz AM, 3,550 MHz LSB, 7,095 AM, 14,175 USB, 28,470 USB, 53,100

FM, 147,000 FM Adelaide, 146,700 FM Mid North, 146,800 FM Mildura, 146,825 FM Barossa Valley, 146,900 FM South East, 146,925 FM Central North, 147,825 FM Gawler, 438.425 FM Barossa Valley, 438.475 FM Adelarde North, ATV Ch 35 579.250 Adelaide (NFT) 3.555 USB. 7.085 USB, 10.125 USB, 148 700 FM, 0900 hrs Sunday, 3.685 MHz and 146.675 MHz FM Adelaide, 1930 hrs Monday.

Annual Membership Fees. Full \$77.00 Pensioner or student \$63.00. Without Amateur Radio \$49.00

VK6WA: 146.700 FM(R) Perth at 0930hrs Sunday relayed on 1 865, 3.564, 7 075, 10 125, 14.116, 14.175, 21.185, 29.120 FM, 50.150 and 438,525 MHz, Country relays 3.582 147.200 (R) Cataby, 147.350 (R) Busselton, 146.900 (R) Mt William (Bunbury) 147.000 (R) Katanning and 147.250 (R) Mt Saddleback. Broadcast repeated on 146.700 at 1900 hrs Sunday relayed on 1,865, 3,564 and 438,525 MHz country relays on 148,900,147,000, 147,200, 147,250 and 147,350 MHz. Also in "Real Audio" format from the VK6 WIA website

Annual Membership Fees, Full \$69.00 Pensioner or student \$59.00 Without Amaleur Radio \$38.00

VK7WI: 146.700 MHz FM (VK7RHT) at 0930 hrs Sunday relayed on 147.000 (VK7RAA), 146.725 (VK7RNE), 146.625 (VK7RMD), 3.570, 7.090, 14 130, 52.100, 144 150 (Hobart), repeated Tues 3.590 at 1930 hrs.

Annual Membership Fees, Full \$88.00 Pensioner or student \$75.00. Without Amateur Radio \$55.00

Amateur Radio, June 2000

VKB Northern Territory (part of the VK5 Division and relays broadcasts from VK5 as shown, received on 14 or 28 MHz).

Treasurer 30

VK1 Notes

Forward Bias

There was no General Meeting on April the 24°; too many members were away on holidays. It also meant that the Trash & Treasure event was cancelled. By the time you read this in June, T&T in May, has come and gone until the next one on August 28.

The ACT Division welcomes Mr A. (Tony) J. Vickers. VK1VIC, who was VK2VIC in Kooringal, NSW, untirecently, Membership stands, until recently, Membership stands at 152 presently, having lost one member las month (1) (1973). While on the subject of members, one of our very own, Philip Longworth, VK1ZPL, has been appointed National WICEN Coordinator at the recent Federal Annual General Mecting. Phil has spent ment time and effort with WICEN since his arrival here from Albury-Wodonga, where he was Regional Co-ordinator for the Murre her was the control of the Murre her was the was the control of the Murre her was the contro

for himself when living in Victoria, when he was Regional Co-ordinator for the "Papa" district. Given his knowledge, experience, and dedication to this part of the hobby, we can expect a new impetus in WICEN activities throughout the Nation

Another ACT amateur, who is well known tous tall, Gither Hughes, VK IGH. was also elevated to an important position in the Federal organisation. Gilbert was appointed Word Radio Conference, International Telecommunications Umon (WRCUTIU) co-ordinator. Gilbert has already attended several ACA meetings in this capacity, where among others, he was given the job of participating in a small team that has the objective of drafting an 'Information Paper' regarding the application of the ACA's EMR standard for the amateur Radio Service. Gilbert says that the paper will be considered by

Peter Kloppenburg VK1CPK

the ACA-chaired Industry committee meeting in June this year.

Last but not least, our Vice-Preadent ACT Division, Federal Councillor, champson of the "70cm linked repeater system", Glenn Dunstan, VK1XX. was reappointed to the ACA Liaison Committee. Glenn is involved in several important issues affecting radio amateurs in Australia. Among these are the 80-metre DX wndow, the new 160-190 kHz band, the 7 MHz allocation, and Article S.25 (Morse) removal of the Morse code.

Watch this space folks, it won't be long before the smallest Division makes the biggest impact on the future of amsteur radio in Australia. Coming down to earth; the next General Meeting will be held on Monday 8pm, June 26, at the Griffin Centre, Civic. Canberra City. Cheers Peter K.

VK2 Notes

The Annual General Meeting was held on Saturday 15th April and was quite well attended. The day went well, and the barbeque lunch, with steak and sausages provided by Brian Kelly VK2WBK, had

Barry White VK2AAB receiving his 50 year certificate from Michael Corbin VK2YC

many coming back for seconds.

The result of the 2000-2001 Divisional Council election was announced, and the following people were successful: Ken Westerman VK2AGW, Michael Corbin

VK2YC, Barry White VK2AAB, Brian Keegan VK2TOX, Brian Kelly VK2WBK, Geoff McGrorey-Clark VK2EO, Pat Leeper VK2IPA, Chris Minahan VK2EJ, and Terry Davies VK2KDK.

but that did not stop much discussion during general business as usual.

Certificates of appreciation for members with 60 and 50 year by Pat Leeper VK2JPA patisep@bigpond.com

memberships of the WIA were presented after lunch. Only one of the 60-year membership recipients was present this year, with a number of the 50-year recipients. For those unable to attend, the certificates are being posted out.

After the meeting office bearers were cleated. The President is Michael Corbin VKZYC. Senior Vice President Britan Keegan VKZTOX. Junior Vice President Brian Regan VKZTOX. Junior Vice President Terry Davies VKZKDK, Secretary Barry White VKZAAB. Treasurer Pat Leeper VKZIPA. Ken Westerman VKZAGW was appointed Affiliated Clubo Office with the May Conference of Clubs needing to be looked after. Other portfolios will have been allotted at the May meeting by the time you read this. And that's all for this month from the

VK2 Division.

VK3 Notes

Website: www.tbsa.com.au/~wiavic Email: wiavic@alphalink.com.au By Jim Linton VK3PC

New subscription rate

Members may have noticed the increase in the membership subscription being charged by most Divisions. This is the direct result of the goods and services tax (GST) and the need for the Federal WIA to fully recover the production cost of AR Magazine from ALL GRADES of member.

The WIA Victoria Council conducted a major review of policy in February, and one of the decisions taken was to return to the use of a voluntary labour resource to staff the office from July 2000.

The resultant savings in overhead costs will flow directly into the membership and WIA Victoria will subsidise the subscription rate to maintain a comparatively low fee structure. The greatest subsidy will be for our older loyal "Concessional" grade members who have supported us over many years.

The ongoing success of this WIA Victoria Council initiative will depend entirely on the response by members and their willingness to provide suitable volunteers to open and run our office. We would also like to open on Saturday morning in addition to Tuesday and Thursday.

We only need 4_ hours of your time once a fortnight - 10am to 2.30pm so if you can help please give the office a call. The Council will review athe subscription rate in December and the

subscription rate in December and the response by members.

From July 1 WIA Victoria subscriptions

- Full Member \$78.00 an increase of only \$3.00 (less than the GST)
- Concessional \$61 00 No increase
- Without AR- \$47.00
 Associates \$78.00

including GST will be.

The Full Grade subscription represents \$1.50 a week, while those who elect not to receive AR magazine are to pay around 90 cents a week.

The Council has adopted responsible new policies, and is looking for an

increased partnership with the membership at large.

Individual members have a role to play including giving encouragement to others to join WIA Victoria, promoting our hobby particularly those who may be interested in becoming radio amateurs, and to seriously consider how they can contribute the needed voluntary labour resumms.

What's new on the website

The WIA Victoria website is continuing to develop. The latest additions are:

- A sustralia's first Intruder Watch
 Online. Anyone with a recoaver
 covering the ham bands, and email,
 can now easily log intruders and
 transmit the details to Intruder
 Watch. Individuals and radio clubs
 will be encouraged to target an
 intruder each month, and support
 Intruder Watch, which is help to
 protect our exclusive HTP bands.
- A link has been set up to the BluSat micro-amateur satellite project. The website will bring news about the exciting project in coming months.
- A website visitor's survey form so you can quickly let us know about yourself and the section or sections of the website you read.
- The IARU Region III Conference being held in Australia for the first time. Read all about this most important regional meeting. WIA Victoria is helping to raise awareness of this event that will have impacts on our hobby for years to come.
 The previously announced Members

Section is due to come online fairly soon. It requires members to register via the website and have their membership status verified. This usually takes five working days, and is confirmed via email. The first batch of registress signed on at the WIA Victoria AGM on 31 May. The website's

News Online section that is totally updated at the first of each month, and Education Online with interactive trial exams for Novice and AOCP theory, and Regulations, continue to be highly popular

Office hours

The WIA Victoria office is open for member services and inquiries on Tuesdays and Thrusdays from 10am to 2.30pm. The telephone number is 985 2561 and fax 9885 5298. The office is to be staffed by volunteers. A couple of members have recently received some initial training in office procedures and WIA Victoria policy. The new "volunteer" system is expected to be fully operational by the end of this month, and If further suitable volunteer labour can be found the office will also open 10am to 12.30pm on Saturdays.

Morse help

WIA Victoria is prepared to run a "Morse Camp" if there's sufficient interest, to assist those wishing to take advantage of the 5wpm Morse code proficiency requirement for full access to the HF amateur bands.

What is a Morse Camp? It is an intensive training session aimed at imparting the learning skills necessary to be code proficient.

The lowered code requirement may be attractive enough to lure some limited licensees, or prospective radio amateurs, to give it a try and quality for the Mone code exams. Who knows they may even fall in love with A1A. a love bug of another kind They have nothing to lose, but the gams include learning a new kind and being able to take advantage of the good propagation on the HF bands during the peak of the current sunspot cycle. The Morse Camp, a once in a lifetime opportunity, will be advertised on the VK3BWI broadcast and the WIA Victoria website.

Unrestricted Zone

Non members or prospective members of our Institute can read monthly minutes, WIAO proposals, AGM and Ex-Officio's reports on our website. These are posted at the earliest opportunity when they become available. Several overseas Societies have this facility for their own members, on members' only websites, but your WIAO has provided the service PREE to ALL. This is our contribution to onen Government.

The address and if you haven't put this in your 'favourites' change it NOW as the VK4 web address is about to change. ALWAYS enter via the link from the WIA Federal website: www.wia.org.au/vk4

IARUMS Reports

Tom Walker, VK4BTW our VK4 Coordinator for IARUMS has reported that some 1238 intruders were logged for the year, with over half of these on 20 metres! The signal receiving the most reports was on 14,211.5 MHz. This is RTTY with 850 Hz shift @ 112 baud. traffic and Mark and Space tones are heard anytime that the band is open.

The very conscientious observers who contributed to the logging and submitted reports throughout the year were KEN VK4JR. HARRY VK4LE, COL VK4AKX, JACK VK4BXC and DOUGAL VK4EKA

Tom has circulated all the Queensland clubs listed in the 2000 callbook with the idea of appointing observers from their membership. These observers would be asked to actively monitor particular intruders in a concentrated pattern of logging

All reports are welcomed by the IARUMS co-ordinator and add weight to the submissions to authorities to have intruders moved. Reports can be forwarded to

I. W. Co-ord, Old.

T A Walker.

13 Bothwell Street, Toowoomba O. 4305 or Packet VK4BTW @

VK4WIP.#IPS OLD.AUS.OC

Divisional Broadcasts In Mackay

Brian VK4KBS reports:

"Here I use the RA files to broadcast the News via our local repeater VKARMK on 147 MHz situated on Black Mountain at Farleigh a few kms on the highway north of Mackay. I usually take the files down on Friday about midday, as this is when I seem to get the best file transfer rate (about 4.00 kb/s). I use a Yaesu FT-767 GX for the broadcast and only need to use a couple of watts output as we live only a couple of kilometres from the repeater site.

Thanks for the News Graham, from Brian VK4KBS."

Well done Brian in the valuable rebroadcasting role for Onews.

Then there is "RELAY PNG STYLE" The PNGARS has two major areas of activity and there must be two rebroadcasts.

Rick P29KFS does the Port Moresby broadcast "live" taking the audio from 20 metres which comes from a 2-metre repeater which may itself come from yet another repeater. The aerial is a full wave quad loop with 1/4-wavelength sides about 3 metres off the ground. It has a linear 1/2-wave reflector on the north side to optimise reception from Oueensland and this does seem to work well.

The receiver is a Watkins Johnson HF1000 with 2.6kHz audio bandwidth filtering. The audio is fed into an MFI 784 DSP unit, which eliminates the ORM from Philippine and Indonesian HF CB and the carriers are often plonked right on top of the broadcast. The rough and ready interlink uses headphones to a speaker mike on an old Kenwood TR2500 HH which runs on low power into a special version of a coaxial dipole. This is a "dog food dipole" made out of two PAL cans and a whip. The few hundred milli-watts is quite enough for the P29RPM repeater on Burns Peak to copy noise free and lets Rick ID over the top with a hand held when sitting outside on the balcony.

The repeater is about 4 km away and line of sight from Ricks' home OTH The reneater is an old FM828 with solit antennas and a 10" pass /notch diplexer As well as this, an extra 5" bandpass cavity in the receive leg is followed by a LUNAR PAG144 preamp before the main diplexer cavities. With 10W transmit power out to another dipole, this is sufficient to cover the Port Moresby

Very innovative stuff that! You must pass on the theory behind the "PAL-CAN dipole" Rick, for the next Antenna Compendium of course

Gladstone Repeaters

In the Gladstone area, by all accounts, they have their 6-metre repeater is still out of action. Both President Geoff VK4GI and Stuart VK4YFI have volunteered to get it up and running again

Further more people could soon access the 70-cm VK4RGT repeater on Mt. Maurice, when the antenna situation has been addressed. The 2 metre repeater VK4RMV could well be relocation to a better site in the town of Seventeen Seventy, but this is still the subject of discussion. So it looks like the Gladstone club have their hands full in improving repeater coverage in their area.

Which is just another reason that NO MATTER WHERE YOU LIVE, you should give serious thought to providing help to the various clubs that are doing such a great job to give you the best facilities available. It is also quite enlightening to see the repeater sites up close

73s from Alistair



- everything for the active amateur

"ORM", VK7 Notes

How often do we hear the complaint "amateurs are great talkers" but nowhere near as good at the "doing" part.

Well, here's a story about an enthusiastic amateur who decided to "do his bit"

It's about Elwyn Harris. VK7EH. Elwyn for a start decided that he was not going to wait for the regulations change to allow him to get full privileges on the bands. Only two month's ago Elwyn passed his 10 w.p.m. Morse test and graduated from "KEH" to "EH" and is now having the time of his life talking all over the world.


Elwyn wanted to share his experience, with his fellow brethren and so, at the local Tamer Valley Missone Lodge, set up an anatieur station. Surrounded by a big group of wide-eyed brethren he then proceeded to talk to Hams around the world, after which he spent the rest of the exeming in "question and aniswer" mode about our hobby stressing what a wonderful post-retirement hobby to ellow be. We take our hat off to Elwyn for

setting up what is possibly the first "Masonic" radio station.

Another amateur who was determined to get his "Proper" full call with 10 w.p. m Morse was the Secretary/Treasurer of our Northern WIA branches. Tony Simmonds, now VK7TY Good work.

All three VK7 WIA branches are starting Novice and full call classes and we hope these activities will pay off in many new members.

Ron Churcher VK7RN.



5/8 Wave

The SA & NT division held our AGM on Tuesday the 23rd of May The meeting was well attended by members, and office holders presented the usual reports. The committee for the year 2000/2001 is as follows

President - Jim VK5NB Secretary David VK5KK

Treasurer - John VK5NX Minutes Secretary Mark VK5AVQ

Budget Officer - Trevor VK5ATQ Federal Councilor - David VK5OV Education Officer - Geoff VK5TY Membership Recruitment - Michael

VK5ZLC IT & Media - Joe VK5UJ

Also on the council is Andrew VK5EX - WICEN Chairman and Adrian VK5ZSN

Contact details for all of the above are available on the divisional website www.sant.wia.org.au

In March, the Barossa Amateur Radio Club installed South Australia's first fully

Col Craigen VK2NJC

It is with the deepest regret that the

Manly-Warringah Radio Society records

the passing of Col Craigen VK2NJC on

March 18th, He was 82. A man of

distinguished appearance and possessed

of a fine intellect. Col lent dignity to all

our proceedings. Always regarded as "a

gentleman of the old school". Col was

liked by all and he carried with him a

wealth of experience. Only when the

weather was at its worst would Col fail

to turn up at the regular weekly

First licensed in the UK in 1936, he

spent his career in radio and television.

his experience with television going

back to the earliest days of the

technology when mechanical scanning

was in the experimental stage. At one

point Col made a television appearance

for Logie Baird and thus could justly

claim to have been one of the first people

meetings.

ever televised

operational 9600-band packet port on their BBS VK5BRC, VK5BRC is located at the same site as the Barossa Valley repeaters: W.I.A. SA & NT and B.A.R.C jointly fund this site. More details can be obtained from the club website www.qsl.net/vk5brc

In April a new divisional repeater was commissioned, this repeater is on 6metres with the output being 53.775 MHz input on 52.775 MHz. The repeater is located at the WIA Crafers site using the callsign VK5RAD; the Crafers site also houses repeaters on 2m and 70cm. The division would like to extend sincere thanks to Colm VK5ACE for his time and effort nut into this project.

In May the division received the licence for the new 70cm repeater in Port Lincoln, the repeater callsign is VK5RPL and operating on 438.225 MHz with a negative offset. Thanks to Michael VK5ZEA and all the hams in Port Lancoln

for their hard work getting this repeater up and running At present the repeater is still on test, so there may be times when you cannot access it. If you are over in Port Lincoln give it a try

Recent changes by the ACA to the broadcast definition in Amateur Licences have resulted in the loss of the Disposals Corner segment from our weekly divisional Broadcast The SA & NT Committee are very disappointed with this state of affairs, as are many members. however the ACA has asked that the segment be discontinued. Currently Barry VK5KCX is still maintaining a list of items for disposal on his web page, just click on the Disposals link on the divisional web page We will keep members informed of action at a federal level that will hopefully rectify this situation

Until next time, Joe vk5u1@osl ne

SILENT KEY

looking factory in Watford, in southern England. There, to his intense surprise, he found himself in the company of eleven other radio amateurs all of whom had been selected by a young civilian called Dr R V. Jones

Dr Jones had been charged by the then Prime Minister, Winston Churchill, to discover and thwart the German beambombing navigational system which was having a devastating effect. This system enabled the German aircrews to fly to a target and accurately to drop their bombs at a predetermined point. Dr Jones knew that to do this task he needed people of technical imagination and flair and he also knew that such people were best found among the radio amateurs of the day.

Within weeks Dr Jones and his team built special transmitters which had the effect of corrupting the beams and confusing the German aircrews so much so that they were sent off course. In the parlance of the day Dr Jones was popularly credited with having "bent" the beams and once the Germans realised that they abandoned the system.

In the RAF Col met and became a personal friend of Arthur C Clarke who was serving at the same time with him and

together they worked upon the development of radar. Recently Colin. recounted to the club how Clarke had explained to him his idea using manned geostationary satellites for radio communication, a theory which Clarke then published in Wireless World in October 1945 (Incidentally, A facsimile of the article

can be found at

http://www.lsi.usp.br/~rbianchi/ clarke/ACC.ETRelaysFull.html) In 1947 Col migrated to Australia and

worked for AWA until his retirement. one of his major involvements being the broadcasting and telecasting of the 1956 Olympic Games in Melbourne After returing Col renewed his interest in ham radio and, like many amateurs, he loved to tinker, especially with VHF gear Most recently, and in order to keep in touch with his nephew in UK, he was working to get active on packet radio but sadly Col passed away before matters were complete

To Moira, Col's wife, and family, the Society offers its deepest sympathy. He will be sadly missed by all his friends in Amateur Radio

Upon the outbreak of World War II Cel joined the Royal Air Force. One day in the summer of 1940, just as the Battle of Britain was getting under way, Col was mystified to be posted to a derelict



John Kelletier VK3DP Federal Awards Officer

4 Brook Crescent, Box Hill South, Vic 3128 (03) 9889 8393

Going after Awards is one of the many pursuits of Radio Amateurs. Awards are the result of engaging in one or more pursuits of radio activity, usually involving making a number of contacts of a particular type. The award may be in the form of a certificate, plaque or trophy. Which brings me to a situation which occurred in an earlier edition of our Magazine. No award can be earned if the original information is incorrect. In this particular case (mea cuipa) it was I who published the incorrect address of the NZART Awards Manager.

Bill, VK1WN saw this infringement of the rules, and supplied me with the correct address for ZL Awards. It is:-NZART Awards Manager. PO Box 1733 Christchurch, New Zealand.

Interested parties may join the Awards Net on 3.677 MHz every night from 8 pm NZ local time. Further information can be accrued on the web site:-

http://www.nzart.org.nz/nzart/awards/ awards.html

There will not be a July edition of the Awards column due to my hospitalization. Some interested parties may submit copy to Editor, if they see fit. The above situation occurred because I had not received a current copy of Break-In, the annual magazine of the NZART.

I must thank Peter, VK3EBP for his continued support, in supplying me with accurate information on the DX situation which is published under "Where's DX.

Andorra. - Andorra 5 bands Award.

Requires contact with five different Andorran stations since January 1,1989. These may have been on any of the bands 3.5, 7,14,21 and 28 MHz, and may be all CW, all SSB, or mixed. Note: only stations using the C31 prefix count. No cost indicated, but return postage is suggested. Send the 5 QSL's to:-

URA, PO Box 150, Andorra La Vella, Andorra

Balaeric Islands - Diplome Cuitat de Palma.

Sponsored by La Union de Radioaficionados de Palma U.R.P., who make this award available for contacting EA6/EC6 stations after Jan 1 1994.

HF: contact 10 EA6/EC6 stations of the Palma City of Mallorca, members of U.R.P.

VHF contact 10 of the above.

GCR list and a fee of US\$8.00 or equivalent in IRC's to:-Union Radioaficionados de Palma, Apdo 034 CP 07080. Palma de Mallorca, Islas Baleares, Spain.

Brazil - All Portugese

Language Countries Award.

Requires proof of contacts with 10 countries of the world which customarily use the Portugese language. SWL OR. All bands and modes. No time limitations. All contacts must be made from the same country. Land stations only. Endorsement stickers for all 13 eligible countries. GCR. Ilst and fee of USS.2.00 or 3 IRC's (endorsement US\$1.00 or 1 IRC). The certificate is in two colours, 310mm x 215mm. Apply to:-Northeast Brazil DX SWL Group. CO'P STAB Ronaldo B. Reis, PO Box 2021 59094-970, Natal RN, Brazil.

Eligible countries are :- C9
Mozambique, CT3 Madeira Is, D2
Angola, J5 Guinea-Bissau, PYOF
Fernando de Noronha, PYOT Triniclade, &
Martin Vaz, XYO Macao, CT Portugal,
CU Azores Is, D4 Cape Verde Is, PY
Brazil, PYOS St. Peter & Paul Rocks, S9
Sao Thome & Principe.

Canada - Radio Amateurs of Canada Series.

General requirements: GCR accepted. Sponsor may request random cards for checking. Contacts after July 1 1977. Apply to: Russ A Wilson YE6VK, 1235 Richland Road NE, Calgary, Alberta, Canada TZE 5MT

Canadaward

Confirm contact in each of the 12 Canadian Provinces and Territories. All QSO's must be on one band only Separate awards for each band or mode Fee is US\$5.00 for stations outside Canada.

5-Band Canadaward.

A special engraved plaque available for stations who confirm contacts with the 12 provinces and territories on 5 amateur bands. Fee is US\$40.00 for stations outside Canada. List of Canadian Provinces and Territories is as follows: VOI- VO2 Newfoundland – Labrador. VEI Nova Scotia, VEI-1VE9 New Brunswick, VY2-VEI Prince Edward Island, VE2 Quebec, VE3 Ornário, VE4 Manttoba, VE5 Saskatchewan, VE6 Alberta, VE7 British Columbia, VE8 Northwest Territory, VY1 Yukon Territory

All bands may be used. Each distinct satellite mode will count as a separate band. Note: VO2 Labrador is a part of the Province of Newfoundland and as such counts for Newfoundland. Some canadian stations may be using different prefixes. Applicants should note that the ward is based on the Province or territory of residence of the QSL card, not the prefix.

Chile - Radio Club of Chile Series

General requirements: GCR list, but must be certified by recognised club or national radio organisation/IARU member society. Fee is 8 IRC's per award for DX stations. Apply to '-Awards Manager, Radio Club of Chile. Casilla 13630, Saniaeo de Chile. Chile SA.

amago de cime, cime sir.

Worked All Chile - (WACE)
Contact CE stations in each of the 10 call
areas. NO SWL. All contacts from the
same country.

Republic of Chile Award

Contact any 16 Chilean stations from any call areas so as to form the phrase; REPLUBICA DE CHILE with the last letter of their call sign. GCR list should be composed vertically down to spell the phrase.

Croatia - Diploma Zagreb

Contact stations in Zagreb since Sept 22 1957. YU/9A need 25, other Europeans 10 and all others 5. All bands and modes are acceptable. GCR list and fee of 5 IRC's to:- Radio Club Zagreb, Tig zrtava fasizma 14, Zagreb, Croatia.

Where's DX ?

The Kermadec DX Association wishes to advise that as from Apr 25 2000, all direct QSL cards for both ZL8RI and ZL9CI should be addressed to :-Ken Holdom ZL4HU (also ZL2HU), Kermadec DX Association, PO Box 7, Clyde, Central Otaxo. New Zealand.

This is now the ONLY address to send cards for the above two Dxpeditions. Due to NZ postal system rules, we cannot guarantee any reply to cards sent to any previous address. Our Association would appreciate your assistance in arranging to have our new address published in your National or International amateur radio magazines, local Club newsletters, national packet clusters, and BBS's etc.

East Timor QSL's for Jose 4W6EB should go to CT1EEB, Jose Emanuel Ribeiro de Sa, PO Box 79,

Ernanuel Ribeiro de Sa, PO Box 79, P-3860, Estarreja, Portugal or via the REP Burcau.

4W6MM - Cards for Thor can now be sent to:-Thorvaldur Stefansson, PO Box 3699, Darwin, NT 0801

Lesotho - A group of German

operators are planning a Dxpedition between July 3 and July 22, using call sign 7P8AA. QSL via DL7VRO

Chesterfield Islands - This new entity has been added to the ARRL DXCC list wef March 23 2000.

Angola D2 - Fernando EA4BB is QRV as D2BB for about one year. QSL via W3HNK. Reunion Island - Matthieu F5PED is now active as FR5DC. QSL via home call.

Chad TT - Jean, F5BAR is active as TTBJLB until July, QSL via home

Jan Mayen JX - Per, LA7DFA will be active as JX7DFA for up to 12 months. OSL via home call.

Bhutan A5 - Jim, VK9NS is presently active as A52JS from Thimphu. All QSL's should be directed to HIDXA.

HM0DX Mystery '! According to Tosht, JA1ELY beam tracking on this station have revealed that signals eminated from the JA7 district. Operator spoke English in a broad Tohoku (JA7 district) accent.

Kingman Reef - Palmyra Atoll. First notice of a Dxpedition to these remote entities probably programmed for October 2000. Good hunting, de John, VK3DP



continued from page 27

there has been some confusion regarding the licence issue and the official status of the station which has already made 35000 (2005 from 6m - 40m using CW, SSB and RTTY. Attempts are being made to clarify the situation with the authorities so that the operation can be officially recognised. (Thanks to Bernie, W3UR and the DailyDX)

There has been a bit of 'skullduggery' going on in relation to the upcoming 3B6RF. Agalega Dapedition. Joe Meier. HB9AJW, wants to let us know that the recent comments on the packet network regarding the QSL arrangements for the planned Dapedition are 'incorrect'. He says someone (using loe's callsign) has issued the unifor with the intent of

sabotaging the event. For more information on the operation, and the real QSL info, visit the official web page at www.agalega2000.ch

Tuji Yonten, A51TY, and Jim Smith VK9NS). A52JS. began amateur operations from Bhutan on April 27th at 12-01 UTC. Youten began the operation by conducting the first QSOs. The initial QSO was on CW with Pavel, RWOIR on 20m and the first SSB QSO was with Kirsti, VK9NL, also on 20m. Thanks to OPDX/ Maybe! I'm showing my personal bias kere, but it's great to be eith that CW was the mode used for the first contact from A5, the Kingdoon Bhutan.

Round up

There has been some interesting DX on the bands recently and hopefully there will be more on the way. Winter is approaching in the Southern Hemisphere and the longer hours of darkness will hopefully bring better, propagation paths. I hope your summer months were spent overhauting those antennas, who was it that said "there are no good joints, only failed ones and failing ones." It would be a pry to miss some rare DX due to a broken element or a faulty rout in the coax feeder

Sources

Thanks go again to the following: The Daily DX by Bernie, W3UR, The NODXA Rag, ARDX, OPDX, 425DXN.

ar

ar



lan Godsii VK3DID,

57 Nepean Highway, Aspendale, 3195 Phone: 0408-123-557 Email: contests@wia.org.au

Contest Calendar June - August 2000

Jun 3/4	IARU Region 1 Field Day (CW)	
Jun 10	Portugal Day Contest (SSB)	
lun 10	QRP Day Contest (CW)	(Apr 00)
un 10	Asia-Pacific Sprint (SSB)	(Jan 00)
un 10/11	TOEC WW Grid Contest (SSB)	(
un 10/11	ANARTS RTTY Contest	(May 00)
un 10/11	South American WW Contest (CW)	()
un 17	Mery Stinson Memorial Sprint (CW/SSB)	(Jun 00)
un 17/18	VK Novice Contest (CW/Phone)	(May 00)
lun 17/18	All Asia DX Contest (CW	()
lun 24/25	ARRL Field Day	
lun 24/25	Marconi Memorial Contest (CW)	(May 00)
011 24120	marour mornora contout (CTT)	(may oo)
Jul 1	Canada Day Contest (CW/Phone)	(Jun 00)
lul 1	Jack Files Contest (CW)	(May 00)
lul 1	Australasian Sprint (CW)	(Jun 00)
lui 1	NZART Memorial Contest (CW/Phone)	(Jun 00)
lul 8	Australasian Sprint (SSB)	(Jun 00)
Jul 8	Jack Files Contest (SSB)	(May 00)
Jul 8/9	IARU HF World Championship (CW/SSB)	(Jun 00)
lul 15	Pacific 160 Metres Contest	(May 00)
ul 15/16	SEANET CW Contest	(Jun 00)
lul 15	Colombian Independence Contest (CW/SSB/RTTY)	(Jun 00)
lul 22	Bussian RTTY WW Contest	(0011 00)
ul 22/23	RSGB IOTA Contest (CW/SSB)	(Jun 00)
lui 29	Waltakere Sprint (Phone)	(Jun 00)
ul 29	SARS Sprint Contest (SSB)	(Jun 00)
U1 2.0	DATE OF THE CONTRACT (DOD)	(6511 66)
Aua 5	YO DX Contest (CW/SSB)	
Aug 5	SARS Sprint Contest (CW	(Jun 00)
Aug 5	Waitkere Sprint (CW)	(Jun 00)
ug 5/6	Worked All Europe DX Contest (CW)	(0011 00)
Aug 12/13	Keymen's Club of Japan Contest (CW)	
lug 12/13	RD Contest (CW/SSB)	
lug 19/20	SEANET SSB Contest	(Jun 00)
ug 26/27	SCC RTTY Championship	(0011 00)
lug 26/27	TOEC WW Grid Contest (CW)	
lug 20/2/	TOEC 9797 Grid Contest (C99)	

Thanks this month to ZL2BIL SARS AHARC NZART VK4YZ VK5CTY

Greetings to all Readers.

One of my tasks as Federal Contests Co-ordinator is to keep you all informed about contest rules and results. This is the purpose of this column, of course. However, there are three sites on the Internet (for computer users) that I commend to your attention -

http://www.wia.org.au http://www.uq.edu.au/radiosport http://www.vk2nnn.com/cgi-bin/calendars/vkcontest/

The first of these is the WIA Federal Web Site. Here you may read these notes and see details of contests. The second is the page of our well-known and very able contestant John VK4EMM. John has details of contests as well as very pertinent comments relating to all aspects of contesting.

The third is an excellent Page by Allan VK2CA/NNN in Broken Hill. Allan has a variety of things associated with this Page, including a Calendar. Allan has given me permission to keep this Calendar up to date with information about local contests and I thank him for this. (The address is a bit long, but it is well worth a visit.) I shall devote it to VK and ZL area contests specifically.

Please have a look at these sites. Even if you do not have a computer or access to the Internet, try the local Library. I worked that way for two years and it doesn't cost anything!

WRTC2000

In July two Australian contestants will travel to central Europe to represent us in WRTC2000.

This is a team event held every few years and this year

Australia will be represented by George

VK4XY and John VK4EMM. They will be one of 53 two-man teams competing in Slovenia, and they will have special SS00XX callsigns. David VK2AYD was going over a Referee. but has decided to stay home and add VK to the list of logs received

This is not a contest in the normally accepted sense of a yearly event, but a series of really tough mini-contests between the teams in speed sending and copying, callsign copying in a pile-up situation, and other goodies. A real challenge, so let's wish these two men well for their journey. (Further information is available on the radiosport web page listed above.) Also, let's all support David VK2AYD in his attempts to make contacts in this contest.

Finally, WARNING N.B. ATTENTION!

Because of the Olympics, Summer Time will commence on SUNDAY, 27 AUGUST, 2000.

Please note this NOW 73 and good contesting, Ian Godsil VK3DID E-mail:

<contests@wia.org.au>

Poor resonse from VK4 stations— at least I know my ORP equipment is operating VK3DID/orn I look forward to many more contests to come. Ian McGovern

The Mery Stinson Memorial Sprint

from Charlie Strong VK4YZ 1000Z - 1100Z Sat 17 June Purpose of the contest is to aid people in attaining proficiency

in procedures, fine tuning of equipment and introducing people to the sport of contesting. Object of the contest is to contact (or log OSOs if an SWL) as many stations as possible in the onehour period without duplication using SSB or CW. Any contact between Australia, New Zealand, Papua New Guinea and surrounding countries on the 80 metre hand is valid. This contest is open to all licensed amateur stations and short wave listeners Groups are allowed but must only use one callsign and transmitter.

The contest period is from 1000Z to 1100Z on Saturday, 17 June, 2000. This is the same weekend as the VK Novice Contest, therefore extracts from Novice Contest Logs between 1000Z and

1100Z will be accepted as logs for the Mery Stinson Memorial Sprint. Exchange RS(T) and serial number. Logs must show for each contact the time UTC, callsign (or callsigns for SWL) contacted, exchange sent and received. A log must have a summary sheet containing name, address, callsign, date of contest, total number of points claimed and a statement that the operator/s abided by the rules and spirit of the contest. Any comments should also be included. Send logs to: Contest Manager, Redchffe & Districts Radio Club, PO Box 20 Woody Point, Qld 4019 by Friday 7 July, 2000.

The Contest Manager's decision is final and can disqualify any entry which is in violation of the rules and spirit of the contest or has an excessive number of duplicate contacts claimed as valid contacts

Certificates will be awarded to the highest score over-all and in each of the Australian call areas and to the highest scores in New Zealand, Papua New Guinea and all other countries combined for both SWL and station logs.

Australasian Sprints 2000

from David Box VK5OV, Contest Manager 1100 - 1159 UTC

CW: Sat. 1 July, 2000 SSB: Sat. 8 July. 2000

The Adelaide Hills Amateur Radio Society Inc. is pleased to announce that the fifteenth series of the annual Australasian Sprints. Both of these contests are open to all appropriately licensed amateurs in VK, ZL and P2 call areas. A section is also provided for SWLs.

continued on page 40

39

Results Alara Contest 1999

from Christine VK5CTV Pat VK3OZ 204 Top score overall, Top score VK YL Top VK CW (Florence McKenzie Trophy-53 pts), Top VK3

Alara member Susan VK7LUV' 200 Top phone score, Top VK7 Alara

member Melva VK4TP Top VK4 Alara member

110 Alan VK7JAB Top VK OM 104 Dave ZL I AMN Top ZL OM

Celia ZLI ALK 99 Top score DX YL. Top ZL Alara member

Dot VK2DB68 Top VK2 Alara member Christine VK5CTY 65 Top VK5 Alara member Marilyn VK3DMS 57 CHECK LOG

Sally VK4SHE 47 Bron VK3DYF 46 John VK5EMI

Mayis VK3KS (entered CW only) Results Jack Files Memorial Contest 1999

from Trent VK4TI, Contest Manager The Object was for Amateurs to work as many VK4 cities, towns and shires as possible (s./l to hear and log), to encourage portable/mobile activity from the less populated VK4 shires and

3000(CW)

towns, and to serve as a warm up for the RD contest. Sections a) Single operator home;

Call Shires Prefixes OSOS Total VK4FMM 1 25 120

VK4JAE/7 5 91 1092 VK3DID 2 11 67 871(CW) VK3DID 4 58 870 VK2LEE 6 41 615

VK7LUV 1 5 11 66 Club fixed: Call Shires Prefixes OSO Total

VK4BAR 15 12 156 4212 Short wave listeners: OSO Total Call Shires Prefixes

Ian McGovern 5 81 901 Activity was down apparently, however checking of the logs has shown that activity was fine, log submission was what was down. TO THOSE WHO SUBMITTED LOGS THANK YOU

FOR YOUR SUPPORT Comments from the loas:

A better representation from vk4 but conditions to Melbourne not all that good VK3DID My new callsign should be more effective VK7JAB

Amateur Radio, June 2000

Unfortunately, it is almost certain that the 2000 Spinits will be the last. The number of entries has been steadily decreasing and last year there was only a total of 18 entries for the two sections. It has got to the stage where the costs involved, and in particular the cost of the two plaques which are the trophies for the two outright winners, together with the amount of time and effort required, can not be justified. It is a pity, but I beheve that other contexts are experiencing similar problems, so perhaps contests are becoming a thing of the past.

Object to make (and SWLs to hear and log) as many contacts as possible, without duplication, during an hour of operation on a single band. Any contact with a VK, ZL or P2 station on 80 rotters during the context period can be counted, but a station may be claimed only once.

Eligibility: all licensed amateurs, or groups of amateurs using a single call sign, e.g. club stations, anywhere in the VK, ZL and P2 call areas.

Frequencies: CW - 3.500 to 3.700 MHz may be used.

PHONE — 3.535 to 3.700 MHz may be used Call: CO Sprint CO Test or CO Contest.

Exchange: three-digit senal number which may start at any number between 001 and 999, but is to revert to 001 when 999 has been reached. Note that RS(T) is optional but may be required for contacts with contestants in other VK or ZL.

contest during the same period.

Logs: must show for each contact the time (UTC), callsign of station worked (both callsigns for SWLs), senal numbers exchanged. Enclose Summany Sheet showing name, date. CW or Phone, callsign, name and address of operator, total number of contacts claimed and a statement that the Operator has abdied by the rules and spirit of the contest. Where multi-operators enter using a club callsign, the callsigns and names of all operators are to be included. Any special conditions such as QRPor mobile operation should be mentioned in the statement. Any comments will be welcomed by the Sponsors.

Send logs to: AHARS, POK Box 401, Blackwood, SA 5051, Attention Contest Manager, by Friday, 11 August, with envelope endorsed CW. Phone or SWL Sprint. For 2000 the nacket address is

VK5OV@VK5PSG.#ADL.#SA.AUS.OC. Logs may be sent by e-mail to: <boxesdnm@Im net.au>

Awards: Certificate will be awarded to the highest score in each V.K. Zl. and P2 call area for both the CW and Phone Sprints: Trophies will be awarded to the outright winners of both. A certificate will also be awarded to the highest scoring Novice Class operator in the CW Sprint only, provided that this criticant is not entitled to another award for the CW Sprint. Certificates may be awarded to other operators whose performance was, in the opinion of the Sprintson, Sp

Any entry which is clearly in violation of the rules or spirit of this Contest or which contains an excessive number of claimed duplicate contacts (this does not refer to duplicates which have been indicated as such and are not claimed), may be disqualified. The decision of the Adelaide Hills Amateur Radio Society Inc in respect of the interpretation of these rules, the granting of awards and disqualification will be final.

These Contests are recommended as a good Saturday evening entertamment. If you have never entered a Contest before, here is a good, friendly time to start. Join in and enjoy the fun It might well be your last chance

ARU HF Championship

1200Z Sat. to 1200Z Sun 8 - 9 July IIIICKEC KIIIII
Bands: 160-10m (no WARC). Categories Single Operator,
CW only, phone only, mixed,

Multi-operator single transmitter mixed mode only Multioperator stations must remain on a band for at least 10 minutes at a time (exception IARU member society HQ stations may operate simultaneously on more than one band with one transmitter on each band/mode, providing only one HQ callsign per band is used).

Exchange: RS(T) and ITU zone (P2=51,VK4/8=55.VK6=58 and VK1/2/3/5/7=59). HQ stations will send RS(T) and official society abbreviation.

Score one point for QSOs within own zone or with an HQ station; three points for QSOs with a different zone in own continent; five points for QSOs with different continents

Multiplier is total TTU zones plus IARU HQ stations worked on each band. Final score is total QSO points from all bands X sum of multipliers from each band. Include a dupe sheet for 500+ QSOs. Send logs postmarked by 7 August to: IARU HQ, Box 310905, Newington, CT 06131-0905, USA.

Official forms and an ITU zone/prefix/continent map can be obtained from the same address on receipt of a large SASE with two IRCs or equivalent. Certificates to the top scorers in each category, in each state, ITU zone and DXCC country. Also, stations with 250+ QSOs or 50+ multipliers will receive achievement awards

NZART 80m Memorial Contest

0800-1400Z Saturday 1 July

VKs are invited to join ZLs in this annual contest to commemorate amateurs lost in World War II. It is open to single operator stations on 80 m, fixed and mobile. Repeat Contacts: The contest has six operating periods, each

of one hour, from 0800-14002. A station may be contacted TWICE during each operating period (once on phone and once on CW), provided that such contacts are not consecutive.

Exchange: RS(T) plus serial number commencing at any number between 001 & 300 for the first contact

Score: on Phone: 15 points for the first QSO with a scoring area, 14 points for the second QSO with that area, descending to one point for the 15th & subsequent QSO, with that area. The same scoring system is used with CW, except that QSO points remain at five for the 11th and subsequent QSO with that soroning seria. Scoring areas series QSO with that scoring areas are ZL. and VK prefixes/areas & DXCC countries. The rules for SWL-entents are smillar, except that the calls given of FSWL-entents are smillar, except that the calls given of

the stations heard and being worked must be given and only the exchange of the station heard is required.

Send logs and summary sheets ASAP to: Memorial Context, NZART HQ, PO Box 40525; Upper Httt, IX. Nominate the category entered (Open: Phone; CW; Beginner's CW; QRP, Home-made SSB), and include a points summary showing the number of QSOs & points for each VK/ZL call area worked. Certificates will be awarded to the top three scoring VKs.

Waltakere 80m Spilnt

Phone: 1000 1100Z Saturday 29 July CW: 1000-1100Z Saturday 5 August

This 80m sprint contest is open to all ZL & VK amateurs. In fairness to other amateurs, it is requested that no linear amplifiers be used in this contest.

Categories: Single operator; Dual operators, ie any two operators holding an appropriate licence and using the same equipment and their own callsigns. One will operator for the first half-hour and the other for the second halfhour. [Note: separate logs, both starting at 001.]

Call "CQ Sprint". Exchange: serial numbers commencing at 001 and incrementing by one for each contact. RS(T) is not required.

Logs must show stations worked, with serial numbers sent & received.

Attach a summary sheet and send log to: Sprint Contest Manager ZL1BVK, 14 Takapu Street, Henderson,

Auckland 1208. NZ, to arrive by 1 September. Alternatively, logs may be sent via packet, using three columns only with no commas or other delimiters, to: ZL1BVK@ZL1AB. Logs may also be sent by e-mail to: <211bvk@xtra.co.nz> Certificates will be awarded to the overall winner; the best score in each ZL call area and the

RSGB Islands On The Air Contest

1200Z Sat-1200Z Sun

This contest is intended to promote contacts between qualifying IOTA island groups and the rest of the world and to encourage expeditions to IOTA Islands.

Sections are: IOTA Island Stations (se those with an IOTA)

pectons are: IOIA stand stations; jee indoes min an IOIA reference); World and SWL. You can enter as CW only, SSB only, or mixed mode. Single operator stations can enter as unlimited (no time limit), or limited (12 hours max, with off periods at least 60 minutes long and marked in the log).

Bands: 80 - 10 m, avoiding 3.56-3 60.3.65-3.70, 14.06-14.125 and 14.30-14.35 MHz. Exchange: RS(T) plus serial number, plus IOTA reference number if applicable. Stations can be contacted on both Phone and CW on each band. Use the same seral numbering system for both modes. Score: 15 points per OSO with an IOTA station (including UK);

five points for stations in another DXCC country; and two points per QSO with one's own country or IOTA reference. Multiplier equals the total IOTA references per mode per

band, added together.

Final score is total OSO points X total multiplier.

For each band (but not each mode), submit a separate log, multiplier list and dupe sheet. Send your log and summary sheet to: RSGB IOTA Contest. PO Box 9. Potters Bar, Herts EN6 3RH, postmarked no later than 26 August. A comprehensive range of awards is offered to the leading stations in each category, section & continent

Southside Amateur Radio Society Sprints 2000

SSB Sat 29 Ju y
CW: Sat 5 August
Chosen to coincide with the Wattakere Sprint, the object is to

Contact as many P2, ZL and VK stations as possible

Bands: 10, 15 and 80 metres

Times: 0000Z 0200Z on 10 and 15 m: 1000 -- 1100Z on 80 m. Exchange: senal number only starting at 001. Stations may

be contacted once per hourly block, provided that such contacts are not consecutive, or that at least five minutes have elapsed between contacts.

Score three points on 10 m; two points on 15 m; one point on 80 m. QSOs with VK Novice/Limited stations become multipliers.

Final score is total QSO points times total VK Novice/ Limited multipliers

Logs should show all details of date, times UTC, callsign, exchanges, points claimed. Separate logs for each mode, please.

Summary sheets should show callsign, name and address, mode, claimed scores and signed declaration

Send logs by mail to: SARS Contest Manager, PO Box 294, Woodndge 4114, Queensland; by packet in ASCII format to: VK4WSS@VK4PKT: BPNE, QLD. AUS, OC, by e-mail to: jabba@powerup.com.au Certificates to first three place-getters in each mode and special certificate for combined modes.

SEANET Contest

0000Z - 2400Z CW: Sat 15 - Sun 16 July Phone: Sat 19 - Sun 20 August

Object is for stations outside SEANET region to work as many SEANET stations as possible

Bands: 160 - 10 metres (no WARC).

Categories: Single operator all bands; single operator single band; multi-operator single transmitter Exchange: RS(T) plus serial number. Score: one point for

each QSO. QSOs in own SEANET country count for country credit only.

Multiplier is total number of SEANET countries X three. Final score is total multiplier X total QSO points

Send logs by 31 October to: SEANET Contest Manager, Eshee Pazak 9M2FK. PO Box 13, 10700 Penang, Malaysia.

SEANET countries: A4/5/6/7/9 BV BY DU EP HL HS JA JD1 JY KH2 P29 S2 S79 VK VQ9 VS6 VU V8 XU XV XW XX9 YB ZK ZL ZL9 3B6/8/9 4S7 4X 8Q7 9K2 9M2/6 9N 9V

three hest VK scores



12/8 Walnut Street, Carnegie, Vic 3163 Email: parkerp@alphalink.com.au Novice Notes Online: http://www.alphalink.com.au/~parkerp/nonline.htm

Please note that this is Peter's correct address. Send Morse on your VHF rig

Everyone knows that the best way to practice Morse is to use it on the air. But how do you send Morse if you don't have a multimode HF or VHF transceiver? Well, you could hold a microphone up to a code practice oscillator, and hold the PTT down while pressing the key, but it's very clumsy, and the transmitted tone is likely to be harsh. Clearly something better is needed.

Enter the MorseBox! It lets you send quality Morse from a normal two metre or 70 centimetre FM transceiver. Just plug it in to the rig's microphone socket and you're on the air. Using just one transistor and a handful of other parts, the MorseBox can instantly be switched between Morse and speech - a handy feature for those running Morse practice sessions with readbacks. MorseBox also includes semi-break-in to automatically switch between receive and transmit when the key is pressed and a sidetone to allow monitoring of keying.

Circuit Description MorseBox consists of two stages. These

are a tone oscillator and a transceiver control/timing circuit (Figure One). The tone oscillator provides a pure tone

to modulate the transmitter. It is turned on and off by keying the emitter circuit.

A twin-T circuit was used because it is reliable and reproducible. The output is fed to the transceiver microphone connection via a variable resistor which is adjusted to provide a sufficient audio level for the rig used.

The control and timing circuit tells the transmitter when to transmit and when to receive. Pressing the key activates the relay and causes the rig to switch to transmit. So that the transmitter does not drop out between individual dits and dahs. a large capacitor has been wired across the relay to provide a delay of several seconds. This means that the carrier is on constantly and makes for more comfortable reception. If the key hasn't been pressed for several seconds, the relay drops out and the transcriver switches to receive.

The delay time depends on the value of the capacitor and the resistance of the

> relay coil. Slower senders will prefer a longer delay and faster operators will want a shorter The delay. prototype had a delay αf approximately three seconds which should suffice for Novice speeds. Substituting smaller value capacitor or lower

resistance relay will lessen the delay (and vice-versa). Experimentation produce an appropriate delay from the components at hand.

The front-panel switch allows Voice or Morse to be selected. When it is switched to voice, the MorseBox is disabled, and the hand microphone is connected straight to the transceiver. When Morse is selected the audio from the microphone is cut off and power is applied to the audio ascillator and relay circuits.


A useful feature is the sidetone or keying monitor. This allows you to monitor your own sending without needing a separate receiver. Though an IC audio amplifier and speaker could be used, this would increase the project's complexity. Instead it was decided to use a small piezo buzzer wired between the supply rail and key as sidetone. The 10k series resistor reduces the buzzer's volume and extends battery life.

Construction and testina

House the project in a metal case. This is important to prevent the transmitted signal feeding back into the audio oscillator and distorting the tone. The case pictured is a 100x77x130mm box by K&W

All components except for the capacitor across the key socket, switch, sockets and battery holder are mounted on a piece of unclad perforated circuit board. The parts were a tight squeeze on the 60x80mm board used in the prototype. 75x76mm boards are commercially available and would have allowed a better layout Component leads are passed through the board and are soldered underneath. Verotype stripboard could be used, but allows





a less flexible layout than the blank matrix board recommended. Because builders will use different component and circuit board types, no component layout diagram is provided. Instead treat this project as an opportunity to build something straight off a circuit diagram an important amateur skill as discussed in April's Novice Notes

placed on the circuit board. This is particularly important for the larger parts. such as the relay, electrolytic capacitors and piezo buzzer. Allow space for a hole near each corner of the board to accommodate each spacer. Don't forget to connect the case to the supply negative line. This can be done in several places most conveniently through the key

> This VOUL ections. eight

socker Lise a 6 5mm mono headphone socket for the key. The only other socket on the rear nanel is the connection to the transceiver connection should have sufficient pins to suit transceiver's microphone conn-An pin microphone socket

and

detachable natch lead was used in the prototype, but if you're really hard-up. this can be replaced with a flying lead with plug to suit the transceiver.

Drill two holes in the front panel. One is for the Morse/Voice switch and the other for the microphone connection. No socket was used for the microphone connection as the ex-commercial microphone used was cheap enough to be sacrificed full-time for this project However one should be used if you wish to use your transceiver's normal microphone on the MorseBox. Don't forget the ferrite head on the connection to the hand microphone - this reduces the risk of transmitted RF getting in to the audio.

Install the wiring around the Speech/ Morse switch, relay contacts, the microphone and the socket that carries the connections to the transceiver. Take care as this wiring is quite complicated and it's easy to make a mistake. Trust me, you'll almost certainly get it wrong first time? Use the testing process described later to check for such taults before the

The power supply used is up to the builder. Batteries were used in the prototype

MorseBox is wired to the transceiver. Continued on page 44




Photo 2: MorseBox with the cover off. Note the battery holder behind the front panel and the circuit board in the centre

continued from page 43

to make the unit fully portable and eliminate the need for an external supply. A bank of six 'AA' was used in the prototype. This is a good compromise between battery life, size and cost. The small nave olt battenes could be used, but have limited capacity and may give use to oscillator chirp near the end of their lifespan.

Connecting MorseBox to your transceiver

To connect the MorseBox to your transcever you will need to make a cable. Because the required connections vary between transceivers, it is not possible provide the details here. Instead you will need to study the microphone connections agiven in your transceiver's user manual or schematic diagram. Identify the microphone's basic connections (ground, microphone audio and push-to-talk) and note any other leads that may be present.

Transceiver microphones are full of traps for the unway. Some PTT buttons do more than just key the transceiver—theek for multi-section switches that have other functions such as disconnecting the microphone element when receiving. Also many microphones have up-down buttons and other functions that require extra wires. These wires should be provided for in the cable between the transceiver and the MorseBox if these extra features are to be available when the MorseBox is connected.

Be prepared for the possibility that both sides of your rig's PTT connection will be floating above earth. This will affect the way the Morse box is wreed to the transceiver. More specifically, the NO terminal of the relay and the earth side of the microphone's PTT (as connected through the front panel socket) should be disconnected from earth and wined directly to the (formerly earthed) side of the PTT. Connecting the MorseBox to the

transceiver is the hardest part of the project for the newcomer. This is especially for transceivers with complicated microphone connections. Seek assistance from a more experienced amateur if in doubt in extreme cases a wrong connection may damage the transceiver and void the warranty.

Testing and Adjustment Test the audio oscillator by applying power, switching to Morse and pressing

the key. Set the 10k trimmer potentiometer to about half-position. Connect a pair of high impedance headphones, a crystal earphone or an audio signal tincer to the lead carrying audio to the transceiver socket on the back panel. If all is well you'll hear an audio tone while the key is down.

If nothing is beard, a wiring fault is likely. Firstly check that the top end of the 3.9k resistor is +9 volt relative to earth. If not, look for wiring errors near the Speech/Morse switch. Wrong connections in this area could also mean the oscillator is working but audio is not getting to the transciver socket. Other reasons for fallure include the transistor and the diodes being wrongly connected. If you've writed in the buzzer, a sound

If you've wired in the buzzer, a sound from this should also be heard when the key is pressed. If no sound, check the buzzer's polarity.

Pay attention to the relay's action. Observe it pull in as soon as the key is pressed. The relay should remain in for about three seconds after the key is released. In Morse mode the relay controls the transceiver's PTT. The three-second

delay should be long enough to keep the transmitter keved down between Morse letters. Connecting an audible continuity indicator (such as that found in many multimeters) across the earth and PTT terminals on the rear panel socket should result in a continuous tone while the key is being pressed, only dropping out when three seconds have elapsed after the key was last touched.

Using MorseBox

The Morse Box can be left in the transceiver's microphone lead at all times. The 'speech' setting allows normal voice operation, while the Morse setting allows Morse to be sent when the key is pressed.

The MorseBox has

been set up for semt-break in operation with automatic switching from transmit to receive. Operators can switch to voice at any time with the Morse/Voice switch. This is useful if doing readbacks after text has been sent.

Most people would be satisfied with using the Morse Box on a two metre repeater or simplex frequency. However, crossband operation (possibly using ten metres, six notires or 70 centimeters) can assist communication. This is because recoving stations could ask for repeats or request faster sending while the other station is sending. The effect would be akin to the full-break-in enjoyed by proficient HFC (W operators.)

Conclusion

A device to allow the transmission of Morse on VHF/UHF FM-only transcervers has been described. It is simple to build and provides an easy way for amateurs to practice Morse on the air. It would also be an ideal club or group project for those wishing to increase their Morse skills together

ar

	List

Parts List		
(DSE catalogue numbers)	riven for	convenience)
BC548 NPN transistor	1	21308
IN4148 diodes	2	Z3120
3.9k 1/4 watt resistor	2	R1088
5.6k 1/4 watt resistor	2	R1092
10k 1/4 watt resistor	1	R1098
270k 1/4 watt resistor	1	R1134
10k trimpot	1	R1941
InF disc ceramsc capacitor	2	R2307
10nF greencap capacitor	.5	R2055
100nF greencap capacitor	1	R2100
220uF electrolytic capacitor	1	R4380
6800uF electrolytic capacitor	1	R4470 (see
		text)
6-9v, 220 ohm SPDT relay	J	P8008

Small piezo buzzer	1	L7020
DPDT toggle switch	1	P7656
Hand microphone with PTT	1	(see text,
8-pin microphone socket	1	P1826
8-pin microphone plug	1	P1836
Mic plug to suit transceiver	î	
6.5mm mono socket	1	P1261
6xAA battery holder	í	S6116
Snap to suit battery holder	1	56100
100x77x130mm metal case	1	H2804
75x76mm blank matrix board	1	H5310
10mm insulated spacers	4	H1861
Ferrite bead	1	R5425

suggested



Bill Magnusson VK3JT RMB 1627 Milawa Vic 3678 Email: vk3it@amsat.org

MIR Operations Begin Again.

After months of uncertainty during which many false alarms were put about, the MIR space station is again manned. Despite their very heavy work schedule, the new crew wasted no time in activating the amateur radio equipment. They have been contacted by voice during their recreation time and the packet system and also the SSTV systems have been monitored at other times. While rumours still abound, nothing certain is known of the future plans for MIR so make the most of the opportunity while it exists. When the crew was announced prior to launch. it was billed as "the final expedition to MIR". Remember that the crew works to Moscow time on board MIR and their day starts at around 7am. They have been active on voice during their breakfast time and they particularly enjoy the passes over Australia when they can have a chat

without the extreme ORM they expenence over many other countries.

Oscar-WHO?

AO-10 ... UO-22 .. KO-25 .. How are satellites named, how do they get these reference numbers? Is there any convention? Does it all happen by chance? NO ... OSCAR numbers are issued by AMSAT-NA at the request of Project OSCAR, which built and launched the first Amateur Radio satellites beginning with OSCAR-1 in 1961. Project OSCAR has kept track of all satellite numbering ever since. In order to qualify for an OSCAR designation. certain specified criteria must be met, the most important of which are set forth in a document issued by the International Amateur Radio Union (IARU) entitled 'Information Paper for Perspective Owners and Operators of Satellites Intended for Operation in the Amateur Satellite Service'. Information on this document is available on the IARU Internet web site and also through a link from the AMSAT-NA web page. The IARU document is based on a similar document published earlier AMSAT-NA. Other criteria include the need for a written request by the person or organization responsible for the satellite to be submitted to AMSAT-NA. This request must include information about the satellite such as frequencies and orbit details as well as a statement that the requirements of the IARU document have been and are being met. Thanks to AMSAT News Service for the above information. Not all amateur radio satellites request or are given an "Oscar number" of course Notable exceptions are the Russian "RS" series

The AMSAT organisation

AMSAT (Amateur Radio Satellite Corporation) is a worldwide organisation with its roots in the USA. Its origin can be traced back to 1958, just a year after the launch of Sputnik-1, Since that time AMSAT members have been involved in the design, building, launching, commissioning, unkeen and of course, the day-to-day use of amateur radio communication satellites. The parent body is AMSAT-NA (North America) and many other countries have similar special interest groups operating.

AMSAT-Australia

Our local organisation is known as AMSAT-VK. The National Co-ordinator is Graham Ratcliff VK5AGR.

Membership of AMSAT-Australia AMSAT-Australia operates an open membership system. No formal application is necessary and

no membership fees apply. From time to time new software, firmware and hardware is developed and distributed through AMSAT-VK channels. Write to the co-ordinator to express your interest or pop up on the HF net.

AMSAT-Australia HF net

The AMSAT-Australia net meets formally on the second Sunday evening of the month. During the winter months in South Australia (end of March until the end of October) the net meets on 3.685 MHz +/- QRM at an official start time 1000UTC with early check-ins at 0945UTC. During the summer months when daylight saving is in operation in South Australia (end of October until end of March) the net meets on 7.068 MHz +/- QRM at an official start time of 0900UTC with early check ms at 0845UTC. The times and frequencies have been chosen as the best compromise for an Australia-wide net taking into consideration seasonal propagation changes and the various state summer time variations. The net is open to all amateurs, beginners or experienced who have an interest in amateur radio satellites. Help and information for beginners in particular, no matter how trivial, is freely and cheerfully available on this net. The AMSAT Journal

An excellent bi-monthly journal is available with formal membership of AMSAT-NA. It contains details of practical projects and ranges over all aspects of amateur radio satellite operations. As of OlJul00 the cost of AMSAT-NA annual membership will be U\$45 payable to AMSAT-NA 850 Sligo Ave, Silver Spring, MD 20910-4702 U.S.A. or you can phone, fax or email your subscription using your credit card. The phone number is 0011-1-301-589-6062, the FAX number is 0011-1-301-608-3410 and the email address is martha@amsat.org

Ali Communications regarding any matters mentioned above should be addressed to: AMSAT-Australia

GPO Box 2141, Adelaide, SA. 5001.

email. vk5agr@amsat.org

Amateur Radio, June 2000

Internet Protocol Tests on Amateur Radio Satellites

NASA recently demonstrated the ability to use standard Internet protocols to communicate with an orbiting spacecraft (just like any node on the Internet) Engineers at NASA's Goddard Space Flight Centre working with the Operating Missions as Nodes on the Internet (OMNI) project, have completed the first step in extending Internet access to future spacecraft, AMSAT-NA's Ron Parise, WA4SIR, is one of the driving forces in the project NASA has been developing this project by working with UoSAT-12, a spacecraft built by Surrey Satellite Technology Ltd. (SSTL.) UoSAT-12 is also known as UQ-36 by the Amateur Radio community and carnes a number imaging payloads. digital store-and-forward communications and mode L/S transponders in addition to its commercial payload. Engineers from the GSFC successfully used standard Internet PING packets to communicate with UoSAT-12 through a ground station in Surrey, England. This is the first time that a spacecraft ever had its own Internet

address and was a fully compliant active

node on the worldwide web. Subsequent tests will expand on the basic network canabilities established and will demonstrate the use of standard Internet applications to support normal spacecraft operations. Automatic spacecraft clock synchronization will be demonstrated using Network Time Protocol (NTP). reliable file transfer will be demonstrated using standard File Transfer Protocol (FTP) and finally the Simple Mail Transfer Protocol (SMTP) will be used to automated demonstrate store-and-forward Future tests are planned to incorporate technologies required to support full operational deployment of Internet protocols on future space missions. More information about this exciting new development is available at.

http://www.spacedaily.com/news/

Information from AMSAT News Service.

Tiny Satellite Being Developed at Surrey

SSTL's first "nano-satellite" SNAP-1, is being constructed at the Surrey Space Centre. SNAP-1 is a highly integrated and sophisticated spacecraft weighing just 6 kg. It has advanced micro-miniature GPS navigation. on-board computing, uppropulsion and attitude control technologies, all developed in the UK. It will not have any amateur radio component but it is certainly an interesting direction in commercial satellite. There have been several amateur radio satellites of the "pic-osatellite" package size and it appears that Surrey believe there are commercial opportunities in this area that are worth developine.

Next Month:

Twice-yearly update of all active amateur radio satellites, frequencies and modes: also the latest news from the shack of VK3FT, soon to be thrust into the magical world of high speed downloading (38k4 baud) from UO-36. I have been inundated with outside pre-winter work around the property here and all that has happened so far is a test of the TNC/modem at 9k6/ 9k6 on the current digital satellites. Tests indicate that the new SYMEK TNC works at least as well or better than the currently used and very popular PacComm Tiny2/G3RUH combination, I hope to have the 38k4 setup working and reportable by the time next month's column comes around.

ar

A WORLD FIRST IN SIGHT AND SOUND FOR ICOM

In a world first for a handheld communications receiver, from has just released in Australia the IC-R3, a wide band receiver combined with a 2 inch TFT colour LCD and TV screen.

The IC-R3 offers super wide 0.5-2450 Mhz frequency coverage for AM. FM, wide FM and TV picture reception. With he IC-R3 you can capture the excitement of a sporting event like a Formula 1 Grand Prix or the Olympic Games from every camera angle, not just the image being broadcast on television. Or in the security industry, the IC-R3 could monitor every seamera position.

The IC-R3 has an array of

features like signal strength level indication, scanning, a multi-function joy stick' style switch, and 450 memory channels. The LCD shows information such as receiving frequencies, tuning steps and memory channel numbers plus TV reception. A Lithium-Ion battery is supplied which gives almost 2 times longer than other types of batteries. And the external DC IN terminal allows you to operate with 3.6-6.3 v DC power source,

or 12 V DC power source via the optional CP-18 Cigarette lighter cable, all day long. This amazing unit comes with loom's usual 2 Year Warranty and is priced at around \$1100 including the GST.

The IC-R3 captures the world of sight and sound for the first time in a handheld receiver and is available through accredited loom Dealers, or for more information call loom on 1800 338 915.

Postal: PO Box 789 Salisbury South Australia 5108
E-mail: lecknolt@arcom.com.au
Web page: http://www.ozemail.com.au/-tecknolt

Fax +61 8 82346396 Phone 0414 808060 (before 2130 EST please)
All times are UTC

Mid Year ... Already!

Winter is upon us. The Autumn Equinox extended into May 2000 but has now all but died. A sizable 6 Metre April/May round up will be found further in this column!

Meanwhile, the extent and coverage of Tropo DX has dropped with the temperature. Traditionally this is when we all get busy and start building (for those who do!) equipment for the next season. Starting with this issue, you will find a new series introducing "Microwaves" to the readers. I hope the article will inspire more to aspire!

New 47 GHz Australian Distance Record

Al Edgar VK6ZAY reports. "Over the past I2 months Al Edgar VK6ZAY and Terry Crammer VK6TRG have been assembling equipment for an attempt on the Austrainm 47 GHz distance record. This goal was finally realised on the 21st of April 2000 with a contact over 24.6 km extending the previous record by 6.3km. Two days later on the 23rd of April this was stretched even further to 45.3 kms with signals 'booming in' at 5-9 + over a 1 hour period. The current world record on 47GHz is still some was 0f af over 200 km."

"The contacts were made over line of sight paths near Perth, Western Australia. On both days the weather was a warm 28 degrees with relative humidity about 60%. Visibility across the 45 km from the Karnet Lookout to Wireless Hill was good without the usual haze often seen over this path. This is considered a major factor in the success of the attempt as attenuation due to water vapour can be as much as 1.5 dB per km. During one 15 minute period over the longer path the signal strength deteriorated by over 40 dB from 5-9 ++ to 4-1 and this coincided with the arrival of the afternoon sea breeze. Once the wind conditions had stabilised the signals returned to their previous strength. This phenomenon demonstrates one of the peculiarities of radio propagation over line of sight paths at millimetre wavelengths."

"The two way SSB contacts were made possible by the use of temperature controlled crystal oscillators which provide excellent stability even though their outputs are multiplied over 450 times. On each occasion the 47 GHz contacts were preceded by an exchange on 10 GHz were precise bearings and elevations were determined to enable correct pointing of the 47 GHz antennes. This is a critical step to achieving success where 600mm dishes have a gain of over 45dB and a 3 dB bearmidido of less than one degree."

"The equipment used is the result of almost 12 months work. Both units were built by Al VK6ZAY and are practically identical. Single 600 mm dishes are used for transmit and receive in the normal way with a circulator providing the RF 'change over'. Transmit power is in the order of 1 to 2 milliwatts with no post mixer PA or receive preamplifier, this really is a 'barefoot' system. Earlier designs achieved distances of 1 km (Mkl) and 6 km (Mkll) and depended on surplus diodes salvaged from 5 GHz and 12 GHz equipment for the final transmit and receive mixers. The MK111 versions used in the record breaking contact contain mixer diodes and circulators from surplus 50 GHz Pasolink equipment." "The heart of each transverter is a

temperature controlled crystal socialitary operating at approximately 100 MHz foeding into an II.75 GHz phased locked 'brick' which puts out about +15 dBm. Two high frequency mixers are used in each unit, one for transmit and local oscillator generation and the other for receive. The 11.75 GHz signal is fed into the transmit mixer diode where it is

multiplied by 4 and added to the 2m IF to provide the 47.127 GHz transmit frequency. On receive, the transmit mixer without the 2 m IF input, acts as the local oscillator and passes through the output circulator to the receive mixer diod where it mixes with the incoming receive signal to provide the 2 m IF output. Circular waveguide made from 5-mm hobby brass tuoling is used to carry the signals to Cassegrain feeds, which illuminate each of the control of the control

N6XQ/VK 6 Meter QRP From Australia

Jack N6XO reports on his Northern VK6 DX-pedition ... "An opportunity developed to take a 3 1/2 week adventure tour of Western Australia. I knew that six-meter propagation would be enhanced around the equinox and that I would be located in primo latitudes for TEP (12 - 15 degrees S.) I would love to do a little operating on the trip, but was limited to the amount of luggage I could take. A 706, switching PS and big yags was out of the question. I elected to take an AEA 6-metre ssb/cw handheld that puts out 1 Watt. The transceiver is very sensitive but lacks a little in frequency coverage. I resurrected a 3 El yagi that I had previously constructed for kayaking trips. The vagi consisted of Radio Shack telescopic whips for the elements and chopped up 1/2 inch PVC tubing to make up the 8-ft boom The maximum length of the tubing segments was 17 inches and took little space in my daypack. I would try to locate a temporary mast in Australia We took the Indian-Pacific railway from Sydney to Perth to

experience some of Southern Australia."

continued on page 48

continued from page47

"The first opportunity to operate was from Monkey Min (COG-6). Monkey Min is a very nice ocean resort where dolphuss come into the shallow water for petting/feeding Dugongs (relatives of the manaties) also frequent the waters. I borrowed the telescopic pole used for cleaning the coach to use as a mast. The 3-element yag uses to up on a sandy knoll. I was pleasantly surprised with a muni pileop of JAS. I proceeded to work 28 JAS on CW and 2 on SSB I returned later in the evening to find the band dead. I did not know it at the time, but these were the last SQS's I would make with the yegi."

The next opportunity to operate was from Exmouth (Od78) (the Northwest cape). Here, I stood on the 2nd story balcomy of the motel and used a — wave whip on the HT. I had my biggest pilcup and requested the JA's call by perfix. My HT would not operate spiti. I worked 50 FA's in the next half-hour and then was called by a "800. I hought to myself "This JA can it send his prefix right or his transmitter is not initially keying right." It then sunk in that this was not a JA. but was EY8CQ in Tajikistan. What a thrill, working someplace where I have no idea where it was, but knowing it was exocide DX.

was exotic DX. "One of the most exciting spots to operate from was El Questro Station (PH33). Stations are not raid o stations, but are cattle or sheep ranches in the outback that usually range from 1000 to 10000 square miles in size. Our quarters that evening was a metal framed 2-man tent. I sat on the cot and extended the whip to hear loud Russian video and many JA's. I worked II JA's sitting on the cot holding the HT. In the morning light, I could see a close in mountain to the north in the direction of JA. My lsunch angle had to be incredibly light.

"I had another nice opening in Port Hedlinal (COSP) where I worked 10 JA's on SSB while pedestrian mobile walking around the motel Superb propagation. One of the JA's was himself portable on a mountain and only running 20 Watts. My attempt to make the first intercontinental 6 metre camel mobile contact was aborted due to close in lightning strikes."

"Surprisingly, my total operating time came to only about 6 hours Totals were (1) VK6. (2) EY8 (worked EY8CQ again while pedestrian mobile), (114) JA's. Heard KH6SX, KH6/K6MIO, HL5XF, VK6IQ".... Thanks to Eric VK5LP for forwarding lacks Article

Equinox Wrap Up For 6 Metres

Bill Webber, VK6JO from Broome, has sent in a log summary for the Equinox up to mid April. Not long after this time, Broome was hit by a Cyclone. With some luck, most things will be getting back to normal by now. Bill VK6IO writes "The fo Metre European DX has come but not quite gone ... the spread of Countries is much smaller than previous Feb/March Openings to Europe. This year, between the 16th of February and the 9th of April I had 35 contacts with 12 countries on 11 days. Compared to 1991, between the 1st of March and 16th of March when I had 63 contacts with 17 countries over 9 days and in 1992, between 31st of January and 3rd of April, 62 contacts in 21 countries over 16

"The most northerly contacts were for DL and PA with only ESIODX beacon being heard from further North. The most frequently heard countries were in Zone C2, 4X. = 10 days, 179 & 584 = 7 days EV8, which was not included in the European contact figures, was heard on 13 days, G4CBW was the only signal heard from the UK."

"My only new 6 Metre country was EH6SA from JM19. on the Balearic Islands. Now for a 6-month wait. To see what may come from Europe next Oct/Nov" ... Bill VK6JQ. Should anyone like a copy of Bill's extensive log please contact me.

Tony, VK3CAT reports ... "Stations worked on Sxx Metres on Finday morning. 204.2000 between 2155 and 2253 UTC XEI BEF @5x7. K5AM @5x6, K5NA @5x5. W7CI @5x5. N5IHV @5x9. 3D2AG @5x9. XEI/SMOOUG @ 5x5. XEIJ @ 5x2."... Tony VK3CAT

Steve VKSZBK reports the following 6 Metre DX into VKS for April 1994,00 @ 140 UTC 9M2/IHETU 5-5, 14-4.00 @ 09.54 UTC JAZWBU KOU 5-x2, 20.4.00 @ 09.54 UTC JAZWBU KAZU 5-x6 PM55. @ 09.58 UTC JAZSHU SASI JUSCH 5-x6, @22.53 UTC WSOZI PAT 5-x5 EMMO 2.1 400 @ 0.23 UTC WSOZI PAT 5-x5 EMMO 2.1 400 @ 0.23 UTC WSOZI PAT 5-x5 EMMO 2.1 400 @ 0.00 UTC XEIJ PEPEF 4-x3 DKS9" ... Steve VKSZBK JANN 19-40 @ 0.00 UTC XEIJ PEPEF 4-x3 DKS9" ... Steve VKSZBK John VK4FNO worked the following

US Stations on 50 MHz on 30/400. At 0227 N6RMJ DM14, 0237 XE2HWB DL44, 0240 W6KGF, 0241 KF6RDO DM04, 0251 KE6FCT DM04, 0259 K6NDV DM04, 0304 K6MYC, 0309 KC6NBI, 0312 W6NHY CM87, 0315 KK6TE CM97, 0317 W6FXM DM06. 0319 K6MHZ DM06. 0327 W6FM CM95, 0335 WB6AAC CM95, 0345 KH7L, 0349 W6PPTDM04, 0356 WH6O. 0404 WH6T, 0415 WA6PEV. 0419 KSTPCI DM03, 0425 W6AFR. 0428 KI6HI DM03, 0430 WA6MEM DM03 0433 NGCA & 6833 7M4HBZ.

On the 8/5/2000, John VK4FNQ worked @ 0649 JI5DWP/M and on 9 May 2000 0154 N6XQ, 0205 XEZEED DM12, 0214 N6KN DM02, 0230 WA6JRA and 0738 JP3VWJ. Ray VK4BLK, Yennoon OLD, sent in a

Kay VK-BILN. Teppoon QLLD, sent in a summary log showing with some 24 Countries worked over the March to mid April 2000. Contacts to USA and Central America as well as Oceania/Asia. What may surprise some, but not others, is the high percentage of contacts that are on CW Reviewing this compared to the last few cycles it would seem that CW has not lost any ground.

Willis Island has again been activated on both HF and 6 metres with a DX-pedition landing a few days ago. Contact details are sketchy however atleast one US contacts occurred on 15/500 @00:33 with VKGWI working K6QXY on 50.110 cw 519. VK4APC had her misfortune to break his leg while landing on the island and had to be medivacced back to Carms. Hopefully all is mended by now

VK8OT Alice Springs, NT! Steve VK3OT reports the log of VK8OT (Alice Springs, NT) PG66wg FT650 8

element LP yagi. As luck would have it, Steve was in the Tanami Desert when I dropped into Alice Springs for a day in mid April¹
The following is sorted by Callsian OTH.

April¹
The following is sorted by Callsign QTH
Date's worked/Heard in April.
3D2AG Fiii Islands 8, 9, 19, 4W6/

VK2OF East Timor 4, 4W6UN 26th. 7J6CCU Okinawa Jpn 13, 16, 21 7J7ACU/ACV/ADB Misawa Jnn 13.16.21.11.01.04.23.31. etc. 9M2/ JA1ETO East Malaysia 2 H, 9OSO 9M2KE East Malaysia 23 9M2NK East Malaysia 2 H, 23 OSO, 9M2TO Beacon only 8,10,12 Heard only 9M6SMC West Malaysia 13,18,21,22 Beacon heard only 50.014 FSK OJ85ax. 9V1JA Singapore. 2 H. 21 OSO, 9V1UV Singapore 10, 21 AH2DN Guam 8 QSO, AH6TM Hawaii 16. BG7OH PR China 4, 18 BA7JG China 25th BV2DPTaiwan 1 QSO.7 (H)

HP3XUG/UH Panama 14 heard, KH2/ 7M3GON Guam 8, KH2JU Guam 31,16 KH2KU 16 KH6HI/B Hawan 16 KH6HME/B Hawaii 16 18 KH6SR Hawaii 16 (NI6E), KH6SX Hawaii 16 KH6WU Hawaii 18 KH7L Hawaii 16 KH7R Hawaii 16,17, KH8/N0JK Am Samoa 4th, N5OLS/KH8 25th, 26th heard LU7FA, LU8MB Argentina 18th Long path 340 degrees over Pole, set new VK8 DX record 26,768 km P29ZTL P29KFS PNG 13th Heard, PJ2/WZ8D NAnt, 16th. T88JU Palau 9. T88TV 25th, 26th. T88WX Palau 5th Heard, TG9NX Guatemala, 5th. TI5BX Costa Rica V31PC Belize V73AT Marshalls 4,5,8,9,22, V73SIX Beacon 1.7. VK2OF.2ZXC. 3AMZ, 3AXH, 4BRG, 4DO, 5AYD, 5KK, 6JQ,7ZPB,8AH,8MS heard and worked.

VP6BR Pitcairn 7th. VR2BG Hong Kong 7. VR2IM 9.21. VR2XMT 1.45.79.918.21.22. VR2XVD 9. VR2YMC 4.21 VR2YVD, VR2ZMP 26th. XEI/ JASEFY Mexico 9. XEIBEF 9 QSO, 17 QSO. XEIKKM 17 H. XEIUN 9 Heard. XW2A Lanc 22. YB0ARA/9 Indonesia 9th YB0CBI 21. YB5QZ 10,12. YC5/ PA2GPL 10,12. YV4AC Venczucla 16,17. VV5LIF 9th. ZF1 Cayman 14th heard. ZL2TPY, ZL3ADT. ZL3AAU, ZL3QS, ZL3NW, ZL3TY, ZL4AAA. ZL4WA 42,07.

in total Steve reported 1100 CW QSO's with low duplicates and 500 SSB few duplicates from Alice Springs.

ACA Spectrum Auctions And New WIA Bandplans The 1800 MHz Spectrum Auctions in March

2000, which were led by Hutchison Telecommunications and One. Tel, resulted in more than \$1 327 billion being paid for "Spectrum" Hutchison and One Tel have reportedly paid \$671M and \$523M respectively for large tracts of the re-allocated

1800MHz band.
The Australian Communications Authority
has planned auctions for further major
telecommunications spectrum licences in

2000-01. The Federal Government, in the May 2000 Budget documents, says it now expects to receive ~\$2.6 billion more from the auctono of telecommunications spectrum incences than it had previously anticipated. Infact, market experts believe the government could reap anywhere between \$5 billion and \$10 billion in total!

Telecommunications commanies will use

Telecommunications companies will use the Auctioned spectrum for wared servoics, however most players have invested heavily to underpin their mobile phone plans in Australia. This includes introduction of 3G (Third generation) Technology Services in the not too distant future.

On a different note, thanks go to those who

On a different note, thanks go to those who have responded to the Spectrum "National Park" subject, raised two issues ago. Every month I hope to bring alleast some news or developments in this area so we can act or react accordingly.

In the meantime, John VK3KWA has reissued the 2.4 & 3.4 Ghz WIA Bandplans. "The only change to the 13 cm band plan is reallocation of 2300 - 2302 MHz.

On the 9 cm band, the weak signal segment has moved from 3456 MHz to 3400 MHz and the Wideband segments have been rearranged to make the best use of the available spectrum". John VK3KWA. Copies of the new bandplans can be obtained from me via email or snail mail

Microwave Primer.- Part One. The Start

With a number of Microwave bands available, it is a little difficult for the newcorner to decide "where to start" Over the next few months this series will tackle the basses on where to start and where to look to get started. Like all things, the first step is the biggest. With gamed knowledge and planning this step does not have to be an insurmountable one.

The general interest in the various Microwave hands has never been higher and the availability of equipment/parts has never been better. You may be interested in weak signal working, contesting, data or video. All feedback and requests are vectorne. I will be calling on a few guest writers, both locally and from overseas, to handle various sections.

For the purpose of this series, bands above 1000 MHz are classified as being "Microwave" bands. The six bands are available in the "Microwave" range those being 1. 2, 2, 4, 3, 4, 5, 71 0 & 24 GHz. Bands above this point are then part of the "millimetre" bands, e.g. 47 GHz and above.

1296 MHz is perhaps the easiest to get operational. It is an interesting band where frequency Tropospheric propagation is mixed with microwave type ducting. Technically, it is still an "UHF" band, however some microwave specific propagation anomalies do start to come into play like reflection, etc. An amount of ready-made equipment or kit built equipment is available. Antenna preferences are for parasitic arrays (either loop or rod vagis) for terrestrial working Equivalent gain dishes have greater windloading and feed blockage considerations although dishes are the preferred antenna for EME applications

Above 1296 MHz. the populanty of the various narrowband segments seems to fall in the following order, 10 GHz, 5 GHz, 2 GHz, 3 GHz and 2 GHz. This does vary around the country. Many factors including activity, parts availability and the degree of difficulty of construction and time-up effect preferences. The degree of difficulty for construction and time-up is fat its lowest in the lower microwave bands (2, 3 & 5 GHz). Construction becomes a little more demanding at 10 GHz and then decidedly more difficult for narrowband 24 GHz!

Australia is largely of the following types 10 GHz Qualcomm, DB6NT, G3WDG,

Gunnplexer
5 GHz N1GHZ, DB6NT
2 GHz WA8NLC, Equipment

Supplies, G3WDG
3 GHz WA8NLC, W1VT
24 GHz DB6NT, Gunnplexer

There are more options. As expected, parts that can be sourced with a minimum effort have largely determined popularity. The Internet has helped enormously, over the past few years, putting small groups in touch with other small groups in but when the proper shall very the past few years.

All designs are narrowband SSB (&CW)/FM compatible except for Gunnplexers. The Gunnplexer approach should not be overlooked. It is a simple but effect way to experiment with WBFM or Videovidata linking. While a narrowband system might have a 20—35 dB circuit advantage over WBFM, there is still plenty of scope for experimentation. And all antenna hardware is transferable to narrowband svisems as you advance.

Next month we will look at the lower microwave bands in more detail



When just being an Amateur is not enough

New Repeater Controller

A VK6 amateur, Mai VK6MT, has been developing a voice

repeater controller for more than a year.

The design is based on the Stamp concept and does everything you would want in a repeater control board. The finished board is about 10 mb by Sem and can even have some of its functions remotely programmed via DTME. A prototype board is in service in VK6. Rather than comment in any detail about the design, and perhaps be in error about the design, and function, I will find out if Mal can put together an article for next month's Reveater Link.

FM828 Circuit

From time to time I receive a request for the FM828 circuit. These circuits were reproduced in Amateur Radio a few years back but are in sections, each month being a part of the overall circuit. The circuits did line up and could be placed together. However I would like to scan in the actual circuit as it is in the 828 manual. This I hone to do and make it available as a JPG graphic file. The task is time consuming as the circuit is larger than an A4 scanner and requires about 4 A4 scans to copy the complete circuit. These 4 scans are then joined on the computer. I have been trying different scan resolutions (DPI) so as to maintain the information but keep the file size below floppy disk size. Even on a fast computer large graphic files can take considerable time to manipulate. I hope to have the task completed soon and the

The most important event of the year

As usual there is never enough time and not his months Repeater Link; is even shorter than usual. Having just returned from the Federal WIA Convention for 2000, my time is being spent on issues from the Convention, My cance sits waiting to be taken for a paddle, with the weather thus time of year perfect for such outdoor activities. However I sit at the keyboard to two in a few thoughts.

The WIA Federal Convention is the most important event for the year and takes up considerable time, if you want to at least put some value into the Convention. What little I have learnt about being a Federal Councillor is just how suitable you may or may not be to hold such a position.

For me, I come from a technical background and I hold an Amateur Licence. These qualifications don't necessarily put you in the best position to be on Federal Council. Much of what takes place at Federal Conventions is to do with finance and budgets along with meeting protocol. Anyone with limited knowledge of meeting procedure is at a disadvantage. Those with this knowledge do have a distinct advantage when it comes to the cut and thrust of debate and putting your Division's (or your own) point of view. We may all be Amateurs but in another life we come from a diverse background. This diversity is well used at Federal Council but for those of us with only an Amateur-technical background.

Federal Council can be a daunting experience. I have seen some Council members come and go in a short period of time.

A range of skills

It may be that when your Division is looking for a Federal Councillor, and such a person comes from the numbers in your Divisional Council, the person who accepts the position may do so with some reluctance. It may be that no one is willing to take on the job and you end up with the position more or less by default. This is no enticism of the way it happens, all such organisations face this limitation on people willing to put themselves forward. But it is important to recognise that the position of Federal Councillor is an important job and takes up time that may be difficult to find. Added to this it may be thought that being an Amateur is the number one requirement, and it is, but close behind is a range of other skills that you have to pick up on the way.

Being ready to expand your knowledge

My reason for writing about this is to say, it has been an experience for me and I have found my lack of interest in budgets, finance and meeting procedure initiation. Just being an Amateur is often not enough. So if you are thinking about putting up your hand to be a Federal Councillor, be ready to expand your knowledge. Federal Council is not just about Amateur Radio, but a whole range of activities all needed to keep the WIA functional.



5 Helen Street, Newstead TAS 7250 (03) 63 44 2324 Email : manwood@primus.com.au

Conditions have dramatically improved over the past six months and we may already have reached the solar maximum for this cycle.

However it is not as high as 1989-90. Propagation on the higher frequencies has been very good with many low -power signals being readily heard here in Tasmaria. There are so many beterodynes between 26 and 29 MHz and propagation has even been as high as 40 to 50 MHz.

The big news of late was the spectacular generator fire at Bonaire, in the Netherlands Antilles. On Easter Sunday, the generators powering the Radio Netherlands site were completely destroyed. Intillaily the damage was considered so severe that the site was expected to be off-arr for some time, with damage estimated to be in the millions of Dutch guilders. However the station was operational within 10 days, a truly heroic effort on the part of the staff for-site.

Arrangements were speedily made to get the Radio Netherlands programmes out on short wave, as North, Central, and South America plus Australassa relied heavily on the Bonaire relay. Other broadcasters also utilise this facility and hastily arranged alternative sites. For example, the Cyprus Creek site of the Christian Science Publishing Society was used along with the Merlin facility on Antigus. Sites within the former Soviet Union were also utilised plus the Flevo site with un the Netherlands.

Because forming the series was offered and on 9795, a Chinese language broadcast was noted on the channel and later transpired it was a Russian site broadcasting on behalf of another organisation. I believe that it is a regular transmission and usually blocked by Bonaire However it is now easily audible underneath Bonaire from when it signs on at 1020 and the power level at Bonaire may be reduced Also there was a solar disturbance which caused severe disruption during the first week of May. Congratulations are extended to the Bonaire staff for their sterling efforts at section the station back up again.

Early in April, the BBC World Service introduced eight different programming streams, an increase from the original 3 streams. They published a guide for the streams, which was available online and in their "On-Air" magazine, but they used local times rather than UTC, which was quite confusing. Also there were numerous technical hiccups during the first few days Some streams were on frequencies they were not supposed to be on and others were switched during the middle of a programme I believe that there have been numerous complaints over their introduction. The RRC has since announced that they will give the programme's times in UTC to avoid any confusion.

The service to Australasia and the Pacific, formerly on 7145 kHz between 9600 and 0800 has been dropped Services to this region are now in our local evening hours on 9740 from 1100. I am hearing an Africani stream quite easily on 17830 from 9700 to 0800.11 is a news programme followed by "Network Africa". I also am hearing another stream at the same time on 17640. It is quite confusing and one is never quite sure what streamy jour are tuned to. Personally I would prefer a single stream instead of eight.

Africa has been dominating the news lately and the only reliable source for news from this vast area has been from the outside. The BBC, Deutsche Welle and the Vatican Radio. All have quite good news bulletins on African affairs and the only consistent regional broadcaster reliably heard is Channel Africa from Johannesburg. The majority of African broadcasters are not heard very well here, including Johannesburg. They broadcast primarily in French or English plus local indigenous languages. I should also include Radio France International as they target Africa yet they are naturally in French, although they do have a 45 minutes English broadcast at 1200 for the


region. You may be fortunate enough to hear Nigeria on 7255 around their local sunnse, which is between 0630 and 0700. I have heard them very rarely but their diction is poor. I think Africa will be dominating the news for the next 12 to 18 months and it is a pity that African stations are not well heard on shortway?


I recently came across an English language programme, having some difficulty as the diction was not clear and had to really concentrate. The station was on 12085 from 1030 to 1100, identifying as the Voice of Mongolia from Ulan Bator, It has been many years since I have heard it and attempted to confirm this but was not successful. I think they are on a shoestring, reflected in their programme production. The press review sounded as if it was "a filler" and mostly ad-libbing They played some rather distinctive and eene Mongolian music. Lalso have noted that Radio Free Asia, the American based clandestine network, is using Mongolian sites to rebroadcast into China

I also came across a extremely weak station on 9072 at 1025, undersulta very strong toletype signal. The station was in Korean and I assumed it was one of the numerous Korean clandestine operations. I did hear some marital musse very similar to that over Radio Pyongyang and checked with a known outlet on 11335 and it was an identical programme. I assume it was a spur from one of the Korean sites. Also this month, the first ever summit meeting of the two Korean leaders will take place in Pyongyang I am certain that it will be extensively covered on shortwaye.

Well that is all for June. Don't forget if you have any news, I would love to hear from you. My postal and email address are at the top of the page.

73 and good monitoring Robin L. Harwood VK7RH







 Harneds may be submitted on the form on the reverse of your current Amaleur Radio address flysheet. Please print carefully, especially where case or numerals are critical.

 Please submit seperate forms for For Sale and Wanted items, and be sure to include your name, address and telephone number (including STD code) if you do not use the flysheet.
 Eight lines (forty words) per issue free to all WIA members, ninth and tenth lines for name

and address. Commercial rates apply for non-members.

Decased estates Hamads will be oublished in full, even if the ad is not fully radio equipment.

WIA policy recommends that the serial number of all equipment for sale should be included.

QTHR means the address is correct in the current WIA Call Book.

 Ordinary Hamads from members who are deemed to be in general electronics retail and wholesale distinctivitive trades should be certified as referring only to private articles not being re-sold for merchandising purposes.

 Commercial advertising (Trade Hamads) are pre-payable at \$25.00 for four lines (twenty words), plus \$2.25 per line (or part lisereof), with a minimum charge of \$25.00. Cheques are to be made out to WIA Hamads.

 Copy should be typed or in block letters, and be received by the deadlines shown on page 1 of each issue of Amateur Radio, at:

Postal: Newsletters Unlimited, 29 Tanner Street, Richmond, 3121
Fax: 03 9428 4242 E-mail: newsl@webtime.com.au

Please only send your Hamad once
Please send Hamads by mail OH fax OH email (much preferred).
Please do not send by more then one method for any one ad or issue, it is confusing.

WANTED ACT

• 1) Antenna Rotator to steer two Yagis (VHF/ UHF) system 2) Transverter (44MHz/28MHz to sut T5520/TS820 Please contact Virgil / K1VI on (02) 62555677 (AH) or email at vionexcu@usemail.com.au or packet VKIVI@VKIBBS

FOR SALE NSW

Collector (LMS ASM N. 1987*)
More: Serial No. 1981 (Ag. 1987)
More: Serial No. 1980, year 1983, heavy slepy
key. CC.5100 ono. Leeds & Northrup Standard
Restatunce 1984, Acceda. (L.) — 1000 Ohms. Cat
no. 44776. Serial to no. 17505, with cultivation report.
3100. Also Galbertin (V.2) possible, keys-y-unisted.
carrier, USB & LSB crystals, unused. office?**
"Hukson" Car Radio, 6-valve. 1981 (Cowned the
care) complete, loss specier & si-brotten heavy
Mod Serial Vision (2) 1949
Mod Office. Serial Vision (2) 1949
Mod Office. 1980.

 Yaesu FT107M HF Transceiver VGC 2 mics hand and desk \$450 Yuesu VFO FV107 matches FT 107M \$120 or \$500 both. Manuals for both. VK2IGS (02) 6629 8583

 Kenwood TS120S and PS30 power supply both in v good cond, S380 for both. Kenwood TS50S plus automatic antenna tuning unit AT50, hardly used \$1050. David VK2COF. Phone (02):4861 5334.

 Yaesu FL-2100Z amplifier new 572Bs fitted, recently serviced, \$400 VK2FGI Graham QTHR (02) 6624 2219

 ATV homemade transmitter 426 25 MHz Motorola MHW-710-2 final Includes spare crystal for 444 25 MHz, VGC, 5120 o no. Home made antenna 426 MHz. 12 elements \$30 Peter VK2BPO (02) 9713 1831 QTHR Email brunone@bigfoot cont *INTERNET Connect from Port Macquarie to the Gold Coast from 80c per hour. Summertand Amateur Radio Club For info http:// www.nor.com.au/community/sort/suc/him Harry VXZMO, CYTHR, cascom@ner.com.au. PO 80x 293. Lismore, 2480 Ph 02 6621 6096 *BOOK: "Radiotel/sgrajb and Radiotelephone

Codes. Prowords and Abbreviations. "2nd Edition. S16 posted Australia. 90 Pages. Q.X.Z. Codes. 97 Phonetic. 20 Morse Codes. Phillips. Myer. 10.11.12.13 Codes. Much other info Internet. http://www.nor.com.aud.community/srard-phonetic.htm.~V.K.2JWA, John W.A.Korn. QTHR. (02) 66215217 jalloom@Pon.com.au

*Yaesu FL-110 HF Linear Amp, 1.8 - 30MHz bandswitched, 100W solidstate with ALC and PA protection, 12 - 14VDC, 1 - 15W drive (surt FT-7). Handhook and DC cables included. Good working order and condition. \$90. Ron VK2WB (02) 4232 1794

 Yaesu FT290RH (2m SSB/CW/FM) incl 25w PA & service manual \$650 Also, Alinco DR605 (2m/70cm FM) \$400 Both excellent condition with ong boxes, manuals etc Brett, VK2CBD 0414 200 740

*Yassu FT 1012 HF TXCVR S/N 9C020308 GC Spare PA valves Butti in fan DC-DC conventer \$250,00. One light weight morse code key \$5,00 Do guiter mount antenna rack with 11m antenna \$5,00 One Kraco 11m 24 channel CB S/N 803477 with cystals to convert to 10% \$100,00. VK2KRQ John Le Fevre (02/439/0458 12A Rickard Road Empire Bay NSW

WANTED NSW

 Kenwood desk microphone MC-80 or MC-60A VK2IGS, (02) 6629 858.²

Kenwood TS430S, Keith VK2AXN Sydney. (02) 9489 0304 QTHR Valve 6BN8. Possible swap for other valve if required. VK2BJU. QTHR. (02) 4841 0272 marland@goulburn.net.au

FOR SALE VIC

 Drake Transceiver TR7 \$1800. Drake Linear Amp L75 \$750 MFJ DSP Filter \$300 Yaesu cathode ray monitor scope \$350 ono Apply VK3LC QTHR Phone (03) 9773 5334 All with instruction books etc.

*Drake TR7 250W transceiver with PS7 power supply, covers all hambands including WARD receives 0 70MHz, extras 1 8kHz, 6kHz filters. Fan, slow dial drive, Shure mic, shop manual Recently serviced by Drake expert \$1200 ono, you collect. VK/WW (03) 5433 7654

*VHF 2 metre equipment ICOM IC-281H s/n 001702 ICOM IC-W21A Dual Band I/H s/n 02743, with mans & car chargers, & 2 antennas. Diamond F-23A antenna - 2m 5/8 wave 3 element vertical Home brew Sim Jim antennas. MFJ-812B VHF SWR/Watt meter Manuals. mstructions & articles. All for \$580, or separately by negotastion. David VK3DNG 07HR (03) 9859 4698, email roddadd@rvib2.rvib.org.au

 Alinco DX-70TH with manual, m/bracket and 6m remote head cable, Ex Cond. \$1000. Luke VK3EM (03) 9841 4971

*The Australian Army Signals Museum in

Melbourne would like to get two WW2 Radios for its collection. They are man pack sets. WS208 and WS128. If you can help, please contact Allan Doble VK3AMD QTHR Phone (03) 9570 4610 any time

*One PK232 THC. Kevin VK3MKW. Phone (03) 9836 1587 AH

*Circuit & manual for, Granger SSB Teletransceiver, model 174-2, and Realistic DX100 General coverage revr. Brian VK3WYN (03) 5664

1251 QTHR

*Integrated Circuit TD62083AF, 18 pin SMD

John VK3AJL (03) 9481 6771

*Yaesu FT-901 or FT-902 HF Transceiver Please
contact Paul VK3DA, email.
apaulo@vk3da.alphalink.com.au, or (03) 5983

1771.

 Dual band hand held, FT470 or FT530. Must be in good condition. Ian. BHs 0418 579422. AH 03 57 511631 or email. lonan@albury.net.au

FOR SALE QLD * Radiotron Designer's Handbook \$50, TR7800

2m Tx/Rx \$200, FRG7 \$150, FT107m \$500, FL2100Z and spare vales \$700, KP-200 keyer \$50, Crown \$150, valve tester Taylor 45C \$120, HRO-5T metal valves, Home brew FSU \$400, Peter VK4APD QTHR Phone r671 3307 375

**Linear RF Power Amplifter, ENI 32001.
mdustnal/haboratory type, Broad-band 250 kHz130MHz Class A Linear Output Power more than
100 Watts into 50 Ohm, maximum input + 13 don'd
1/mm. Operates into any load Forced air colorled
Type N connections, Front panel power meter 240
VAC Garry VK-ARR (07) 3353 1 1695

6 metre FM transceiver, Tait T499, 25 Watts, 100 channel capacity programmed with ALL repeater simplex & reverse repeater frequencies, mic. spkr. cradle, circuits, CH list. GC, \$110. Gary VK4AR (07, 3353 1695) 100W Linear Amp DSE-K6313 \$30. Beams 10-15-20 TH3 JUN, 10-15-20 TET-EMTRON HB43DX, both \$80. Trailer load computers, TNCs, modems, \$30. Phone (07) 4125 1690

*Coaxiar lealy BNC SPDT 24w new \$40. Coaxiar dual isolation tellays (X SPST) N type 24w new \$50. 8745 Planer triodes, Eirnac, new, \$50 pair, \$80.8745 Planer triodes, Eirnac, new, \$50 pair, Philips PM2505 electronic VAR meter, \$12.5 VBM, \$30. pair, Philips PM2505 electronic VAR meter, \$12.5 VBM, \$30. pair, Philips PM2505 electronic VAR meter, \$12.5 VBM, \$30.00 pair, Philips PM2505 electronic VAR meter, \$12.5 VBM, \$30.00 pair, PM2505 electronic VAR meter, \$12.5 VBM, \$10.00 pair, \$

 Yaesu FT74TGX HF xcvr, 3-30MHz, all mode computer aided, manual, FM board, serial no 03380134, excellent condition, \$550 QTHR (07) 3269 8848, email: vk4arb@powerup.com.au

Yaesu FT990 HF all band, all mode, suto tuner
 S1800. Yaesu FL-7000 HFAmp all band auto tuner
 1200W PEP output \$2400, or FT990 and EL-7000 together \$3800. Kenwood
 Yb-520 EX-VFO \$220. Ggo Challenger vertical antenna 80m-6m \$400. Ph John VK4AJS (07) 4939 \$774 or 1942 935 \$724 or

 Kenwood TS-50S HF mobile txcvr, ser. no. 60800848, as new, c/w headphone. Terlin mobile antenna and spring base, \$1000, Neil VK4WNT, (07) 5484 5883

WANTED QLD WWII Suitcase Transceiver type 3 mark II, also

type A mark III, MCR I receiver, S-phone type 13 mark IV, AWA 3BZ transmitter, and matching receivers. Coil boxes for HRO Rx. Ray VK4FH. PO Box 5263, Daisy Hill 4127. Ph (07) 3299 3819, Fax (07) 3299 3821

FOR SALE SA

 Kenwood TS-130S with operators manual, service manual, \$460, Mobile bracket for TS-120
 TS130 S60, Paul VK5MAP QTHR (08) 8651 2308

Antenna Entron TE-23M threeband mini-beam two-element with pole & guy S200 on. Mobile whips various HF, offer. Dip-meter trio DM-801 stn 1040047, offer. Packet radio MFJ TNC2 model MFJ-1274 st 002016986. marsusl, 2 books, cables, etc., offer. Ron VKSSD QTHR (08) 8337 6540 VSess FT 107M 5500. Ysees FC 107A att turner \$120. Hidaka Super Trap beam VS-33 \$150. Emotator 502 CXX with 5 meter tube mast for

notator assembly \$350. All items excellent

http://www.hamsearch.com
a not-for-profit site that is a search
engine for hams

ADVERTISERS INDEX

ATN Antennas	8
Andrews Communication Systems	11
Dick Smith	OBC, 28,29
Icom	IBC
Tower Communications	25
WIA Call Book	IFC

condition VK5ALK. Phone (08) 8277 2006. Offers for complete rig sale.

WANTED SA

 Assembly instructions for Hy-Gain TH3 3 element tri-band beam. Copying and postage costs will be reimbursed. Ted VKSZE (08) 8255 7586

 (1) One 100pf, per section, dual variable capacitor, 0.125 inch plate spacing, (2) Two 100pf, variable capacitors, 0.125 inch plate spacing, (3) WW2 number 62 Set in reasonable condition. Ian VK5XA; PO Box 140 Milang, S.A. 5256. Phone: (08) 8537 0243

FOR SALE WA

*Kenwood TH79 VHF/IHF dual band bandhold and numerous accessionies. Accessories include: 1) SMC 34 speaker/microphone with volume control; 2) 2 case — I spare; 3) a lical abattery packs which have all recently been rebuilt; 4) if yet ell case; 5) it x Kenwood KSC; 14 despoin control and the control of the control of

MISCELLANEOUS

 FREE if you dismantle and remove TH3 Mk3 Three element Thunder Bird antenna and 30 ft tower. No longer required. Vic VK5AGX QTHR (08) 8258 0412

•If you got your licence before 1975 you are invited to join the Radio Amateurs Old Timers Club. ASZ-90 joining fee plus \$80 0for one year or \$15.00 for two years gets you two interesting Journals a year plus good fellowship. Arthur Evans VK3VQ or Allan Doble VK3AMD can supply applications forms. Both are QTHR in any Call Book.

 The WIA QSL Collection (now Federal) requires QSLs. All types welcome. especially are DX pictorial cards, special issue. Please contact the Hon Curator, Ken Matchett VK3TL, 4 Sunrise Hill Road Montrose VIC 3765, tel. 03 9728 5330.

TRADE ADS

AMIDON FERROMAGNETIC CORES: For all RF applications, Send business size SASE

for data/price to RJ & US Imports, PO Box 431, Kiama NSW 2533 (no enquiries at office please ... 14 Boanyo Ave Kiama).

www.cyberelectric.net.au/-rjandusimports Agencies at: Assoc TV Service, Hobart: Truscotts Electromic World, Melbourne and Mildura: Alpha

Electronic world, Methodurne and Mildura: Alpha Tango Products, Perth: Haven Electronics, Nowra • WEATHER FAX programs for IBM XT/ATs *** "RADFAXZ" \$35.00. is a high resolution short-wave weather fax, Morse and RTTY

TRADE PRACTICES ACT

It is impossible for us to ensure that the advertisements submitted for publication comply with the Trade Practices Act 1974. Therefore, advertisers and advertising agents will appreciate the absolute need for themselves to ensure that the provisions of the Act are strictly complied with.

VICTORIAN CONSUMER AFFAIRS ACT

All advertisers are advised that advertisements containing only a PO Box number as the address cannot be accepted without the addition of the business address of the box-holder or seller of the goods.

OVER TO YOU

Packet/Internet

I refer to the Over to You letter in Amateur Radio November 1999 titled "More Packet Please"

I have placed a page on the packet teletext concerning sending internet email to non hams via a packet station. I feel that this activity is a good piece of publicity for amateur radio and would like to record my public thanks to the stations who run mailboxes (MBO) and bulletin board systems (BBS) Particularly the Netlink stations. VK7PU, ZL1MA, HS0AC and others which I have used while marine mobile (VK5RO. VK2AGE. VK3WZ VK4TN etc). The unsung volunteers army! Is an article wanted on Packet/ Internet communications?

Ted Podham VK2EZQ 741 Landbase Australia, Locked bag 25. Gosford 2250 20 January 2000 Editor's Comment. Let me know if you

think we should have a Packet or Digital Modes Column. However I would also like to know who to approach to write it.

PLEASE BE KIND TO DUR TYPIST

Our Hamad typist is not an expert in your field Please write legibly on your form, using both capitals and lower case, and use legitimate abbreviations.

This saves excessive corrections by the proofreader, and reduces the chance of errors being published, which inconveniences everyone.

receiving program. Suttable for CGA, EGA, VGA
and Hercules cards state which, Needs SSB HF
radio and RADFAX decoder. *** "SATFAX"
\$450.0 is a NOAA, Meteor and GMS weather
satellite picture receiving program. Needs EGA
or VGA & WEATHER FAX PC card. 4:137 MH;
Receiver. *** "MAXISAT" 375.00 is similar to
KATFAX but needs. 2 MB of expanded memory
(EMS 3.0 or 4.0) and 1024 x 768 SVGA card. All
programs are on 5.27 or 3.2" distate which)
from M. Delahusty 42 Villes Needs. New Farm QLD
405, Ph.O 1386, 7785.

DVER TO YOU

An open forum for members' comments Please keep letters short: brevity gets priority

Letter from the Editor

Letters need to be short: otherwise I will have to edit them down to about 200 words. Occasionally I will include something longer if it is well written and well researched In some cases I will publish an abstract. This has happened with this month's letters.

Colwyn VK5UE Editor.

Membership Register.

Gordon McDonald wrote in March on how we record Memberships in AR. We will now try to show transfers separately.

CW

I have received some letters on CW. David Pilley wrote to confirm that CW is not dead and Amateurs will keep it alive Ian Godsil wrote asking Special event stations to indicate the modes they will be using, which a number do.

Delivery of AR.

Gordon McDonalds second letter with Editors Note

This month your cover sheet has a request to e-mail Newsletters Unlimited. the publishers of AR, the date you receive AR and your postcode. This information will be put to Australia Post with a 'please explain'.

Have you tried.

DXing, microwaves, CW, high speed data, ATV, operating portable, slow scan TV, QRP, contesting, homebrewing, AM, UHF, packet radio, foxhunting, building repeaters, JOTA, 160 metres or publicising amateur radio?

Write about it and send it to

Amateur

the magazine which covers more facets of

amateur radio than any other.

Address for articles: The Editor Amateur Radio 34 Hawker Cres Elizabeth East SA 5122 or email edarmag@charlot.net.au

Things we have to do better 12 May 2000

Hello Editor.

I haven't got AR for May yet because I am in an outlying area of Australia called Sydney but I did get some information about the contents via 2m SSB from an amateur in the more densely populated area beyond the Blue Mountains. I was surprised to learn that my "Letter to the Editor" relating to the WIA membership register and to changing divisions etc was not published in the May issue. I would like to know why not. Please oblige me with a prompt answer. Yours quite seriously.

Gordon McDonald VK27AR WIA member since 1957/58.

Editors Note. I have replied to Gordon about AR and asked the office to vet the new members list for re-entries. so we don't have any more burn ups.

Re Inverters in Try This April 2000 AR Here are a few cautionary words for those

readers contemplating installing an inverter in their vehicle. The lighter/radio fuse in my Falcon is

rated at 15 A which is a typical value for this sort of vehicle. The lighter outlet might therefore supply 180 W before the fuze blows or the under dash wiring blushes. An inverter is optimistically rated 80% efficient under ideal conditions. therefore the best an inverter connected

to the lighter circuit can do is 140W.

If an inverter is used to drive a 140W appliciance for 1 hr the energy used must be returned to the battery i.e.180Whr. Assuming the battery watt hour efficiency is 80% it will need recharging with 225Whr which is 3.75 hours at 5A and 12V, that arithmetic, of course applies to any applicance which uses the vehicle battery as a primary supply whilst the vehicle is stationary for any length of

A 300 W inverter will supply, under ideal load conditions, about 240 W and will require an outlet fuze of 25A and vehicle wiring to match. If a 300W unit is used to its full capacity the energy required from the vehicle battery is 300 WHr per hour. The battery will then require 5. A at 12V for 6.25 hr

Inverters are not suitable for loads which have high starting currents such as refrigerators and compressors which use induction motors permanently connected to the compressors. To be safe use them only for unity power factor loads. If an inverter waveform departs significantly from sinusoidal, power factor correction will not be effective.

Lindsay Lawless VK3ANJ Box 760 Lakes Entrance Victoria 3909. 17/04/2000

Address all letters to: The Editor AR 34 Hawker Crescent Elizabeth East S.A., 5112 e-mail edarmag@chariot.net.au

YAESU'S DONE IT AGAIN



Yaesu FT-100 Ultra-compact HF/6m/2m/70cm Mobile

AMAZING SCOOP PURCHASE VALUE!

Now you can enjoy the fun of operating on all bands from 160m to 70cm, either at home or in your car, and at a fantastic Yaesu price.

The new Yasus FT-100 features HF/6m/2m/70cm transmitter coverage with 100W RP output on HF and 6m, 50W on 2m and 20W on 70cm, plus you can easily mount the detachable front panel using an optional lead (YSK-100) for more convenient mobile installations, Powerful interference flighting features such as a DSP based Bandpass filter. Notch filter and Noise reduction, together with an IF based Shirt control, all aid reception quality during toxyle conditions. A Speech Processor and VOX facility are provided for SSB users and an internal Electronic keyer is provided for CSV person. Also included are Dual YFOs, built-in CTCSS encode, 300 memory channels, all-mode operation (SSB, CW, AM, PM, AFSK, Packet' 1200/9600bps). 1000Hz-970MHz receiver (cellular locked-out), and options for additional AM and CVV if Efters.

The FT-100 is supplied with an MH-4286JS hand mic, DC power lead and comprehensive instructions.

YSK-100 remote front panel kit.

YAESU

Included as standard:

- Digital Signal Processing on both transmit and receive
- Effective IF noise blanker
- Electronic CW keyer with 50 character message memory
- Spectrum Scope function
- · Massive receiver coverage (100kHz 970MHz, less cellular)

\$2499 SAVI

2 YEAR WARRANTY

* Requires third party TNC

Offers expire 30/6/2000.



That's where you go!

1074 BC 4 ml

GREAT

GEAR FROM



1C-706MKIIG

The amazing evolution of the legendary 706. Frequency coverage is expanded to the 70cm band and output power is increased for the 2m band. You get base station performance and features in a mobile rig-sized package.

IC-718 A compact HF all band transceiver.

A superior performer with simple, straight forward operation with keypad. Optional AF DSP capabilities, including noise reduction and auto notch function. It's versatile, compact and loaded with features.





NEW



1C-756PRO The HF & 6mm

professional performer, 100 watts of power, newly designed 32 bit floating DSP for noise reduction and auto notch function, and AGC loop operation for wider dynamic range. Plus digital IF filter. built-in RTTY Demodulator/Dual Peak APF, and a whole lot more.



IC-2800H approach to dual band mobile. Powerful performance on 2m and 70cm bands, remote control

capability, and a first for mobile rigs... a multi-function colour LCD screen! All your information is right in front of you in colourful 3D-like characters and icons.



clarity on the 6m, 2m, 70cms and 23cm bands. It's water resistant, with tone squelch and packet beep functions standard, plus you can change volume and bands even quicker with the 'joy-slick' style multi-function switch



Clearly Ahead

2 YR WARRANTY

See your nearest Icom Dealer. or visit our website at www.icom.net.gu